ENVIRONMENTAL PROTECTION

Division of County Environmental and Waste Enforcement Programs

Bureau of Solid Waste Compliance & Enforcement

Proposed amendments: N.J.A.C. 7:26-5.4 and N.J.A.C. 7:26H-5.18

Proposed new rule: N.J.A.C. 7:26-5.10 (change current 5.10 to 5.11)

Authorized by: Bradley M. Campbell, Commissioner,

Department of Environmental Protection.

Authority: N.J.S.A. 13;1D-1 et seq.; 13:1B-3

13:1E-1 et seq.; 13:1D-125 et seq.

DEP Docket No:

Proposal Number:

PRN 2001

A public hearing concerning this proposal will be held on

Date:

Time:

New Jersey Department of Environmental Protection

Public Hearing Room 401 East State Street Trenton, NJ 08625

Submit written comments by

, 2004 to:

Leslie Ledogar, Esq.

Attention: DEP Docket Number_____

Office of Legal Affairs

P.O. Box 402

Trenton, New Jersey 08625-0402

Comments on disk:

The Division of County Environmental and Waste Enforcement Programs wishes to review comments on diskette to reduce the time and staff necessary to respond to public comments. The Division requests that any commenter who has access to word processing software submit comments on this proposal to the Department on paper as well as on 3-1/2 inch diskettes. The Division will use the paper version to ensure that the uploading was accomplished successfully. Submission of the disk is not a requirement; the Department will accept all comments submitted in writing prior to the end of the comment period.

The Division prefers Microsoft Word 97, WordPerfect 5.x or 6.0, and ASCII, but can convert and review many other formats as well. Macintosh formats should not be used. Any commenter who wishes to use software not mentioned above may contact John Barry at (609) 584-4250 to check compatibility.

Text enhancements such as underlines, bold, etc., are often not converted correctly between software documents. Therefore, when suggesting text revisions, commenters should show the text as they desire to see it in the rule.

Comments on the proposal summary should be included with comments on the pertinent section of the rule text, wherever possible, to eliminate duplicative comments and facilitate the Department's task of organizing and responding to comments. Since comments

will be sorted electronically, the following format should be used for each comment:

(tab)citation(tab)COMMENT: Company name followed immediately with the phrase believes that and comment text. For example:

1.7(e) COMMENT: ABC Corporation believes that the exemption from solid waste facility permitting for on-site disposal of construction and vegetative waste removed in preparation for new construction should be retained by the Department.

3.1 COMMENT: ABC Corporation believes that it is not necessary for the Department to register and license used oil transporters.

The agency proposal follows:

Summary

The Department of Environmental Protection (Department) is proposing to modify and supplement its Solid Waste Rules found at N.J.A.C. 7:26-1 et seq. by amendments to N.J.A.C. 7:26-5.4 and its Utility Regulations found at N.J.A.C. 7:26H-1 et seq. by amendments to N.J.A.C. 7:26H-5.18 and the addition of a new rule at N.J.A.C. 7:26-5.10. The proposed amendments identify violations of the Solid Waste Rules and Utility Regulations as either minor or non-minor for the purpose of providing grace periods in accordance with P.L. 1995, c. 296 (N.J.S.A. 13:1D-125 et seq.) Fast Track Compliance Law, commonly called the Grace Period Law. The proposed new rule

language sets forth how the Department will respond to any violation identified as minor.

The Department and local government agency reserve discretion to treat violations labeled non-minor as minor if the particular circumstances meet all of the statutory requirements. The Department and local government agency also reserve their discretion to forego enforcement action if an incident that might otherwise be deemed a minor violation was unavoidable and is being immediately and adequately addressed.

On December 22, 1995, the Legislature enacted the Fast Track Compliance Law, which provides for the establishment of a process ensuring consistent application of grace (compliance) periods for minor violations of certain environmental statutes. Pursuant to that law, the Department is required to designate, through rulemaking, certain types of violations of rules contained in sixteen environmental statutes as minor or non-minor violations. Under the law, any person responsible for a minor violation is afforded a period of time by the Department to correct the violation in order to avoid being subject to a penalty. If the minor violation is corrected as required, then no penalty is assessed. In those cases where a violation is not corrected within the grace period, the Department may pursue enforcement action in accordance with applicable statutory authority including, but not limited to, the assessment of penalties as may be appropriate and the exercise of the Department's traditional, judicially recognized enforcement discretion.

The law does not affect the Department's enforcement authority, including the exercise of enforcement discretion regarding non-minor violations. For example, in labeling a violation as minor the Department cannot know in any particular case whether or not a violation is purposeful, knowing, reckless or criminally negligent until that case arises. In those situations where a violation

is labeled as minor, but in fact the specific violation as it occurred does not fulfill all the statutory requirements, the Department is reserving its discretion to treat the violation as non-minor.

In designating, through rulemaking, types or categories of violations as minor, the Department must apply the criteria set forth in the law at N.J.S.A. 13:1D-129. These criteria are as follows:

- (1) The violation is not the result of the purposeful, knowing, reckless or criminally negligent conduct of the person responsible for the violation; and
 - (2) The violation poses minimal risk to the public health, safety and natural resources; and
- (3) The violation does not materially and substantially undermine or impair the goals of the regulatory program; and
- (4) The activity or condition constituting the violation has existed for less than 12 months prior to the date of discovery by the Department; and
- (5) (a) The person responsible for the violation has not been identified in a previous enforcement action by the Department as responsible for a violation of the same requirement of the same permit within the preceding 12 month period; or
 - (b) In the case of a violation that does not involve a permit, the person, as defined in

the Act, responsible for the violation must not have been identified by the Department in a previous enforcement action as responsible for the same or a substantially similar violation at the same facility within the preceding 12 month period; and

(6) The violation is capable of being corrected and compliance achieved within the time prescribed by the Department.

The law also requires that the Department establish the length of the correction period, which may be no less than 30 days or more than 90 days, based upon the nature and extent of the minor violation and a reasonable estimate of the time necessary to achieve compliance. The Department may establish a special class of minor violations that, for public health and safety reasons, must be corrected within a period of less than 30 days. The Department or local government agency, as the case may be, may extend for an additional period not to exceed 90 days the time within which a minor violation is to be corrected.

The Solid Waste Program is among the programs to which the Fast Track Compliance Law applies. In order to obtain assistance in the development of these regulations, the Department initiated an informal process to discuss and receive input from interested parties. As part of this process, it developed a discussion document setting forth a proposed list of minor and non-minor violations for the Solid Waste Program and conducted a series of workshops to provide an opportunity for interested parties to discuss the proposed list and provide comments and raise issues. The Department conducted workshops on December 3, 1996, April 24, 1997 and September 13, 2004 to discuss the application of the Fast Track Compliance Law to this program. This proposal,

which identifies minor and non-minor violations of the Solid Waste Program and provides the terms and conditions by which a grace period shall be afforded, reflects consideration of the input obtained at those workshops.

The Solid Waste Management Rules were adopted to establish standards and requirements for the management of solid waste within the state of New Jersey. Activities addressed by these rules include registration, operation, maintenance and closure of solid waste facilities, registration, operation and maintenance of solid waste transport vehicles; permit and others fees charged by the Department, civil administrative penalty assessments and other enforcement actions

N.J.A.C. 7:26-5 and N.J.A.C. 7:26H-5, Civil Administrative Penalties and Requests for Adjudicatory Hearings establish civil administrative penalty assessment procedures and civil administrative penalty amounts for solid waste and recycling violations of the Solid Waste Management Act, N.J.S.A. 13:1E-1 et seq., (for the purpose of this subchapter, hereinafter the Act), or any rule promulgated, or any administrative order, permit, license or other operating authority issued, pursuant to the Act. This subchapter also establishes procedures for requesting adjudicatory hearings, subsequent to the assessment of civil administrative penalties or the issuance of administrative orders.

N.J.A.C. 7:26-5.4 and N.J.A.C. 7:26H-5.18 create a minimum or base penalty for each of the listed violations. All violations are treated similarly for the same violation, thereby eliminating competitive advantages and disadvantages which might be gained by similarly situated businesses that are in compliance or in violation of the Act. In fixing the base penalties, the Department assumes the

optimal or least aggravating circumstances for each of the statutory criteria; that the violator has been fully cooperative and has promptly implemented all appropriate mitigation or prevention measures, and has an otherwise satisfactory compliance or operating history. As to the monetary amount for each violation, each base penalty reflects the Department's expertise in administering the solid waste and recycling programs and the potential impact of each violation. The base penalties establish an amount determined to be minimally necessary to help deter future violations. In this regard, the base penalties assume that the violation was neither intentional nor even negligent, except as may otherwise be implicit in the particular infraction. To the extent violations are known to have occurred within the prior two years, however, the base penalty will be increased by severity factors in section N.J.A.C. 7:26-5.4(f) and N.J.A.C. 7:26H-5.18(e).

The Department notes that, of the criteria provided by the Fast Track Compliance Law, only criteria (2), (3) and (6) may be applied generally. Specifically, the Department has determined that each violation may be potentially minor upon a finding based upon the following:

- (2) The violation poses minimal risk to the public health, safety and natural resources;
- (3) The violation does not materially and substantially undermine or impair the goals of the regulatory program;
- (6) The violation is capable of being corrected and compliance achieved within the time prescribed by the Department.

The additional statutory criteria, (1), (4) and (5), regarding respectively, the intent of the violator, the duration of the violation and whether it is a repeat offense can be applied only on a case by case basis. Thus, each violation listed at N.J.A.C. 7:26-5.4 and N.J.A.C. 7:26H-5.18 which is identified as minor will be eligible for a grace period upon the condition that it meets these additional three criteria as set forth above.

In preparing the proposed lists of minor and non-minor violations, the Department is using each program's existing regulations as a starting point and is proposing each list and related provisions in a form that is most appropriate to the format of the existing rule. Violations are set forth in a table at N.J.A.C. 7:26-5.4 and N.J.A.C. 7:26H-5.18 in the current Solid Waste Program Rules. The current table contains three columns setting forth the citation, summary describing the violation and base penalty. The Department proposes to delete the current tables and replace them with updated tables, which include two additional columns. The first proposed column identified as Viol. Minor (M), Non-minor (NM), identifies each violation listed in the current rule as minor or non-minor in accordance with the standards provided by law and which are set forth above. The second proposed column, identified as Grace Period provides for a grace period or period of time within which the violation must be corrected.

In addition to the two new columns, the Department has updated the violation tables to include an additional citation at N.J.A.C. 7:26-3.4(m); additional citations in the Used Oil Regulations found at N.J.A.C. 7:26A-6; changes and/or additions to the Universal Waste Regulations found at N.J.A.C. 7:26A-7, as well as the Federal Code of Regulations (CFR), found at 40 CFR 273, that have been incorporated by reference, that occurred since the last update to the rule

summary tables; and the inclusion of a base penalty for N.J.A.C. 7:26-6.12(b), compliance with the applicable district solid waste management plan.

The Department reserves the right to cite regulations it may have inadvertently missed through its review of State solid waste and utility regulations. These violations, once cited, will be reviewed in accordance with the standards provided by law and subsequently proposed for promulgation, including a designation as minor or non-minor.

The Department is proposing a new section, at N.J.A.C. 7:26-5.10, which provides the grace period conditions for minor violations. Where such a violation has been identified, the Department will issue an order or notice of violation to the person responsible. That document will identify the condition or activity that constitutes the violation, the regulatory provision or other requirement violated and provide the time period within which the violation must be corrected as set forth in the violations table at N.J.A.C. 7:26-5.4(g) and N.J.A.C. 7:26H-5.18(e). The document will also provide that no penalty will be assessed if the violation is corrected as required. In the case of a non-minor violation or if a minor violation is not corrected as required, the Department will proceed with appropriate enforcement action in accordance with its authority pursuant to law.

Social Impact

The Solid Waste rules will continue to provide reasonable and necessary standards for the regulation and management of solid waste and to provide a positive social impact by outlining specific standardized procedures for regulating the collection, transportation, storage, handling, treatment, processing, recycling, recovery and disposal of solid waste. The regulations will continue to allow for the management and handling of solid waste in a manner which protects public health, safety and welfare. N.J.A.C. 7:26-5 and N.J.A.C. 7:26H-5.18, Civil Administrative Penalties and Requests for Adjudicatory Hearings will continue to benefit the public by discouraging noncompliance with the Act, or associated rules, administrative orders, permits, licenses or other operating authorities issued by the Department.

The pre-proposed amendments to N.J.A.C. 7:26-5 and N.J.A.C. 7:26H-5.18 and the pre-proposed new rule at N.J.A.C. 7:26-5.10 would also help encourage a greater sense of cooperation between the Department and the regulated community. By removing the threat of penalties for certain types of violations where compliance is achieved within the time specified, the proposed rules will encourage the regulated community to take positive action toward achieving compliance.

Economic Impact

The establishment of grace periods for certain violations of the Solid Waste Rules will provide an incentive to facilities to correct these violations by not assessing penalties if correction occurs within the time required. Accordingly, it will not impose any additional requirements upon the regulated community and, therefore not impose any additional economic burden. The proposed

new rule is, however, anticipated to have a positive economic impact by removing the assessment of monetary penalties for certain types of violations where compliance has been achieved as required.

Environmental Impact

The rules have had and will continue to have a positive environmental impact by providing for the regulation of the management and disposal of solid waste and assuring that solid waste facilities are properly closed and maintained in post closure. The penalty provisions of the rule will continue to provide a deterrent to those who would violate the regulatory requirements. However, by allowing a violator an opportunity to correct certain violations within the time provided and thereby avoid a penalty, it is anticipated that this rule proposal will also help to encourage the regulated community to correct certain types of violations in a timely manner. This will help remove any potential risk these minor violations may have created and will, therefore, result in an additional positive environmental impact.

Federal Standards Analysis

P.L. 1995, c.65 and Executive Order No. 27 (1994) require State agencies which adopt, readopt, or amend any rule or regulation, to provide a comparison with Federal law, and to provide further discussion and analysis (including cost-benefit analysis) if the standards or requirements imposed by the agency exceed standards or requirements imposed by Federal law.

The Department has conducted such an analysis of this pre-proposed rule amendment and

new rule and has determined that it contains no provision or standard that exceeds any standards or requirements imposed by Federal law.

Jobs Impact

The proposed new rule will not have an adverse impact-upon jobs within the State and may result in a positive impact. Where a facility has corrected a minor violation within the time required, no penalty will be assessed and this will result in a cost saving to a facility at which a violation has occurred. It is, however, uncertain if any cost savings thus realized will result in a positive job impact. As with any cost savings, each member of the regulated community will use any additional funds which may become available in accordance with its own specific goals and priorities. For example, a facility could elect to make other business expenditures, increase its dividends to share holders, increase its compensation to its current employees, reduce the costs of goods or services sold, or increase employment. Because each member of the regulated community may respond differently, it is not possible to accurately estimate the extent, if any, to which this new rule will affect employment.

Agriculture Industry Impact

In accordance with P.L. 1998, c. 48, an act amending the Right to Farm Act, the Department has reviewed this rule proposal and has determined that it will have little or no impact upon the Agriculture Industry. If there is any effect at all upon members of the agricultural industry, it is anticipated that such effect will be to afford those members the same opportunity as others to correct certain types of violations in a manner as provided by the rule and thereby avoid a possible penalty

assessment.

Regulatory Flexibility Analysis


In accordance with the New Jersey Regulatory Flexibility Act, N.J.S.A. 52:14B-16 et seq., small businesses are defined as those which are independently owned and operated, not dominant in their field and which employ fewer than 100 full time employees. The establishment of grace periods will allow a person responsible for a violation to avoid penalties if the violation is corrected within the time provided. It is, therefore, anticipated that the rule will encourage violators to achieve compliance in a timely fashion. The proposed new rule will not, however, impose any additional compliance requirements upon the regulated community over what currently exist. In the event that a person responsible for such a violation elects not to comply with the grace period conditions, the Department will pursue the enforcement action in accordance with its current enforcement procedures.

Smart Growth Impact

Executive Order No. 4 (2002) requires State agencies which adopt, amend or repeal any rule adopted pursuant to Section 4(a) of the Administrative Procedure Act, to describe the impact of the proposed rule on the achievement of smart growth and implementation of the New Jersey State Development and Redevelopment Plan (State Plan). The Department has evaluated this rulemaking to determine the nature and extent of the proposed rules' impact on smart growth and the implementation of the State Plan. The proposed rules do not involve land use policies or


infrastructure development and therefore do not impact the achievement of smart growth.

Full text of the rule amendments and new rule follows (additions indicated in underline and boldface



[(g) The Rule Summary in this subsection, which summarizes certain provisions in N.J.A.C. 7:26 and 7:26A, is provided for informational purposes only. In the event that there is a conflict between the rule Summary in this subsection and a provision in N.J.A.C. 7:26 and N.J.A.C. 7:26A, then the provisions in N.J.A.C. 7:26 and N.J.A.C. 7:26A shall prevail.

1. The violations of N.J.A.C. 7:26-1, General Provisions, and the civil administrative penalty amounts for each violation, are as set forth in the following table.



2. The violations of N.J.A.C. 7:26-2, Disposal, and the civil administrative penalty amount for each violation, are set forth in the following table.

		Base
Rule	Rule Summary	Penalty
N.J.A.C.		
7:26-2.7(b)1	Failure of permittee to apply for a permit	

	renewal at least 90 days prior to the	
	expiration date of the existing SWF permit.	\$2,000
7:26-2.8(b)	Failure of permittee to submit a statement	
	updating the information contained	
	in the initial registration statement.	\$2,000
7:26-2.8(c)	Failure of permittee to notify the Department	_
` '	within 30 days of any change of information	
	in the registration statement.	\$2,000
7:26-2.8(e)	Failure to apply and receive approval of	
\ /	a SWF permit prior to engaging in the	
	disposal of solid waste in this State.	\$2,000
7:26-2.8(f)	Failing to obtain a SWF permit prior to	. ,
、 /	constructing or operating a solid waste facility.	\$5,000
7:26-2.8(j)	Failure to meet all conditions, restrictions,	. ,
V	requirements of any other provision	
	set forth in SWF permit.	\$2,000
7:26-2.8(k)	Failure to receive Department approval	. ,
	prior to modifying, revising or otherwise	
	changing a permit condition.	\$2,0 <mark>0</mark> 0
7:26-2.8(1)	Failure to receive Department approval	
	prior to transferring ownership of a SWF	
	permit.	\$5,0 <mark>0</mark> 0
7:26-2.11(b)1	Failure of operator to clean areas where	
	waste has been deposited or stored	
	within each 24 hour period, for sanitary	
	landfills all areas where waste has been	
	deposited shall be covered.	\$2,000
7:26-2.11(b)2	Failure to ensure any waste stored over-	• •
	night at any facility is effectively treated.	\$2,000
7:26-2.11(b)3	Failure to maintain facility property surrounding	
	the disposal area free of litter, debris, unprocessed	
	waste, processed residues and effluents.	\$3,000
7:26-2.11(b)4	Failure to implement dust control methods	\$2,000
7:26-2.11(b)5	Failure to ensure no odors are detected off-site.	\$4,000
7:26-2.11(b)6	Failure to maintain all facility system in	
	a manner that facilities proper operation	
	and minimizes system downtime.	\$2,000
7:26-2.11(b)7	Failure to maintain an adequate water	
	supply and adequate fire-fighting equipment.	\$5,000
7:26-2.11(b)8	Failure to control insects, other arthropods	
	and rodents.	\$3,000
7:26-2.11(b)9	Failure to comply at all times with the	
	conditions of SWF permit.	\$2,000

7:26.2.11(b)10	Failing to ensure waste is not received in excess to the system's designed capacity.	\$2,000
7:26-2.11(b)11	Failure to operate the facility in a manner that employs the use of equipment and other techniques as identified in the	+ _ ,
	facility's SWF permit.	\$2,000
7:26-2.11(b)12	Failure to maintain an approved O&M	
	manual at the facility, changes to be	\$3,000
7:26-2.11(c)1	submitted, at a minimum, on an annual basis. Failure to admit only properly	\$5,000
7.20 2.11(c)1	registered solid waste vehicles	
	for loading or unloading of any solid waste.	\$3,000
7:26-2.11(c)2	Failure to designate a secure area	
	where solid waste may be unloaded from	
	vehicles exempt from registration under	#2 000
7:26-2.11(c)3	N.J.A.C. 7:26-3.3 Failure to designate a secure area where	\$2,000
7.20-2.11(c)3	unpermitted waste can be deposited.	\$2,000
7:26-2.11(c)4	Failure to maintain a record of the quantity	Ψ2,000
	of each waste type accepted for disposal.	\$5,000
7:26-2.11(c)5	Failure to provide a means of cleaning	
	vehicle tires of debris.	\$2,000
7:26-2.1 _{2(b)}	Failure of generators of asbestos	
	containing waste materials to submit a complete written notification of intent to	
	demolish, 10 days prior to beginning	
	the demolition activity.	\$1,000
7:26-2.12(c)	Failure of generators of asbestos	. ,
	containing waste material to submit a	
	complete written notification of intent	
	to renovate, 10 days prior to	¢1 000
7:26-2.13(a)7	beginning the renovation activity. Failure to maintain a daily record of	\$1,000
7.20-2.13(a)7	asbestos waste and make appropriate	
	submittals.	\$3,000
7:26-2.13(a)8	Failure to maintain additional required	1 - 9
	reports in the daily record.	\$2,000
7:26-2.13(c)1	Failure of facility operator to verify the	
7.06.0.10()	O and D form.	\$2,000
7:26-2.13(e)	Failure to submit monthly summaries of	¢2 000
7:26:2.14(j)	waste to the Department. Failure of SWFPPA permittee to prepare	\$3,000
7.20.2.1 1 ()	and submit a complete annual progress report.	\$2,000
	sacimi a templete aimaai progress report.	~ - ,000

7:26:2.14(k) Failure of SWFPPA permittee to conduct a complete facility wide benchmark audit not less than once every five years. \$2,000

3. The violations of N.J.A.C. 7:26-2A, Additional Specific Disposal Regulations for Sanitary Landfills, and the civil administrative penalty amounts for each violation, are as set forth in the following table.

		Base
Rule	Rule Summary	Penalty
N.J.A.C.	Rule Sullinary	Charty
7:26-2A.8(b)1	Failure to confine working face to the	
	smallest practical area.	\$2,000
7:26-2A.8(b)2	Failure to compact waste to yield smallest	
	volume.	\$2,000
7:26-2A.8(b)3	Failure to compact waste in shallow	
	layers; or compacting waste over	
	leachate collection pipes per N.J.A.C.	
	7:26-2A.7(d)3xiv.	\$2,000
7:26-2A.8(b)4	Failure to ensure lift height of daily	
	cell does not exceed 12 feet	\$2,000
7:26-2A.8(b)5	Failure to ensure slope is no steeper than	
	3:1. Failure of balefill operations to	
7.2.6.4.0.4.	comply with working face requirements.	\$2,000
7:26-2A.8(b)6	Failure to obtain department approval of	
	separate areas for storage of demolition	Φ 2 000
7.26.24 9/5/7	waste or recyclable materials.	\$2,000
7:26-2A.8(b)7	Failure to cover exposed surfaces of	
	solid waste at close of each operating day with daily cover.	\$2,000
7:26-2A.8(b)8	Failure to progressively apply daily cover.	\$2,000
7:26-2A.8(b)9	Failure to apply intermediate cover (a	Ψ2,000
7.20 21 1.0(0)	minimum of 12 inches of earth) to	
	surfaces exposed more than 24 hours.	\$2,000
7:26-2A.8(b)10	Failure to maintain grade, thickness and	42 ,000
	integrity of intermediate and final cover.	\$2,000
7:26-2A.8(b)11	Failure to grade areas with intermediate	• ,
` ,	cover to facilitate drainage.	\$2,000
7:26-2A.8(b)12	Failure to use appropriate daily and	
	intermediate cover materials; not main-	
	taining sufficient quantity of cover at	
	site; not maintaining standby supply of	

	cover within boundaries.	\$2,000
7:26-2A.8(b)13	Failure to construct final cover in accor-	
	dance with N.J.A.C. 7:26-2A.7(i) and to	
	apply it to all surfaces.	\$2,000
7:26-2A.8(b)20	Failure to maintain sufficient types and	
	quantities of equipment to adequately	
	meet the requirements of (b) 7 through	
	(10) above.	\$2,000
7:26-2A.8(b)21	Failure to maintain steel wheel type	
,	compactors of at least 45,000 pounds.	\$2,000
7:26-2A.8(b)22	Failure to equip landfill equipment with	
, ,	safety devices.	\$5,000
7:26-2A.8(b)23	Failure, in the case of breakdown of	Í
	equipment, to repair or obtain replacement	
	within 24 hours; or to include a maintenance	
	contract in 0 & M plan.	\$2,000
7:26-2A.8(b)24	Failure to limit access for disposal to	
	operating hours only.	\$2,000
7:26-2A.8(b)2 <mark>5</mark>	Failure to secure landfill with a six-foot	Í
	high chain link fence.	\$2,000
7:26-2A.8(b)2 <mark>7</mark>	Failure to maintain all weather road to	
	working face.	\$2,000
7:26-2A.8(b)28	Failure to control litter.	\$3,000
		ĺ
7:26-2A.8(b)29	Failure to control dust by spraying water	
	or equivalent.	\$2,000
7:26-2A.8(b)30	Failure to eliminate emissions which result	
	in odors detectable in areas of human use	
	or occupancy beyond boundary line;	
	or to control the odors by use of daily	
	cover; or to immediately cover odorous	
	waste with minimum six inches of cover.	\$4,000
7:26-2A.8(b)31	Failure to control the off-site tracking	
	of mud and soil.	\$2,000
7:26-2A.8(b)32	Failure to minimize the propagation and	
	harborage of insects, rodents, and birds.	\$2,000
7:26-2A.8(b)33	Failure to protect all monitoring devices	
	and environmental systems from damage.	\$5,000
7:26-2A.8(b)37	Failure to have supervisor on site in	
	order to insure proper operation, evaluate	
	monitoring data and inspection reports,	
	determine performance of landfill,	
	implement all operational decisions and	

7:26-2A.8(b)38-41	ensure compliance with N.J.S.A. 13:1E-1 et seq., this chapter and the SWF Permit. Failure to ensure that landfill personnel complete a program of on-the-job training, all personnel complete training program within six months after date of employment, all personnel take part in annual update of initial training program, keep records of	\$5,000
7:26-2A.8(c)	training received by personnel until closure. Failure to maintain environmental control systems in functioning manner, or to inspect	\$2,000
7:26-2A.8(d-e)	them. Failure to perform inspections required by (c) above on a weekly basis and after	\$5,000
7:26-2A.8(f)	storm events, and comply with record- keeping requirements. Failure to operator to make repairs in accordance with N.J.A.C. 7:26- 2A.8(b)28 and O&M manual, if deterioration	\$3,000
7:26-2A.8(g)	or malfunction occurs. Failure to maintain and inspect sanitary landfill according to requirements.	\$2,000 \$2,000
7:26-2A.8(h)	Failure to monitor in accordance with parameters and schedules.	\$5,000
7:26-2A.8(i)	Failure to submit an annual topographic survey prepared according to N.J.A.C.	
7:26-2A.8(j)1	7:26-2A.8(i)1 through 4 by May 1 of each year. Failure to obtain written approval of the	\$2,000
7:26-2A.8(j)3(g)	Department prior to disruption/excavation. Failure to keep area of excavation consistent with amount of equipment, and to keep	\$2,000
	excavation to smallest practical failure of solid waste composting and co-composting	
	facility to ensure incoming, unprocessed waste is not mixed with finished compost.	\$2,000
7:26-2B.7(h)	Failure of solid waste composting and co-composting facility to comply with	
7:26-2B.7(i)	15 month finished compost storage requirement. Failure of solid waste composting and co-composting facility to comply with	\$1,000
7:26-2B.7(j-n)	recordkeeping requirements. Failure of solid waste composting and co-composting facility to comply with	\$2,000

	monitoring and sampling requirements.	\$3,000
7:26-2B.7(o)	Failure of solid waste composting and	
	co-composting facility to comply with	
	labeling requirements.	\$2,000
7:26-2B.7(p)	Failure of solid waste composting and	
•	co-composting facility to comply with	
	USEPA 40 CFR 503 general requirements.	\$2,000
7:26-2B.8(d)	Failure of the owner or operator to con-	
· /	duct inspections as indicated in the ap-	
	proved final O&M manual in order to	
	identify and remedy any problems and	
	comply with recordkeeping requirements.	\$3,000
7:26-2B.8(f)	Failure of the owner or operator to implement	45,000
7.20 22.0(1)	waste receiving area control procedures	
	that provide for the inspection of the incoming	
	waste stream for the purpose of removing	
	nonprocessible or potentially explosive	
	materials prior to the initiation of processing.	\$3,000
7:26-2B.8(g)	Failure, should the facility experience	ψ3,000
7.20 2 D .0(g)	equipment or system malfunction to the	
	extent that the waste received cannot be	
	handled or processed in the normal manner,	
	of the operator to notify the Department	
	of the existence of such a situation and	
	circumstances contributing to the situation	\$2,000
7.26 2D 9(i)	within the same working day of its occurrence.	\$2,000
7:26-2B.8(i)	Failure to store unprocessed incoming	
	waste, facility process waste residues	
	and effluents, and recovered materials in	
	bunkers, pits, bins, or similar containment	
	vessels and to keep at all times at levels that	Φ2.000
7.26.20 0(1)	prevent spillage or overflow.	\$2,000
7:26-2B.8(j)	Failure to keep waste delivery tipping	
	hall doors closed during non-processing	ΦΦ 000
	or non-receiving hours.	\$2,000
7:26-2B.8(k)	Failure to schedule the delivery of waste	
	to the facility and the removal of residues	
	and recovered products from the site so	
	as to eliminate traffic backups and allow	
	for fluid vehicular movement on site.	\$2,000
7:26-2B.8(l)	Failure to ensure that samples and	
	measurements taken for the purpose of	
	monitoring facility process and treatment	

	operations are representative of the process or operation and are performed with	
	the conditions of the facility's SWF permit.	\$5,000
7:26-2B.8(m-r)	Failure of the operator to comply with	
	waste determination, waste analysis and	
	required recordkeeping.	\$5,000
7:26-2B.8(s)	Failure of the owner or operator to have	
	a 24-hour surveillance system which	
	continuously monitors and controls entry	
	to the facility or an artificial or natural barrier	
	which completely surrounds the facility.	\$5,000
7:26-2B.8(t)	Failure of a facility to maintain required	
	personnel, supervisor, boiler operator,	
	licensed engineer to assure the proper and	
	orderly operation of all system components,	
	along with the ability to handle all routine	
	facility maintenance requirements.	\$5,0 <mark>0</mark> 0
7:26-2B.8(u)	Failure to ensure that all personnel	
	complete an initial program of classroom	
	instruction and on-the-job training,	
	training program directed by a person	
	thoroughly familiar with the technology,	
	ensure that facility personnel respond to	
	any malfunction or emergency situation,	
	complete the initial training program	
	within six months, planned annual re-	
	view of the initial training, records	
	document the type and amount of train-	
	ing received, kept until closure, former	
	employees records kept for at least one year.	\$2,000

5. The violations of N.J.A.C. 7:26-3, Transportation, and the civil administrative penalty amounts for each violation, are as set forth in the following table.

Rule N.J.A.C.	Rule Summary	Base Penalty
7:26-3.2(a)	Failure to obtain an approved registration statement from the Department prior or to	¢9,000
7:26-3.2(a)2	engaging in the transportation of solid waste. Failure to ensure that any device used for the transportation of solid waste is	\$8,000

	registered with the Department.	\$2,000
7:26-3.2(a)4	Failure of registrant to ensure registered	
	vehicles, cabs, containers, etc. are not used,	
	controlled or possessed by any other person.	\$5,000
7:26-3.2(c)	Failure to comply with any conditions or	
	limitations which may be specified on	
	the approved registration.	\$5,000
7:26-3.2(d)	Failure of a registrant to submit a trans-	
	porter registration renewal updating	
	information contained in the previous	42.000
7.06.0.0()	registration statement.	\$2,000
7:26-3.2(e)	Failure of registrant to notify the Department	
	within 30 days of any change in the registration	\$2,000
7.26 2 1/15	statement Failure to deposit all collected solid	\$2,000
7:26-3.4(b)	waste at an approved facility.	\$5,000
7:26-3.4(c)	Failure to ensure solid does not remain	\$5,000
7.20-3.4(c)	or is stored in any solid waste vehicle in	
	excess of 24 hours, unless an emergency.	\$2,000
7:26-3.4(d)	Failure to ensure design of solid waste	Ψ 2 ,000
,.20 5(a)	vehicle is such that it will not cause	
	spillage onto roadways.	\$2,000
7:26-3.4(e)	Failure to ensure solid waste vehicle is	
	not loaded beyond its design capacities	
	or in such a manner that will cause spillage	
	onto roadways.	\$2,000
7:26-3.4(f)	Failure to keep all solid waste vehicles	
	in good working condition and to pro-	
	vide a means of continuous service in	
	the event an emergency arises.	\$2,000
7:26-3.4(g)	Failure to protect property of customer.	\$2,000
7:26-3.4(h)	Failure to properly mark each solid	
	waste vehicle or to carry current DEP	Φ2 000
7.26.2.46	registration certificate.	\$2,000
7:26-3.4(i)	Failure to use tarpaulins as needed. Failure to access or exit a solid waste	\$2,000
7:26-3.4(j)		
	facility pursuant to the district management	\$2,000
7:26-3.5(a)1	plant or SWF permit. Failure to design all solid waste vehicles	φ ∠, 000
1.20-3.3(a)1	used for the transportation of sewage	
	sludge to preclude any spillage or leakage	
	onto roadways.	\$2,000
7:26-3.5(a)2	Failure to ensure sewage sludge and	+ - ,
· · · · · · · · · · · · · · · · · ·		

	other fecal material is not intermixed with other wastes of a chemical or industrial nature.	\$5,000
7:26-3.5(b)	Failure to design all solid waste vehicles	
	used for the transportation of bulky	
	waste to preclude any spillage.	\$2,000
7:26-3.5(c)	Failure to ensure radioactive material	
	and lethal chemicals are not transported	
	in or through this State without prior	
	approval from authorities having juris-	
	diction, and from the Department.	\$5,000
7:26-3.5(d)1	Failure to design all solid waste vehicles	
	used for the transportation of asbestos	
	waste so as to preclude any spillage	
	leakage or emissions therefrom.	\$3,000
7:26-3.5(d)2	Failure to package asbestos for transpor-	
	tation in accordance with 40 CFR 61.152	
	and N.J.A.C. 7:26-2.12.	\$5,0 <mark>0</mark> 0
7:26-3.5(d)3	Failure to transport asbestos in a manner	
	that prevents the rupture of containers in	
	loading, transporting and unloading	
	operations.	\$5,000
7:26-3.5(d)4	Failure to transport collected asbestos	
	directly from the point of generation to	
	the solid waste landfill permitted to	
	receive such wastes.	\$5,000
7:26-3.5(d)6	Failure to ensure no visible air emissions	
	are generated during loading, transporting,	
	or unloading operations.	\$5,000
7:26-3.5(g)2	Failure of transporter to complete and	\$2000
	sign O and D form prior to disposal	
7:26-3.7(a)	Failure to ensure waste materials to be	
	collected and transported show no evidence	
	of smoking, smoldering or burning.	\$5,000
	6, a a a a 6 a a a a a a a a a a a a a a	1 - ,

6. The violations of N.J.A.C. 7:26-3A, Regulated Medical Waste, and the civil administrative penalty amounts for each violation, are as set forth in the following table. The lesser penalty amount applies to persons registered in generator categories 1 through 3 (<300 lbs/year). The larger penalty amount applies to persons registered in generator categories 4 and 5 (>300 lbs/year).

		Base
Rule	Rule Summary	Penalty

N.J.A.C.		
7:26-3A.8(a)	Failure of a generator of RMW to register	\$1,500
` ,	with the Department.	\$5,000
7:26-3A.8(a)1	Failure of a generator of RMW to register	
	in the proper category.	\$1,000
7:26-3A.8(b)1	Failure of a commercial transporter of	
	RMW to register with the Department.	\$5,000
7:26-3A.8(b)2	Failure of a non-commercial transporter	
	of RMW to register with the Department.	\$2,500
7:26-3A.8(c)	Failure of commercial intermediate	
	handlers and owner/operators of destination	1
	facilities to register with the Department.	\$5,000
7:26-3A.8(c)3	Failure of a non-commercial collection	
	facility or an intermediate handler treating	
	their own waste to register with the Department.	\$2,000
7:26-3A.8(d)1	Failure of commercial collection facility	
	to register with the Department.	\$5,000
7:26-3A.8(d)5,6	Failure of a non-commercial collection	
	facility to register with the Department.	\$2,000
7:26-3A.9	Failure of transporters', intermediate handlers'	
	and destination facilities' supervisory personnel	
	to attend an education and training session	Φ2.000
7.26.24 10()	and disseminate information to employees.	\$2,000
7:26-3A.10(a)	Failure of generators of RMW to	¢1.000
	segregate for off-site transport prior to	\$1,000
7.26.24 10(4)	placement in containers.	\$3,000
7:26-3A.10(d)	Failure to handle a package of RMW	\$1,000
7:26-3A.11	mixed with other waste as RMW.	\$3,000
7.20-3A.11	Failure of a generator to ensure that RMW is properly packaged before transporting	\$1,000
	or offering for transport offsite.	\$3,000
7:26-3A.12(a)	Failure to comply with RMW storage	\$1,000
7.20-3A.12(a)	requirements.	\$3,000
7:26-3A.12(b)	Failure to comply with RMW storage	\$5,000
7.20-371.12(0)	periods.	\$1,000
7:26-3A.12(c)	Failure to secure sharps containers.	\$1,000
7.20 371.12(0)	rundre to secure sharps containers.	\$3,000
7:26-3A.13(a)	Failure to comply with container	\$1,000
20 011.10(u)	decontamination and reuse requirements.	\$3,000
7:26-3A.14(a)	Failure to comply with labeling requirements	\$500
		\$1,000
7:26-3A.15(a)	Failure to comply with marking requirements.	\$500
()	1 7	\$1,000
		. ,

7:26-3A.16(a)	Failure to determine if waste is RMW.	\$1,000 \$3,000
7:26-3A.16(d)	Failure to use properly registered transporters.	\$1,000 \$1,000 \$3,000
7:26-3A.16(e)	Failure to dispose of RMW at an authorized facility	\$5,000 \$10,000 ₁
7:26-3A.16(h)	Failure to comply with home self-care RMW requirements.	\$500 \$1,000
7:26-3A.16(i)	Failure to get approval from the departments prior to using an alternative or innovative technology for the treatment or destruction of RMW.	\$1,000 \$5,000
7:26-3A.19	Failure of a generator to comply with tracking form requirements.	\$500 \$2,000
7:26-3A.21	Failure to comply with generator record-keeping requirements.	\$500 \$1,000
7:26-3A.22	Failure of generator to comply with exception reporting requirements.	\$500 \$1,000
7:26-3A.25	Failure of generator with on-site incinerator to comply with recordkeeping requirements.	\$1,000 \$3,000
7:26-3A.26	Failure of owner/operator of on-site incinerator to comply with reporting requirements.	\$1,000 \$3,000
7:26-3A.27(i)	Failure of a transporter/collection facility to dispose of RMW stored in the vehicle within fourteen calendar days, or before	
7:26-3A.28	it becomes putrescent. Failure of a transporter to comply with RMW acceptance requirements.	\$2,000 \$3,000
7:26-3A.30(a)1	Failure of vehicle to have fully enclosed, leak resistant cargo carrying body.	\$2,000
7:26-3A.30(a)2	Failure to ensure RMW does not become putrescent and is not subjected to mechanical stress or compaction during loading and	, ,
7:26-3A.30(a)3	unloading or during transit. Failure to maintain cargo carrying body	\$2,000
7:26-3A.30(a)4	in good sanitary condition. Failure to securely lock unattended	\$2,000
7:26-3A.30(b)	cargo carrying body. Failure to comply with vehicle identification requirements.	\$5,000 \$1,000
7:26-3A.30(c)	Failure to manage RMW/solid waste	ψ1,000

	mixture as RMW.	\$5,000
7:26-3A.31	Failure of transporter to comply with	Φ2.000
7.26 2 4 22(a)	tracking form requirements.	\$2,000
7:26-3A.32(a)	Failure to deliver entire quantity of RMW to intermediate hauler, destination	
	facility or next transporter.	\$1,000
7:26-3A.32(b)	Failure to contact generator for directions	Ψ1,000
7.20 311.32(0)	and make changes accordingly, if RMW	
	cannot be delivered as intended.	\$1,000
7:26-3A.33(a)	Failure to comply with requirements for	+ - ,
· /	consolidating waste to a new tracking form.	\$2,000
7:26-3A.34	Failure of transporter to comply with	
	recordkeeping requirements.	\$3,000
7:26-3A.35	Failure of transporter to comply with	
	reporting requirements.	\$3,000
7:26-3A.37(a)	Failure of transporter to have an approved	
	RMW spill management plan.	\$2,000
7:26-3A.37(b)	Failure of transporter to have a RMW	
	spill containment and cleanup kit at all	
	sites and in all vehicles used for the	
	storage, handling, collection, treatment	¢2.000
7.26.24 29(1)	and collection of RMW.	\$2,000
7:26-3A.38(b)6	Failure of RMW incinerator to ensure	\$2,000
7:26-3A.38(b)7	waste stored overnight is effectively treated. Failure to maintain facility property	\$2,000
7.20-3A.36(0)7	surrounding the disposal area free of	
	litter, debris, unprocessed waste, processed	
	residues and effluents.	\$2,000
7:26-3A.38(b)8	Failure to ensure no odors are detected off-site.	\$4,000
7:26-3A.38(b)9	Failure to maintain all facility systems in	. ,
	manner that facilitates proper operation and	
	minimizes system downtime.	\$2,000
7:26-3A.38(b)10	Failure to maintain adequate water sup-	
	ply and fire fighting equipment, failure	
	to post emergency numbers (fire, police,	
	ambulance, hospital).	\$5,000
7:26-3A.38(b)11	Failure to effectively control insects,	+
7.06.04.004.110	arthropods, rodents.	\$2,000
7:26-3A.38(b)12	Failure to maintain orderly operation and	¢2 000
7.26 2 A 20/L\14	sanitary conditions.	\$2,000
7:26-3A.38(b)14	Failure of facility to accept PMW only	\$3,000
7:26-3A.38(b)17	Failure of facility to accept RMW only	\$2,000
	from properly registered transporters.	\$2,000

7:26-3A.39(i)1	Failure to ensure stored waste does not exceed 300,000 pounds or amount as	
	specified in authorization.	\$2,000
7:26-3A.39(i)2	Failure to ensure collection facility receives	,
	no more than 150,000 pounds of waste per day,	
	or as otherwise indicated in authorization.	\$2,000
7:26-3A.39 (i)4	Failure to accept only RMW waste managed in	
-	accordance with N.J.A.C. 7:26-3A.	\$2,000
7:26-3A.39 (i)5	Failure to ensure only registered vehicles	Φ2.000
7.26 24 20 (1)6	transport to and from facility.	\$2,000
7:26-3A.39 (i)6	Failure to ensure all waste at all times	\$3,000
7:26-3A.39 (i)9	remains fully contained, and does not leak. Failure to ensure no odors are detected off-site.	\$3,000
7.20-3A.37 (1)7	Odor causing waste to be disposed of immediately.	\$4,000
7:26-3A.39 (i)10	Failure to implement and maintain effective	Ψ1,000
,, , , , (-),_ ,	security procedures.	\$2,000
7:26-3A.39 (i)13	Failure to implement routine housekeeping	
	and maintenance procedures.	\$2,000
7:26-3A.39 (i)16	Failure to ensure truck queuing is minimized,	
	on-site traffic controls implemented.	\$2,000
7:26-3A.39 (i)17	Failure to ensure RMW is not staged, placed	
	or stored beyond confines of facility or vehicle.	\$2,000
7:26-3A.39 (j)2	Failure to maintain O&M Manual at the facility.	\$3,000
7:26-3A.39 (j)3	Failure to comply with training program	¢2.000
7.26.24 20 (;)	requirements.	\$2,000
7:26-3A.39 (j)6	Failure to maintain fire protection systems in operable condition, fire procedures posted.	\$5,000
7:26-3A.39 (j)7	Failure to ensure that noise levels do not	\$5,000
7.20-3A.37 (j)/	exceed standards set forth in N.J.A.C 7:29	\$4,000
7:26-3A.39 (j)8	Failure to maintain on site operating records,	Ψ1,000
,, (),	O&M manual.	\$3,000
7:26-3A.39 (j)9	Failure to maintain safety appliances in proper	. ,
	operating order, comply with O&M inspection	
	schedules, maintain inspection records.	\$5,000
7:26-3A.39(k)	Failure to comply with recordkeeping and	
	reporting requirements.	\$3,000
7:26-3A.40(c)3	Failure of intermediate handlers and	
	destination facilities to ensure only approved	
	treatment and destruction processes authorized	¢2 000
7:26-3A.41	by NJDEP and DOH are utilized.	\$2,000
1.20-3A.41	Failure to comply with tracking form requirements.	\$2,000
7:26-3A.42	Failure to comply with tracking form	φ2,000
1.20-311. 1 2	randic to compry with tracking form	

	discrepancy requirements.	\$500
7:26-3A.43	Failure to comply with recordkeeping	
	requirements.	\$3,000
7:26-3A.44	Failure to collection facilities, intermediate	
	handlers and/or destination facilities to	
	comply with additional reporting requirements.	\$2,000
7:26-3A.46	Failure of rail transporter to comply with	
	tracking form requirements.	\$2,000
7:26-3A.47(a)	Failure of ensure alternative of innovative	
	technology processes and any modifications	
	are approved by the NJDEP and DOH	
	prior to any marketing, sale or use in New Jersey.	\$5,0 <mark>0</mark> 0
7:26-3A.48(a,b)	Failure of an out-of-State organization	
	using the U.S. Postal Service or other	
	parcel service and disposing of regulated	
	medical waste from New Jersey to	
	comply with certification requirements.	\$2,0 <mark>0</mark> 0
7:26-3A.48(c)	Failure of a RMW generator to ensure	
	that RMW waste is not sent to any out-	
	of-State facility which does not have a	
	certificate on file with the Department.	\$5,0 <mark>0</mark> 0

7. The violations of N.J.A.C. 7:26-6, Interdistrict and Intradistrict Solid Waste Flow, and the civil administrative penalty amounts for each violation, are as set forth in the following table.

Rule N.J.A.C.	Rule Summary	Base Penalty
7:26-6.5	Failure to comply with the district waste flow plan.	\$10,000
	no i plant	Ψ10,000

8. The violations of N.J.A.C. 7:26A, Recycling Rules, and the civil administrative penalty amounts for each violation, are as set forth in the following table.

Rule N.J.A.C.	Rule Summary	Base Penalty
7:26A-3.1(a)	Failure of approved recycling center to	
` '	comply with all approval conditions.	\$2,000
7:26A-3.5(f)	Failure of recycling center to post a	
	legible sign at the recycling center	

7:26A.3.6	entrance indicating its approval and listing items detailed in 3.2(a)13i and ii. Failure to submit renewal application	\$500
	for a general approval to the Department at	
	least three months prior to the current	
	approval expiration and to comply with	
	all submittal requirements.	\$1,000
7:26A-3.7(j)	Failure, within 45 days after	
	expiration of the time period authorized by the	
	limited approval to operate a recycling	#2.000
7.064.074	facility, to file a final report with the Department.	\$2,000
7:26A-3.7(k)	Failure of persons operating a limited	
	approved recycling center to ensure	¢2.000
7.2(1.296)	that no illegal dumping occurs.	\$2,000
7:26A-3.8(a)	Failure to limit processing methods for	
	tires to slicing, shredding, chipping,	
	crumbing or other methods approved by	
	the Department, prohibition to	
	incinerating, landfilling, abandoning or otherwise illegally disposing of tires.	\$3,000
7:26A-3.8(b)	Failure by the owner or operator of the	\$3,000
7.20A-3.8(0)	tire recycling center to ensure that no	
	mosquito colony formation develops.	\$2,000
7:26A-3.8(c)	Failure of a tire, tree stump, tree part or	Ψ2,000
7.2011 3.0(c)	wood waste recycling center to have an	
	approved fire control plan.	\$5,000
7:26A-3.9(a)	Failure of recycling center to ensure the	40,000
, 12 01 1 01 5 (a)	temporary storage of Class B recyclable	
	material does not exceed the amount indicated	
	in the general or limited approval to operate.	\$2,000
7:26A-3.9(b)	Failure of recycling center to ensure that	
	unprocessed Class B recyclable material is not	
	stored in excess of one year from the date of	
	receipt.	\$2,000
7:26A-3.10	Failure of recycling center to comply	
	with modification requirements.	\$2,000
7:26A-3.15(a)	Failure to ensure a general or limited	
	approval to operate a recycling center	
	is not transferred without prior approval	
	of the Department.	\$5,000
7:26A-3.15(c)	Failure to provide one copy of written	
	request to transfer approval to the	
	recycling coordinator and one copy to the	

	applicable municipal planning board.	\$2,000
7:26A-3.17(a)	Failure of recycling center to comply	
	with recordkeeping and annual reporting	
	requirements.	\$3,000
7:26A-4.1(a)1i	Failure of recycling center to ensure	
	that recyclable material is separated at the	
	point of generation from other waste material.	\$3,000
7:26A-4.1(a)1ii	Failure of recycling center to ensure	
	only Class A, Class B or Class C materials	
	are received, stored, processed or transferred	
	at the center.	\$3,000
7:26A-4.1(a)1iii	Failure of recycling center to comply	
	with commingling requirements.	\$2,000
7:26A-4.1(a)2	Failure of recycling center to ensure	
	residue is not stored on-site in excess	
	of six months.	\$2,0 <mark>0</mark> 0
7:26A-4.1(a)4	Failure of recycling center to store	
	residue separately from recyclable material	
	and in a manner which prevents run-off,	
	leakage or seepage from the residue	
	storage area into, on or around the	
	soil of the residue storage area.	\$2,0 <mark>0</mark> 0
7:26A-4.1(a)5	Failure of recycling center to ensure	
	hazardous wastes are not stored, processed	
	or transferred at any recycling center.	\$5,000
7:26A-4.1(a)6	Failure of recycling center to ensure	
	electronic components which contain	
	polychlorinated biphenyls (PCBs) and	
	which are attached to or detached from	
	appliances or other scrap metal, are	
	not shredded, sheared or baled.	\$5,000
7:26A-4.1(a)8	Failure to operate a recycling center	
	in such a manner that the recycling center	
	property is maintained free of litter	
	and debris and such that tracking of mud	
	into nearby streets is prevented.	\$2,000
7:26A-4.1(a)10	Failure of recycling center operator to	
	ensure that traffic associated with the operation	
	of the center does not result in a degradation	
	of a level of service of any major intersection	Φ2.000
7.064.416.11	or public roadway within a half-mile radius	\$2,000
7:26A-4.1(a)11	Failure of recycling center operator to ensure	
	recycling center operations are separated from	

	sensitive land uses by an effective visual screen buffer.	\$2,000
7:26A-4.1(a)12	Failure of recycling center operator to ensure	
5.0 64.44()40	unauthorized access to center is controlled.	\$2,000
7:26A-4.1(a)13	Failure of recycling center operator to	
	ensure areas of vehicular usage are suitably	\$2,000
7:26A-4.1(a)14	compacted and, where necessary, paved. Failure of recycling center operator to have	\$2,000
7.20A-4.1(a)14	adequate water supply, firefighting equipment,	
	and local fire department phone numbers posted.	\$5,000
7:26A-4.4(a)	Failure by the owner or operator of a	ψ3,000
/ 12 01 1 1 1 (w)	recycling center to provide a recycling	
	tonnage report by February 1 of each year.	\$1,000
7:26A-4.4(b)	Failure by a transporter of recyclable	
	materials to provide a recycling tonnage	
	report by February 1 of each year.	\$1,000
7:26A-4.4(c)	Failure of exempt person to submit required	
	tonnage reports by February 1 of each year.	\$1,000
7:26A-4.5(a)2	Failure of Class C yard trimming operator	
	to ensure center has sufficient capacity	
	to handle incoming volumes.	\$2,000
7:26A-4.5(a)3	Failure of Class C yard trimming operator	
	to have properly trained individual	
	supervising operation, access to	
	facility prohibited when center is closed.	\$2,000
7:26A-4.5(a)4	Failure of Class C yard trimming operator	
	to ensure yard trimmings are only received	Φ2 000
7.064 4.56\5	during times when operator is present.	\$2,000
7:26A-4.5(a)5	Failure of Class C yard trimming operator	
	to ensure all trimmings received are removed	¢2.000
7.261 15(0)6	from bags, boxes.	\$2,000
7:26A-4.5(a)6	Failure of Class C yard trimming operator	
	to initiate processing of incoming materials containing grass, within the working day.	\$2,000
7:26A-4.5(a)7i	Failure of Class C compost operators to	\$2,000
7.20A-4.3(a)/1	attend, within one year of start up, approved	
	composting courses.	\$2,000
7:26A-4.5(a)7ii	Failure of Class C compost operator to maintain	Ψ2,000
,.2011 1.3(u)/11	improved active composting surface	
	to prevent ponding or runoff.	\$2,000
7:26A-4.5(a)7iii	Failure of Class C yard trimming operator	+-,000
	to moisten, without excess runoff, dry	
	yard trimmings prior to windrow formation.	\$2,000
	U 1	. , = =

7:26A-4.5(a)7iv	Failure of Class C yard trimming operator to position windrows perpendicular to	
	ground surface contours.	\$2,000
7:26A-4.5(a)7v	Failure of Class C yard trimming operator to install windsock.	\$1,000
7:26A-4.5(a)7vi	Failure of Class C yard trimming operator to	
7:26A-4.5(a)7vii	comply with windrow composting requirements. Failure of Class C yard trimming operator	\$2,000
7.2011 1.5(a) 7 11	to comply with material staging and	
7:26A-4.5(a)7viii	processing buffer distance requirements. Failure of Class C yard trimming operator	\$2,000
7.2011 4.3(a)7 VIII	to comply with finished compost testing	
7:26A-4.5(a)7xii	requirements. Failure of Class C yard trimming operator	\$2,000
7.2011 4.5(a)7aH	to comply with additional recordkeeping	
7:26A-4.5(b)1	requirements. Failure of Class C material operator to ensure	\$3,000
7.2011	center has sufficient capacity to handle	
7:26A-4.5(b)2	incoming volumes. Failure of Class C material operator to comply	\$2,000
7.2011 4.3(0)2	with composting structure requirements, no	
7:26A-4.5(b)3	ponding, leachate control. Failure of Class C material operator	\$2,000
	to main fully enclosed operation.	\$2,000
7:26A-4.5(b)5	Failure of Class C material operator to comply with O&M manual requirements.	\$3,000
7:26A-4.5(b)7,8	Failure of Class C material operator to	Ψ3,000
7:26A-4.5(b)9	comply with employee training requirements. Failure of Class C material operator to have	\$2,000
7.2011-4.3(0)	properly trained individual supervising operation.	\$2,000
7:26A-4.5(b)11	Failure of Class C material operator to comply with incoming organics processing timeframes	
	and requirements.	\$2,000
7:26A-4.5(b)12	Failure of Class C material operator to ensure incoming, unprocessed material	
	is not mixed with finished compost.	\$2,000
7:26A-4.5(b)13, 14	Failure of Class C material operator to	\$2,000
7:26A-4.5(b)16	meet PFRB criteria and requirements. Failure of Class C material operator to	\$2,000
	comply with 15 month finished	¢1 000
7:26A-4.5(b)18-21	compost storage requirement. Failure of Class C material operator	\$1,000
` ,	to comply with monitoring and sampling	

	requirements.	\$3,000
7:26A-4.5(b)22,23	Failure of Class C material operator to	
	comply with additional recordkeeping	
	requirements.	\$2,000
7:26A-4.5(c)1	Failure of Class C operator to comply	
	with labeling requirements.	\$2,000
7:26A-4.5(c)2	Failure of Class C operator to comply	\$2 000
5.2 64. 5.1 63	with compost utilization requirements.	\$2,000
7:26A-5.1(a)	Failure to ensure no shearing, shredding,	
	baling or other actions which could	
	cause release of refrigerant fluid to take place,	¢5 000
7.26 A 5 1(h)	occurs prior to recovery of such fluid.	\$5,000
7:26A-5.1(b)	Failure to recover refrigerant fluid in	
	a manner such that no venting of refrigerant fluid occurs.	\$5,000
7.26 1 5 1(a)	Failure to deliver recovered refrigerant	\$3,000
7:26A-5.1(c)	fluid to a facility which has agreed to	
	reprocess the fluid or, if such arrangements	
	cannot be made, failure to store or	
	dispose of the recovered fluid in accordance	
	with applicable rules and regulations.	\$5,000
7:26A-6.4(d)2	Failure of generator to ensure used oil	Ψ5,000
7.2011 0.1(d)2	is stored only in tanks, containers, or unit	
	subject to N.J.A.C. 7:26G.	\$3,000
7:26A-6.4(d)3	Failure of generator to ensure used oil storage	φ2,000
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	units are in good condition and not leaking.	\$3,000
7:26A-6.4(d)4	Failure of generator to comply with used	, , , , , ,
	oil labeling requirements.	\$2,000
7:26A-6.4(f)	Failure of generator to comply with used	. ,
	oil off-site shipment requirements.	\$2,000
7:26A-6.6(c)	Failure of a used oil transporter to	
	have EPA identification number.	\$2,000
7:26A-6.6(d)1	Failure of a used oil transport to comply	
	with deliveries requirements.	\$2,000
7:26A-6.6(f)3	Failure of used oil transfer facility to	
	ensure used oil is stored only in tanks,	
	containers, or unit subject to N.J.A.C. 7:26G	\$3,000
7:26A-6.6(f)4	Failure of used oil transfer facility to	
	ensure used oil storage units are in good	
	condition and not leaking.	\$3,000
7:26A-6.6(f)5	Failure of used oil transfer facility to comply	
	with "secondary containment for" containers"	
	requirements.	\$3,000

7:26A-6.6(f)6	Failure of used oil transfer facility to comply with "secondary containment for" existing	
	aboveground " tanks" requirements.	\$3,000
7:26A-6.6(f)7	Failure of used oil transfer facility	
	to comply with "secondary containment for"	Φ2 000
7.261 66(f)0	"new aboveground tanks" requirements.	\$3,000
7:26A-6.6(f)8	Failure of used oil transfer facility to comply with used oil labeling requirements.	\$3,000
7:26A-6.6(g)	Failure of used oil transfer facility/transporter	Ψ3,000
7.2011 0.0(g)	to comply with tracking requirements.	\$2,000
7:26A-6.7(b)	Failure of used oil processor/re-refiner to	, ,
	comply with notification requirements.	\$2,000
7:26A-6.7(c)1	Failure of used oil processor/re-refiner to	
	comply with preparedness and prevention	
	requirements.	\$5,000
7:26A-6.7(c)2i-v	Failure of used oil processor/re-refiner to	\$5.000
7.064 (7())	comply with contingency plan requirements.	\$5,000
7:26A-6.7(e)2	Failure of used oil processor/re-refiner to	
	ensure used oil is stored only in tanks, containers, or units subject to N.J.A.C. 7:26G.	\$3,000
7:26A-6.7(e)3	Failure of used oil processor/re-refiner to	\$3,000
7.2011 0.7(0)3	ensure used oil storage units are in good	
	condition and not leaking.	\$3,000
7:26A-6.7(e)4	Failure of used oil processor/re-refiner to	72,5
	comply with "secondary containment for"	
	"containers" requirements.	\$3,000
7:26A-6.7(e)5	Failure of used oil processor/re-refiner to	
	comply with "secondary containment for"	
	"existing aboveground tanks" requirements.	\$3,000
7:26A-6.7(e)6	Failure of used oil processor/re-refiner to	
	comply with "secondary containment for"	\$2,000
7:26A-6.7(e)7	"new aboveground tanks" requirements. Failure of used oil processor/re-refiner to	\$3,000
7.20A-0.7(e)1	comply with used oil labeling requirements.	\$3,000
7:26A-6.7(f)	Failure of used oil processor/re-refiner to	Ψ5,000
7.2011 0.7(1)	comply with analysis plan requirements.	\$5,000
7:26A-6.7(g)	Failure of used oil processor/re-refiner to	. ,
	comply with tracking requirements.	\$2,000
7:26A-6.7(h)	Failure of used oil processor/re-refiner to	
	comply with operating record and reporting	
	requirements.	\$3,000
7:26a-6.7(i)	Failure of used oil processor/re-refiner to	
	use oil transporter with EPA identification	

	number.	\$3,000
7:26A-6.8(b)	Failure of used oil burner facility	** • • • •
7.064.60()	comply with burning restrictions.	\$3,000
7:26A-6.8(c)	Failure of a used oil burner facility	Φ2.000
7.064.60(.)0	to comply with notification requirements.	\$2,000
7:26A-6.8(e)2	Failure of used oil burner facility to	
	ensure used oil is stored only in tanks,	Ф2 000
7.064.60()0	containers, or unit subject to N.J.A.C. 7:26G.	\$3,000
7:26A-6.8(e)3	Failure of used oil burner facility to ensure	
	used oil storage units are in good	Ф2 000
	condition and not leaking.	\$3,000
7:26A-6.8(e)4	Failure of used oil burner facility to	
	comply with "secondary containment for"	
	"containers" requirements.	\$3,000
7:26A-6.8(e)5	Failure of used oil burner facility to	
	comply with "secondary containment for"	
	"existing aboveground tanks" requirements.	\$3,000
7:26A-6.8(e)6	Failure of used oil burner facility to	
	comply with "secondary containment for"	
	"new aboveground tanks" requirements.	\$3,000
7:26A-6.8(e)7	Failure of used oil burner facility to	
	comply with used oil labeling requirements.	\$3,0 <mark>0</mark> 0
7:26A-6.8(f)	Failure of used oil burner facility to comply	
	with tracking requirements.	\$2,000
7:26A-6.8(g)	Failure of used oil burner facility to comply	
	with notice requirements.	\$2,000
7:26A-6.9(b)	Failure of used oil fuel marketer to ensure	
	shipments of off-specification used oil is	
	sent only to used oil burner facilities that	
	have EPA identification numbers and burns	
	the used oil in a device as identified in	
	N.J.A.C. 7:26A-6.8(b)1.	\$4,000
7:26A-6.9(c)	Failure of used oil fuel marketer to	
	comply with on-specification used oil	
	fuel requirements.	\$2,000
7:26A-6.9(d)	Failure of a used oil fuel marketer to	
	comply with notification requirements.	\$2,000
7:26A-6.9(e)	Failure of used oil marketer to comply	
	with tracking requirements.	\$2,000
7:26A-6.9(f)	Failure of used oil marketer to comply	
	with Notice requirements.	\$2,000
§273.13	Failure of small quantity handler of	
	universal waste to comply with waste	

	management requirements.	\$2,000
§273.14	Failure of small quantity handler of	
	universal waste to comply with labeling/	
	marking requirements.	\$2,000
§273.15	Failure of small quantity handler of	
	universal waste to comply with	
	accumulation time limits.	\$2,000
§273.16	Failure of small quantity handler of	, , ,
Ü	universal waste to comply with	
	employee training requirements.	\$3,000
§273.18	Failure of small quantity handler of	
0	universal waste to comply with off-site	
	shipment requirements.	\$2,000
§273.20	Failure of small quantity handler of universal	, , , ,
	waste to comply with exporting requirements.	\$2,000
§273.32	Failure of large quantity handler of universal	, , , ,
3_70.00	waste to comply with notification requirements.	\$4,000
§273.33	Failure of large quantity handler of universal waste	
3_70.00	to comply with waste management requirements.	\$4,000
§273.34	Failure of large quantity handler of universal	, , , ,
3_70.0	waste to comply with labeling/marking	
	requirements.	\$4,000
§273.35	Failure of large quantity handler of universal	7 1,5
3270.00	waste to comply with accumulation time limits.	\$4,000
§273.36	Failure of large quantity handler of	7 1,0
	universal waste to comply with employee	
	training requirements.	\$4,000
§273.38	Failure of large quantity handler of	+ 1,000
	universal waste to comply with off-site	
	shipment requirements.	\$4,000
§273.39	Failure of large quantity handler of	. ,
	universal waste to comply with waste	
	tracking requirements.	\$4,000
§273.40	Failure of large quantity handler of universal	. ,
v	waste to comply with exporting requirements.	\$4,000
§273.52	Failure of universal waste transporter to	,
-	comply with waste management requirements.	\$3,000
§273.53	Failure of universal waste transporter	
	to comply with storage time limits.	\$3,000
§273.55	Failure of universal waste transporter to	
	comply with off-site shipment requirements.	\$3,000
§273.56	Failure of universal waste transporter	•
	to comply with exporting requirements.	\$3,000

§273.61	Failure of universal waste destination facility	
	to comply with off-site shipment requirements	\$4,000
§273.62	Failure of universal waste destination facility	
	to comply with universal waste tracking	
	requirements.	\$4,000

(Agency Note: N.J.A.C. 7:26-5.4(g)7 through 12 are proposed for deletion at 28 N.J.R. 1693(a), and are thus not proposed for recodification herein. If their deletion is not adopted at or prior to adoption of the instant proposal, those paragraphs will be recodified upon adoption.)]

(g) The following summary of rules contained in N.J.A.C. 7:26-1 through N.J.A.C. 7:26-26A is provided for informational purposes only. In the event that there is a conflict between the rule summary in this N.J.A.C. 7:26-5.4(g) and a provision in N.J.A.C. 7:26-1 through N.J.A.C. 7:26-26A then the provision in N.J.A.C. 7:26-1 through N.J.A.C. 7:26-26A shall prevail. The citations beginning with the symbol "\$" identify the rule section found in 40 C.F.R. Part 273. The word "matrix" appearing in the "Base Penalty" column refers to the penalty calculation matrix in 7:26-5.4, which shall be applied in lieu of a "base penalty". The column with the heading "Grace Period" identifies the time afforded to correct a minor violation in accordance with N.J.A.C. 7:26G-2.10.

1. The violations of N.J.A.C. 7:26-1, General Provisions, and the civil administrative penalty amounts and grace period conditions for each violation, are as set forth in the following table.

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	<u>Minor</u>	Days
				Provided
7:26-1.7(b)	Failure of owner or operator of	\$2,000	<u>NM</u>	
	any facility exempted under			
	N.J.A.C. 7:26-1.7 to comply with			
	all conditions set forth in its			
	certificate of authority to operate			

2. The violations of N.J.A.C. 7:26-2, Disposal, and the civil

administrative penalty amounts and grace period conditions for each

violation, are as set forth in the following table.

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-2.7(b)1	Failure of permittee to apply for a renewal at least 90 days prior to the expiration date of the existing SWF permit.	\$1,000	<u>M</u>	30
7:26-2.8(b)	Failure of permittee to submit a statement updating the information contained in the initial registration statement.	\$1,000	<u>M</u>	<u>30</u>
7:26-2.8(c)	Failure of permittee to notify the Department within 30 days of any change of information in the registration statement.	<u>\$1,000</u>	<u>M</u>	<u>30</u>
7:26-2.8(e)	Failure to apply and receive approval of a SWF permit prior to engaging in the disposal of solid waste in this State.	\$2,000	NM	
7:26-2.8(f)	Failing to obtain a SWF permit prior to constructing or operating a solid waste facility.	<u>\$5,000</u>	<u>NM</u>	

Rule	Rule Summary	Base	Minor/Non-	Grace
Kuic	Kuic Summar y	Penalty	Minor	Days
		<u>I Charty</u>	<u>MINOI</u>	Provided
7:26-2.8(j)	Failure to meet all conditions,	\$2,000	NM	TTOVICE
7.20 2.0(1)	restrictions, requirements of any	Ψ 2 ,000	11112	
	other provision set forth in SWF			
	permit.			
7:26-2.8(k)	Failure to receive Department	\$2,000	NM	
7.20-2.0(K)	approval prior to modifying,	Ψ2,000	1/1/1	
	revising or otherwise changing a			
	permit condition.			
7:26-2.8(l)	Failure to receive Department	\$5,000	NM	
7.20-2.0(1)	approval prior to transferring	\$5,000	11111	
	ownership of a SWF permit.			
7:26-2.11(b)1		\$2,000	NIM	
1.20-2.11(D)1	Failure of operator to clean areas	\$2,000	NM	
	where waste has been deposited			
	or stored within each 24 hour			
	period, for sanitary landfills all			
	areas where waste has been			
7.26.2.11(1.)2	deposited shall be covered.	¢2 000	NINA	
7:26-2.11(b)2	Failure to ensure any waste	<u>\$2,000</u>	<u>NM</u>	
	stored overnight at any facility is			
F 26 2 11 (1) 2	effectively treated.	d1 000	3.6	20
7:26-2.11(b)3	Failure to maintain facility	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	property surrounding the			
	disposal area free of litter, debris,			
	unprocessed waste, processed			
	residues and effluents.			
7:26-2.11(b)4	Failure to implement dust control	<u>\$2,000</u>	<u>NM</u>	
	methods.			
7:26-2.11(b)5	Failure to ensure no odors of	<u>\$4,000</u>	<u>NM</u>	
	sufficient strength and duration			
	to be injurious to human health			
	or unreasonably interfere with			
	the enjoyment of life or property			
	are detected off-site.			
7:26-2.11(b)6	Failure to maintain all facility	<u>\$2,000</u>	<u>NM</u>	
	system in a manner that			
	facilitates proper operation and			
	minimizes system downtime.			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-2.11(b)7	Failure to maintain an adequate water supply and adequate fire-fighting equipment.	\$3,000	<u>NM</u>	Provided
7:26-2.11(b)8	Failure to control insects, other arthropods and rodents.	\$3,000	NM	
7:26-2.11(b)9	Failure to comply at all times with the conditions of SWF permit.	\$2,000	NM	
7:26.2.11(b)10	Failing to ensure waste is not received in excess to the system's designed capacity.	\$2,000	NM	
7:26-2.11(b)11	Failure to operate the facility in a manner that employs the use of equipment and other techniques as identified in the facility's SWF permit.	\$1,000	M	30
7:26-2.11(b)12	Failure to maintain an approved O and M manual at the facility, changes to be submitted, at a minimum, on an annual basis.	\$3,000	NM	
7:26-2.11(c)1	Failure to admit only properly registered solid waste vehicles for loading or unloading of any solid waste.	\$3,000	NM	
7:26-2.11(c)2	Failure to designate a secure area where solid waste may be unloaded from vehicles exempt from registration under N.J.A.C. 7:26-3.3.	\$2,000	<u>NM</u>	
7:26-2.11(c)3	Failure to designate a secure area where unpermitted waste can be deposited.	\$2,000	<u>NM</u>	
7:26-2.11(c)4	Failure to maintain a record of the quantity of each waste type accepted for disposal.	<u>\$5,000</u>	<u>NM</u>	
7:26-2.11(c)5	Failure to provide a means of cleaning vehicle tires of debris.	<u>\$1,000</u>	<u>M</u>	<u>30</u>

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-2.12(b)	Failure of generators of asbestos containing waste materials to submit a complete written notification of intent to demolish, 10 days prior to beginning the demolition activity.	\$1,000	<u>NM</u>	
7:26-2.12(c)	Failure of generators of asbestos containing waste material to submit a complete written notification of intent to renovate, 10 days prior to beginning the renovation activity.	\$1,000	NM	
7:26-2.13(a)1-6	Failure to maintain a daily record of waste received.	<u>\$2,000</u>	NM	
7:26-2.13(a)7	Failure to maintain a daily record of asbestos waste received and make appropriate submittals.	\$3,000	NM	
7:26-2.13(a)8	Failure to install or operate scales or keep records.	<u>\$1,000</u>	<u>M</u>	<u>30</u>
7:26-2.13(c)1	Failure of facility operator to verify the O and D form.	\$2,000	NM	
7:26-2.13(e)	Failure to timely submit complete monthly summaries of waste to the Department and the District Solid Waste Coordinator.	\$2,000	NM	
7:26:2.14(j)	Failure of SWFPPA permittee to prepare and submit a complete annual progress report.	\$1,000	<u>M</u>	<u>30</u>
7:26:2.14(k)	Failure of SWFPPA permittee to conduct a complete facility wide benchmark audit not less than once every five years.	<u>\$1,000</u>	<u>M</u>	<u>90</u>

3. The violations of N.J.A.C. 7:26-2A, Additional Specific Disposal Regulations for Sanitary Landfills, and the civil administrative penalty amounts and grace period conditions for each violation, are as set forth in the following table.

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days
				Provided
7:26-2A.8(b)1	Failure to confine working face to	<u>\$2,000</u>	NM	
	the smallest practical area.			
7:26-2A.8(b)2	Failure to compact waste to yield	<u>\$1,000</u>	M	<u>30</u>
	smallest volume.			
7:26-2A.8(b)3	Failure to compact waste in	<u>\$2,000</u>	<u>NM</u>	
	shallow layers; or compacting			
	waste over leachate collection			
	pipes per N.J.A.C. 7:26-			
	- <u>2A</u> ,7(d)3xiv.			
7:26-2A.8(b)4	Failure to ensure lift height of	<u>\$2,000</u>	NM	
	daily cell does not exceed 12 feet.			
7:26-2A.8(b)5	Failure to ensure slope is no	<u>\$2,000</u>	NM	
	steeper than 3:1. Failure of			
	balefill operations to comply with			
	working face requirements.			
7:26-2A.8(b)6	Failure to obtain department	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	approval of separate areas for			
	storage of demolition waste or			
	recyclable materials.			
7:26-2A.8(b)7	Failure to cover exposed surfaces	\$2,000	NM	
	of solid waste at close of each			
	operating day with daily cover.			
7:26-2A.8(b)8	Failure to progressively apply	\$2,000	<u>NM</u>	
	daily cover			
7:26-2A.8(b)9	Failure to apply intermediate	\$2,000	NM	
	cover (a minimum of 12 inches of			
	earth) to surfaces exposed more			
	than 24 hours.			
7:26-2A.8(b)10	Failure to maintain grade,	\$2,000	NM	
	thickness and integrity of			
	intermediate and final cover.			
7:26-2A.8(b)11	Failure to grade areas with	\$2,000	NM	
	intermediate cover to facilitate			
	drainage.			

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days Provided
7:26-2A.8(b)12	Failure to use appropriate daily	\$2,000	<u>NM</u>	
	and intermediate cover			
	materials; not maintaining			
	sufficient quantity of cover at			
	site; not maintaining standby			
	supply of cover within			
7.04.00.40	boundaries.	40000	J	
7:26-2A.8(b)13	Failure to construct final cover in	<u>\$2,000</u>	NM	
	accordance with N.J.A.C. 7:26-			
	2A.7(i) and to apply it to all			
7.04.04.02 \00	surfaces.	\$2.000	272.5	
7:26-2A.8(b)20	Failure to maintain sufficient	\$2,000	NM	
	types and quantities of equipment			
	to adequately meet the			
	requirements of 7:26-2A.8(b) 7			
7.26.24.0(1)21	through (10).	\$1,000	3/1	20
7:26-2A.8(b)21	Failure to maintain steel wheel	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	type compactors of at least 45,000			
7.26 24 9(b)22	pounds. Failure to equip landfill	¢5 000	NIM	
7:26-2A.8(b)22		<u>\$5,000</u>	NM	
7:26-2A.8(b)23	equipment with safety devices.	\$2,000	NIM	
1:20-2A.8(D)23	Failure, in the case of breakdown	<u>\$2,000</u>	NM	
	of equipment, to repair or obtain replacement within 24 hours; or			
	to include a maintenance contract			
	in O & M plan.			
7:26-2A.8(b)24	Failure to limit access for	\$2,000	NM	
7.20-2A.0(b)24	disposal to operating hours only.	Ψ2,000	14141	
7:26-2A.8(b)25	Failure to secure landfill with a	\$2,000	NM	
7.20 2/1.0(0/23	six-foot high chain link fence.	<u>Ψ=9000</u>	11111	
7:26-2A.8(b)27	Failure to maintain all weather	\$2,000	NM	
7.20 2/1.0(D)21	road to working face.	<u>Ψ=9000</u>	11111	
7:26-2A.8(b)28	Failure to control litter.	\$3,000	NM	
7:26-2A.8(b)29	Failure to control dust by	\$2,000	NM	
.,20 2.110(0)27	spraying water or equivalent.	42,000		
	spraying water or equivalent.			

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days
				Provided
7:26-2A.8(b)30	Failure to eliminate emissions	\$4,000	NM	
	which result in odors detectable			
	in areas of human use or			
	occupancy beyond boundary line;			
	or to control the odors by use of			
	daily cover; or to immediately			
	cover odorous waste with			
	minimum six inches of cover.			
7:26-2A.8(b)31	Failure to control the off-site	\$1,000	<u>M</u>	<u>30</u>
	tracking of mud and soil.			
7:26-2A.8(b)32	Failure to minimize the	<u>\$2,000</u>	NM	
	propagation and harborage of			
	insects, rodents, and birds.			
7:26-2A.8(b)33	Failure to protect all monitoring	\$5,000	<u>NM</u>	
	devices and environmental			
	systems from damage.			
7:26-2A.8(b)37	Failure to have supervisor on site	<u>\$5,000</u>	<u>NM</u>	
	in order to ensure proper			
	operation, evaluate monitoring			
	data and inspection reports,			
	determine performance of			
	landfill, implement all			
	operational decisions and ensure			
	compliance with N.J.S.A. 13:1E-1			
	et seq., this chapter and the SWF			
	Permit.			
7:26-2A.8(b)38	Failure to ensure that landfill	\$1,000	<u>M</u>	<u>30</u>
	personnel complete a program of			
	on-the-job training.			
7:26-2A.8(b)39	Failure to ensure that landfill	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	personnel complete initial			
	training program within six			
	months after the date of their			
	employment.			
7:26-2A.8(b)40	Failure to ensure that landfill	<u>\$500</u>	<u>M</u>	<u>30</u>
	personnel take part in annual			
	update of initial training			
	program.			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-2A.8(b)41	Failure to keep records of training received by personnel until closure.	<u>\$500</u>	<u>M</u>	30
7:26-2A.8(c)	Failure to maintain environmental control systems in functioning manner, or to inspect them.	\$5,000	NM	
7:26-2A.8(d-e)	Failure to perform inspections required by N.J.A.C. 7:26-2A.8(c)on a weekly basis and after storm events, and comply with recordkeeping requirements.	\$3,000	NM	
7:26-2A.8(f)	Failure of operator to make repairs in accordance with N.J.A.C. 7:26-2A.8(b)28 and O&M manual, if deterioration or malfunction occurs.	\$2,000	NM	
7:26-2A.8(g)	Failure to maintain and inspect sanitary landfill according to requirements.	\$2,000	NM	
7:26-2A.8(h)	Failure to monitor in accordance with parameters and schedules.	\$5,000	NM	
7:26-2A.8(i)	Failure to submit an annual topographic survey prepared according to N.J.A.C. 7:26-2A.8(i)1 through 4 by May 1 of each year.	\$ <u>1,000</u>	<u>M</u>	30
7:26-2A.8(j)1	Failure to obtain written approval of the Department prior to disruption/excavation.	<u>\$2,000</u>	<u>NM</u>	
7:26-2A.8(j)3	Failure to keep area of excavation consistent with amount of equipment, and to keep excavation to smallest practical area.	<u>\$2,000</u>	<u>NM</u>	
7:26-2A.8(j)4	Failure to control dust, odors, fires, rodents, insects, blowing litter.	<u>\$3,000</u>	NM	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days
				Provided
7:26-2A.8(k)6	Failure to repair any disruption	\$2,000	<u>NM</u>	
	of finished grade or covered			
	surface upon completion of			
	firefighting activities.			
7:26-2A.8(l)	Failure to comply with asbestos	\$3,000	<u>NM</u>	
	waste disposal requirements.			

4. The violations of N.J.A.C. 7:26-2B, Additional Specific Disposal Regulations For Thermal Destruction Facilities, Transfer Stations, Materials Recovery Facilities, Co-Composting and Solid Waste Composting Facilities, and the civil administrative penalty amounts and grace period conditions for each violation, are as set forth in the following table.

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-2B.7(b)	Failure of solid waste composting and co-composting facility to comply with quarterly report requirements.	\$1,000	<u>M</u>	30
7:26-2B.7(d)	Failure of solid waste composting and co-composting facility to comply with training requirements; Access to facility prohibited when facility is closed.	<u>\$2,000</u>	<u>NM</u>	
7:26-2B.7(e)	Failure of solid waste composting and co-composting facility to monitor temperature of composting materials to ensure pathogen reduction criteria are met.	\$2,000	<u>NM</u>	

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days
				Provided
7:26-2B.7(f)	Failure of solid waste composting	\$2,000	<u>NM</u>	
	and co-composting facility to			
	comply with incoming waste			
	processing timeframes and			
	requirements.			
7:26-2B.7(g)	Failure of solid waste composting	\$2,000	<u>NM</u>	
	and co-composting facility to			
	ensure incoming, unprocessed			
	waste is not mixed with finished			
	compost.			
7:26-2B.7(h)	Failure of solid waste composting	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	and co-composting facility to			
	comply with 15 month finished			
	compost storage requirement.			
7:26-2B.7(i)	Failure of solid waste composting	<u>\$2,000</u>	NM	
	and co-composting facility to			
	comply with recordkeeping			
	requirements.			
7:26-2B.7(j-n)	Failure of solid waste composting	<u>\$3,000</u>	<u>NM</u>	
	and co-composting facility to			
	comply with monitoring and			
	sampling requirements.			
7:26-2B.7(o)	Failure of solid waste composting	\$2,000	NM	
	and co-composting facility to			
	comply with labeling			
	requirements.			
7:26-2B.7(p)	Failure of solid waste composting	<u>\$2,000</u>	NM NM	
	and co-composting facility to			
	comply with USEPA 40 CFR 503			
	general requirements.	4.000	373.5	
7:26-2B.8(d)	Failure of the owner or operator	<u>\$3,000</u>	<u>NM</u>	
	to conduct inspections as			
	indicated in the approved final			
	O&M manual in order to identify			
	and remedy any problems and			
	comply with recordkeeping			
	requirements.			

Rule	Rule Summary	Base Danaltri	Minor/Non-	Grace Davis
		Penalty	Minor	<u>Days</u> Provided
7:26-2B.8(f)	Failure of the owner or operator	\$3,000	<u>NM</u>	TTOVICE
	to implement waste receiving area control procedures that			
	provide for the inspection of the			
	incoming waste stream for the			
	purpose of removing			
	nonprocessible or potentially			
	explosive materials prior to the			
	initiation of processing.			
7:26-2B.8(g)	Failure, should the facility	\$2,000	NM	
	experience equipment or system			
	malfunction to the extent that the			
	waste received cannot be handled			
	or processed in the normal			
	manner, of the operator to notify			
	the Department of the existence			
	of such a situation and			
	circumstances contributing to the			
	situation within the same			
7 6 6 9 9 9	working day of its occurrence.	4. 0.00	373.5	
7:26-2B.8(i)	Failure to store unprocessed	<u>\$2,000</u>	<u>NM</u>	
	incoming waste, facility process			
	waste residues and effluents, and			
	recovered materials in bunkers,			
	pits, bins, or similar containment			
	vessels and to keep at all times at levels that prevent spillage or			
	overflow.			
7:26-2B.8(j)	Failure to keep waste delivery	\$2,000		
7.20-20.0(1)	tipping hall doors closed during	<u>Ψ2,000</u>		
	non-processing or non-receiving			
	hours.			
7:26-2B.8(k)	Failure to schedule the delivery	\$2,000	NM	
	of waste to the facility and the			
	removal of residues and			
	recovered products from the site			
	so as to eliminate traffic backups			
	and allow for fluid vehicular			
	movement on site.			

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days
				Provided
7:26-2B.8(1)	Failure to ensure that samples	\$5,000	NM	
	and measurements taken for the			
	purpose of monitoring facility			
	process and treatment operations			
	are representative of the process			
	or operation and are performed			
	with the conditions of the			
	facility's SWF permit.			
7:26-2B.8(m-r)	Failure of the operator to comply	\$5,000	NM	
	with waste determination, waste			
	analysis and required			
	recordkeeping.		1	
7:26-2B.8(s)	Failure of the owner or operator	\$3,000	NM	
	to have a 24-hour surveillance			
	system which continuously			
	monitors and controls entry to			
	the facility or an artificial or			
	natural barrier which completely			
	surrounds the facility.			
7:26-2B.8(t)	Failure of a facility to maintain	\$5,000	NM	
	required personnel, supervisor,			
	boiler operator, licensed engineer			
	to assure the proper and orderly			
	operation of all system			
	components, along with the			
	ability to handle all routine			
	facility maintenance			
	<u>requirements.</u>			

Rule	Rule Summary	Base	Minor/Non-	<u>Grace</u>
		Penalty	<u>Minor</u>	Days
				Provided
7:26-2B.8(u)	Failure to ensure that all	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	personnel complete an initial			
	program of classroom instruction			
	and on-the-job training, training			
	program directed by a person			
	thoroughly familiar with the			
	technology, ensure that facility			
	personnel respond to any			
	malfunction or emergency			
	situation, complete the initial			
	training program within six			
	months, planned annual review of		1	
	the initial training, records			
	document the type and amount of			
	training received, kept until			
	closure, former employees			
	records kept for at least one year.			

5. The violations of N.J.A.C. 7:26-3, Transportation and the civil

administrative penalty amounts and grace period conditions for each violation are as set

forth in the following table.

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	<u>Days</u>
				Provided
7:26-3.2(a)	Failure to obtain an approved	<u>\$8,000</u>	<u>NM</u>	
	registration statement from the			
	Department prior or to engaging			
	in the transportation of solid			
	waste.			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-3.2(a)2	Failure to ensure that any device used for the transportation of solid waste is registered with the Department.	\$2,000	<u>NM</u>	
7:26-3.2(a)4	Failure of registrant to ensure registered vehicles, cabs, containers, etc. are not used, controlled or possessed by any other person.	\$5,000	NM	
7:26-3.2(c)	Failure to comply with any conditions or limitations which may be specified on the approved registration.	\$5,000	NM	
7:26-3.2(d)	Failure of a registrant to submit a transporter registration renewal updating information contained in the previous registration statement.	\$1,000	M	<u>30</u>
7:26-3.2(e)	Failure of registrant to notify the Department within 30 days of any change in the registration statement.	\$1,000	M	30
7:26-3.4(b)	Failure to deposit all collected solid waste at an approved facility.	\$5,000	NM	
7:26-3.4(c)	Failure to ensure solid does not remain or is stored in any solid waste vehicle in excess of 24 hours, unless an emergency.	\$2,000	NM	
7:26-3.4(d)	Failure to ensure design of solid waste vehicle is such that it will not cause spillage onto roadways.	\$2,000	<u>NM</u>	
7:26-3.4(e)	Failure to ensure solid waste vehicle is not loaded beyond its design capacities or in such a manner that will cause spillage onto roadways.	\$2,000	<u>NM</u>	

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days
				Provided
7:26-3.4(f)	Failure to keep all solid waste	\$2,000	NM	
	vehicles in good working			
	condition and to provide a means			
	of continuous service in the event			
	an emergency arises.			
7:26-3.4(g)	Failure to protect property of	<u>\$2,000</u>	<u>NM</u>	
	customer.			
7:26-3.4(h)	Failure to properly mark each	<u>\$1,000</u>	M	<u>30</u>
	solid waste vehicle or to carry			
	current DEP registration			
	certificate.			
7:26-3.4(i)	Failure to use tarpaulins as	\$2,000	NM	
	needed.			
7:26-3.4(j)	Failure to access or exit a solid	\$2,000	NM	
	waste facility pursuant to the			
	district solid waste management			
	plan or SWF permit.			
7:26-3.4(m)	Failure of transporter to haul	\$3,000	NM	
	solid waste in accordance with			
	the Solid Waste Management			
	Plan developed by the county or			
	district of waste origin pursuant			
	to N.J.A.C. 7:26-6.			
7:26-3.5(a)1	Failure to design all solid waste	\$2,000	NM	
	vehicles used for the			
	transportation of sewage sludge			
	to preclude any spillage or			
	leakage onto roadways.			
7:26-3.5(a)2	Failure to ensure sewage sludge	\$5,000	NM	
	and other fecal material is not			
	intermixed with other wastes of a			
	chemical or industrial nature.			
7:26-3.5(b)	Failure to design all solid waste	\$2,000	NM	
	vehicles used for the			
	transportation of bulky waste to			
	preclude any spillage.			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-3.5(c)	Failure to ensure radioactive material and lethal chemicals are not transported in or through this State without prior approval from authorities having jurisdiction, and from the	\$5,000	NM	
7:26-3.5(d)1	Department. Failure to design all solid waste vehicles used for the transportation of asbestos waste so as to preclude any spillage leakage or emissions therefrom.	\$3,000	NM N	
7:26-3.5(d)2	Failure to package asbestos for transportation in accordance with 40 CFR 61.152 and N.J.A.C. 7:26-2.12.	\$5,000	NM	
7:26-3.5(d)3	Failure to transport asbestos in a manner that prevents the rupture of containers in loading, transporting and unloading operations.	\$5,000	NM	
7:26-3.5(d)4	Failure to transport collected asbestos and/or asbestos containing material directly to solid waste landfill or transfer station permitted to receive such wastes.	\$5,000	NM	
7:26-3.5(d)6	Failure to ensure no visible air emissions are generated during loading, transporting, or unloading operations.	\$5,000	NM	
7:26-3.5(h)2	Failure of transporter to complete and sign O and D form prior to transporting the solid waste.	\$1,000	<u>M</u>	30
7:26-3.7(a)	Failure to ensure waste materials to be collected and transported show no evidence of smoking, smoldering or burning.	\$5,000	<u>NM</u>	

6. The violations of N.J.A.C. 7:26-3A, Regulated Medical Waste, and the civil administrative penalty amounts and grace period conditions for each violation, are as set forth in the following table. The lesser penalty amount applies to persons registered in generator categories 1 through 3 (<300 lbs./year). The larger penalty amount applies to persons registered in generator categories 4 and 5 (>300 lbs./yr.).

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-3A.8(a)	Failure of a generator of RMW to register with the Department.	\$1,500/ \$5,000	NM NM	
7:26-3A.8(a)1	Failure of a generator of RMW to register in the proper category.	\$1,000	<u>M</u>	30
7:26-3A.8(b)1	Failure of a commercial transporter of RMW to register with the Department.	\$5,000	NM	
7:26-3A.8(b)2	Failure of a non-commercial transporter of RMW to register with the Department.	\$2,500	<u>NM</u>	
7:26-3A.8(c)	Failure of commercial intermediate handlers and owner/operators of destination facilities to register with the Department.	<u>\$5,000</u>	<u>NM</u>	
7:26-3A.8(c)3	Failure of a non-commercial collection facility or an intermediate handler treating their own waste to register with the Department.	\$2,000	<u>NM</u>	
7:26-3A.8(d)1	Failure of commercial collection facility to register with the Department.	<u>\$5,000</u>	<u>NM</u>	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
<u>7:26-</u>	Failure of a non-commercial	<u>\$2,000</u>	<u>NM</u>	
3A.8(d)5,6	collection facility to register with			
	the Department.			
7:26-3A.9	Failure of transporters',	\$1,000	<u>M</u>	<u>30</u>
	intermediate handlers' and			
	destination facilities'			
	supervisory personnel to attend			
	an education and training			
	session and disseminate			
	information to employees.			
7:26-3A.10(a)	Failure of generators of RMW	<u>\$1,000/</u>	NM	
	to segregate for off-site	<u>\$3,000</u>		
	transport prior to placement in			
	<u>containers.</u>			
7:26-3A.10(d)	Failure to handle a package of	\$1,000/	NM	
	RMW mixed with other waste as	\$3,000		
	RMW.			
7:26-3A.11	Failure of a generator to ensure	\$1,000/	<u>NM</u>	
	that RMW is properly packaged	\$3,000		
	before transporting or offering			
	for transport off site.			
7:26-3A.12(a)	Failure to comply with RMW	\$1,000/	NM	
	storage requirements.	\$3,000		
7:26-3A.12(b)	Failure to comply with RMW	\$500/\$1	<u>NM</u>	
	storage periods.	<u>,000</u>		
7:26-3A.12(c)	Failure to secure sharps	<u>\$1,000/</u>	<u>NM</u>	
	containers.	<u>\$3,000</u>		
7:26-3A.13(a)	Failure to comply with container	<u>\$1,000/</u>	<u>NM</u>	
	decontamination and reuse	<u>\$3,000</u>		
	<u>requirements.</u>			
7:26-3A.14(a)	Failure to comply with labeling	<u>\$500/\$1</u>	<u>NM</u>	
	requirements.	<u>,000</u>		
7:26-3A.15(a)	Failure to comply with marking	<u>\$500/\$1</u>	<u>NM</u>	
	requirements.	<u>,000</u>		
7:26-3A.16(a)	Failure to determine if waste is	<u>\$1,000/</u>	<u>NM</u>	
	RMW.	<u>\$3,000</u>		
7:26-3A.16(d)	Failure to use properly	\$1,000 /	<u>NM</u>	
	registered transporters.	\$3,000		

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days
				Provided
7:26-3A.16(e)	Failure to dispose of RMW at an	\$5,000/	NM	
	authorized facility.	\$10,000		
7:26-3A.16(h)	Failure to comply with home	\$500/\$1	NM	
	self-care RMW requirements.	,000	_	
7:26-3A.16(i)	Failure to get approval from the	\$1,000/_	NM	
	department prior to using an	\$5,000		
	alternative or innovative			
	technology for the treatment or			
	destruction of RMW.			
7:26-3A.19	Failure of a generator to comply	\$500/\$2	NM	
	with tracking form	,000	_	
	requirements.			
7:26-3A.21	Failure to comply with	\$500/\$1	M	30
	generator recordkeeping	,000		
	requirements.			
7:26-3A.22	Failure of generator to comply	\$500/\$1	M	30
	with exception reporting	<u>,000</u>		
	requirements.			
7:26-3A.25	Failure of generator with on-site	\$1,000/	<u>M</u>	<u>30</u>
	incinerator to comply with	\$3,000		
	recordkeeping requirements.			
7:26-3A.26	Failure of owner/operator of on-	\$1,000 /	<u>M</u>	<u>30</u>
	site incinerator to comply with	\$3,000		
	reporting requirements.			
7:26-3A.27(i)	Failure of a	\$2,000	<u>NM</u>	
	transporter/collection facility to			
	dispose of RMW stored in the			
	vehicle within fourteen calendar			
	days, or before it becomes			
	putrescent.			
7:26-3A.28	Failure of a transporter to	\$3,000	<u>NM</u>	
	comply with RMW acceptance			
	requirements.			
7:26-3A.30(a)1	Failure of vehicle to have fully	\$2,000	<u>NM</u>	
	enclosed, leak resistant cargo			
	carrying body.			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26-3A.30(a)2	Failure to ensure RMW does not become putrescent and is not subjected to mechanical stress or compaction during loading	\$2,000	NM	Trovided
	and unloading or during transit.			
7:26-3A.30(a)3	Failure to maintain cargo carrying body in good sanitary condition.	\$2,000	NM	
7:26-3A.30(a)4	Failure to securely lock unattended cargo carrying body.	\$5,000	NM	
7:26-3A.30(b)	Failure to comply with vehicle identification requirements.	<u>\$1,000</u>	NM	
7:26-3A.30(c)	Failure to manage RMW/solid waste mixture as RMW.	\$5,000	NM	
7:26-3A.31(a)	Failure of transporter to accepting RMW from a generator to ensure it is accompanied by a tracking form signed by the generator in accordance with the provisions of N.J.A.C. 7:26-3A.19.	\$2,000	<u>NM</u>	
7:26-3A.31(b)	Failure of transporter to sign and date tracking form and provide copy to generator.	\$2,000	NM	
7:26-3A.31(c)	Failure of transporter to ensure tracking form accompanies RMW while in transit.	<u>\$500</u>	<u>M</u>	30
7:26-3A.31(d)	Failure of transporter to comply with tracking form requirements when delivering RMW to another transporter (including a transfer facility) or to an intermediate handling	\$1,000	<u>M</u>	30
	facility or destination facility.			

Rule	Rule Summary	Base	Minor/Non-	Grace
Kuic	Kuic Summar y	Penalty	Minor	Days
		<u>1 Charty</u>	WIIIOI	Provided
7:26-3A.31(e)	Failure of transporter to comply	\$2,000	NM	TTOVICE
7.20 SIRSI(C)	with tracking form	Ψ2,000	14141	
	requirements when transporting			
	RMW across an international			
	border or when delivering			
	RMW to a transporter or			
	treatment, destruction, or			
	destination facility located in a			
	foreign country.			
7:26-3A.32(a)	Failure to deliver entire quantity	\$1,000	NM	
7120 011102(u)	of RMW to intermediate hauler,	<u>Ψ1</u> ,000	11111	
	destination facility or next			
	transporter.			
7:26-3A.32(b)	Failure to contact generator for	\$2,000	NM	
<u> </u>	directions and make changes	*=1000		
	accordingly, if RMW cannot be			
	delivered as intended.			
7:26-3A.33(a)	Failure to comply with	\$1,000	M	30
	requirements for consolidating		_	
	waste to a new tracking form.			
7:26-3A.34(a)	Failure of transporter to	<u>\$500</u>	M	30
	maintain signed copy of tracking		-]	
	form for three years.			
7:26-3A.34(b)	Failure of transporter to comply	\$500	M	30
	with recordkeeping		_	
	requirements when			
	consolidating RMW.			
7:26-3A.34(c)	Failure of transporter to	\$500	M	30
	maintain copy of RMW			
	transporter report for three			
	years.			
7:26-3A.35	Failure of transporter to comply	\$1,000	<u>M</u>	30
	with reporting requirements.			
7:26-3A.37(a)	Failure of transporter to have an	\$2,000	NM	
	approved RMW spill			
	management plan.			

Rule	Rule Summary	Base Penalty	<u>Minor/Non-</u> Minor	Grace Days
		<u>r criare,</u>	1711101	Provided
7:26-3A.37(b)	Failure of transporter to have a RMW spill containment and cleanup kit at all sites and in all	\$2,000	<u>NM</u>	
	vehicles used for the storage,			
	handling, collection, treatment			
	and collection of RMW.			
7:26-3A.38(b)6	Failure of RMW incinerator to	\$2,000	NM	
	ensure waste stored overnight is			
	effectively treated.			
7:26-3A.38(b)7	Failure to maintain facility	\$2,000	NM	
	property surrounding the			
	disposal area free of litter,			
	debris, unprocessed waste,			
	processed residues and effluents.			
7:26-3A.38(b)8	Failure to ensure no odors are	<u>\$4,000</u>	<u>NM</u>	
	detected off-site.			
7:26-3A.38(b)9	Failure to maintain all facility	<u>\$2,000</u>	<u>NM</u>	
	systems in a manner that			
	facilitates proper operation and			
7 26	minimizes system downtime.	d 5 000	NTN #	
7:26-	Failure to maintain adequate	<u>\$5,000</u>	<u>NM</u>	
3A.38(b)10	water supply and fire fighting			
	equipment, failure to post			
	emergency numbers (fire, police, ambulance, hospital).			
7:26-	Failure to effectively control	\$2,000	NM	
$\frac{7.20^{2}}{3A.38(b)11}$	insects, arthropods, rodents.	φ2,000	1111	
7:26-	Failure to maintain orderly	\$2,000	NM	
$\frac{7426}{3A.38(b)12}$	operation and sanitary	<u>\$2,000</u>	11112	
	conditions.			
7:26-	Failure to maintain O&M	\$3,000	NM	
3A.38(b)14	Manual at the facility.			
<u>7:26-</u>	Failure of facility to accept	\$2,000	<u>NM</u>	
3A.38(b)17	RMW only from properly			
	registered transporters.			
7:26-3A.39(i)1	Failure to ensure stored waste	<u>\$2,000</u>	<u>NM</u>	
	does not exceed 300,000 pounds			
	or amount as specified in			
	authorization.			

Rule	Rule Summary	Base	Minor/Non-	Grace
11010	THE SUMMENT OF	Penalty	Minor	Days
		renarry	<u> </u>	Provided
7:26-3A.39(i)2	Failure to ensure collection	\$2,000	NM	TTOVIACA
7.20 5/1.57(1)2	facility receives no more than	Ψ2,000	11111	
	150,000 pounds of waste per			
	day, or as otherwise indicated in			
	authorization.			
7:26-3A.39(i)4	Failure to accept only RMW	\$2,000	<u>NM</u>	
7.20-311.37(1)4	waste managed in accordance	Ψ2,000	1441	
	with N.J.A.C. 7:26-3A.			
7:26-3A.39(i)5	Failure to ensure only registered	\$2,000	NM	
7.20-3A.37(1)3	vehicles transport to and from	Ψ2,000	1414	
	facility.			
7:26-3A.39(i)6	Failure to ensure all waste at all	\$3,000	NM	
	times remains fully contained,	, , , , , , , , , , , , , , , , , , ,		
	and does not leak.			
7:26-3A.39(i)9	Failure to ensure no odors are	\$4,000	NM	
	detected off-site. Odor causing			
	waste to be disposed of			
	immediately.			
<u>7:26-</u>	Failure to implement and	\$2,000	NM	
3A.39(i)10	maintain effective security			
	procedures.			
<u>7:26-</u>	Failure to implement routine	\$1,000	<u>M</u>	<u>30</u>
3A.39(i)13	housekeeping and maintenance			
	procedures.			
<u>7:26-</u>	Failure to ensure truck queuing	\$2,000	<u>NM</u>	
3A.39(i)16	is minimized, on-site traffic			
	controls implemented.			
<u>7:26-</u>	Failure to ensure RMW is not	\$2,000	<u>NM</u>	
3A.39(i)17	staged, placed or stored beyond			
	confines of facility or vehicle.			
7:26-3A.39(j)2	Failure to maintain O&M	\$3,000	<u>NM</u>	
	Manual at the facility.			
7:26-3A.39(j)3	Failure to comply with training	\$1,000	<u>M</u>	<u>30</u>
	program requirements.			
7:26-3A.39(j)6	Failure to maintain fire	\$3,000	<u>NM</u>	
_	protection systems in operable			
	condition, fire procedures			
	posted.			

Rule	Rule Summary	Base	Minor/Non-	Grace
Aut	Tuic Summary	Penalty	Minor	Days
		1 Charty	WIIIOI	Provided
7:26-3A.39(j)8	Failure to maintain on site	\$2,000	NM	110viucu
7.20-3A.37(J)0	operating records, O&M	Ψ2,000	1111	
	manual.			
7.26 24 20(3)0		¢5 000	NIM	
7:26-3A.39(j)9	Failure to maintain safety	<u>\$5,000</u>	NM	
	appliances in proper operating order, comply with O&M			
	inspection schedules, maintain			
7.06.04.00(1)	inspection records.	42 000		
7:26-3A.39(k)	Failure to comply with	<u>\$3,000</u>	<u>NM</u>	
	recordkeeping and reporting			
	requirements.			
7:26-3A.40(c)3	Failure of intermediate handlers	<u>\$2,000</u>	<u>NM</u>	
	and destination facilities to			
	ensure only approved treatment			
	and destruction processes			
	authorized by NJDEP and DOH			
	are utilized.			
7:26-3A.41(a)	Failure of destination facility	\$2,000	NM	
	receiving RMW to sign and date			
	tracking form, note			
	discrepancies, provide copies to			
	generator and transporter, and			
	retain copy.			
7:26-3A.41(b)	Failure of intermediate handler	\$2,000	NM	
7720 011011(8)	receiving RMW to sign and date	441000	2 12/2	
	tracking form, note			
	discrepancies, entering required			
	information on new tracking			
	form, keeping log, provide			
	copies to generator and			
	transporter, and retain copy.			
7:26-3A.41(c)	Failure of destination facility or	\$2,000	NM	
1.20-3A.41(U)	intermediate handler receiving	φ ∠, υυυ	141AT	
	RMW from a rail transporter to			
	comply with shipping form			
	requirements.			

Rule	Rule Summary	Base	Minor/Non-	Grace
210020		Penalty	Minor	Days
		<u> </u>	112202	Provided
7:26-3A.41(d)	Failure of destination facility or	\$500	M	30
7720 011711(07	intermediate handler to	4000		
	maintain shipping or tracking			
	form for three years.			
7:26-3A.41(f)	Failure of transporter to provide	\$2,000	NM	
	signed copies of the tracking	+-1222		
	form to the generator when the			
	destination facility or			
	intermediate facility is an out-of-			
	State facility and will not			
	comply with the tracking from			
	requirements of N.J.A.C. 7:26-			
	3a.41.			
7:26-3A.42	Failure to comply with tracking	<u>\$500</u>	<u>M</u>	<u>30</u>
	form discrepancy requirements.			
7:26-3A.43	Failure to comply with	\$3,000	NM	
	recordkeeping requirements.			
7:26-3A.44	Failure to collection facilities,	<u>\$2,000</u>	<u>NM</u>	
	intermediate handlers and/or			
	destination facilities to comply			
	with additional reporting			
	requirements.			
7:26-3A.46	Failure of rail transporter to	<u>\$2,000</u>	NM	
	comply with tracking form			
	requirements.			
7:26-3A.47(a)	Failure of ensure alternative of	<u>\$5,000</u>	NM	
	innovative technology processes			
	and any modifications are			
	approved by the NJDEP and			
	DOH prior to any marketing,			
7.26	sale or use in New Jersey.	φα αρα	NIN #	
7:26-	Failure of an out-of-State	<u>\$2,000</u>	<u>NM</u>	
3A.48(a,b)	organization using the U.S.			
	Postal Service or other parcel			
	service and disposing of			
	regulated medical waste from			
	New Jersey to comply with			
	certification requirements.			

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	<u>Minor</u>	<u>Days</u>
				Provided
7:26-3A.48(c)	Failure of a RMW generator to	\$5,000	<u>NM</u>	
	ensure that RMW waste is not			
	sent to any out-of-State facility			
	which does not have a certificate			
	on file with the Department.			

7. The violations of N.J.A.C. 7:26-6, Compliance with district solid waste management plan, and the civil administrative penalty amounts and grace period conditions for each violation are as set forth in the following table.

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26- 6.12(b)	Failure to comply with the applicable district solid waste management plan.	\$3,000	NM	

8. The violations of N.J.A.C. 7:26A-3, Approval of Recycling Centers for Class B, Class C and Class D Recyclable Materials, and the civil administrative penalty amounts and grace period conditions for each violation are as set forth in the following table.

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26A-3.1(a)	Failure of approved recycling center to comply with all approval conditions.	\$2,000	<u>NM</u>	

Rule	Rule Summary	Base	Minor/Non-	Grace
Kuic	Truit Summary	Penalty	Minor	Days
		<u>1 charty</u>	<u> </u>	Provided
7:26A-3.5(f)	Failure of recycling center to post	\$500	<u>M</u>	<u>30</u>
7.2011 3.5(1)	a legible sign at the recycling	φ200	<u> </u>	30
	center entrance indicating its			
	approval and listing items			
	detailed in 3.2(a)13i and ii.			
7:26A.3.6	Failure to submit renewal	\$1,000	M	30
7.2011.5.0	application for a general	41,000	 	30
	approval to the Department at			
	least three months prior to the			
	current approval expiration and			
	to comply with all submittal			
	requirements.			
7:26A-3.7(j)	Failure, within 45 days after	\$1,000	M	30
	expiration of the time period	7-7-00		
	authorized by the limited			
	approval to operate a recycling			
	facility, to file a final report with			
	the Department.			
7:26A-3.7(k)	Failure of persons operating a	\$2,000	NM	
	limited approved recycling center		_	
	to ensure that no illegal dumping			
	occurs.			
7:26A-3.8(a)	Failure to limit processing	\$3,000	NM	
	methods for tires to slicing,			
	shredding, chipping, crumbing or			
	other methods approved by the			
	Department, prohibition to			
	incinerating, landfilling,			
	abandoning or otherwise illegally			
	disposing of tires.			
7:26A-3.8(b)	Failure by the owner or operator	<u>\$2,000</u>	<u>NM</u>	
	of the tire recycling center to			
	ensure that no mosquito colony			
	formation develops.			
7:26A-3.8(c)	Failure of a tire, tree stump, tree	<u>\$5,000</u>	<u>NM</u>	
	part or wood waste recycling			
	center to have an approved fire			
	control plan.			

Rule	Rule Summary	Base	Minor/Non-	Grace
Kuie	Train Summary	Penalty	Minor	Days
		1 charty	<u> </u>	Provided
7:26A-3.9(a)	Failure of recycling center to	\$2,000	NM	TTOVIGCU
7.2011-3.7(a)	ensure the temporary storage of	φ2,000	14141	
	Class B recyclable material does			
	not exceed the amount indicated			
	in the general or limited approval			
7.2(4.2.0 (1))	to operate.	d2 000	NTN #	
7:26A-3.9(b)	Failure of recycling center to	<u>\$2,000</u>	NM	
	ensure that unprocessed Class B			
	recyclable material is not stored			
	in excess of one year from the			
	date of receipt.			
7:26A-3.10	Failure of recycling center to	\$2,000	NM	
	comply with modification			
	requirements.			
7:26A-3.15(a)	Failure to ensure a general or	<u>\$5,000</u>	NM	
	limited approval to operate a			
	recycling center is not			
	transferred without prior			
	approval of the Department.			
7:26A-3.15(c)	Failure to provide one copy of	\$1,000	<u>M</u>	<u>30</u>
	written request to transfer			
	approval to the recycling			
	coordinator and one copy to the			
	applicable municipal planning			
	board.			
7:26A-3.17(a)	Failure of recycling center to	\$1,000	M	30
	comply with recordkeeping and		_	-
	annual reporting requirements.			
L			L	

9. The violations of N.J.A.C. 7:26A-4, Operational Standards and General Rules for Recycling Centers which Receive, Store, Process or Transfer Class A, Class B, Class C and Class D Recyclable Materials. Right of Entry and Inspection, and the civil administrative penalty amounts and grace period conditions for each violation are as set forth in the following table.

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26A-4.1(a)1i	Failure of recycling center to ensure that recyclable material is separated at the point of generation from other waste material.	\$3,000	NM	
7:26A-4.1(a)1ii	Failure of recycling center to ensure only Class A, Class B or Class C materials are received, stored, processed or transferred at the center.	\$3,000	NM	
7:26A- 4.1(a)1iii	Failure of recycling center to comply with commingling requirements.	\$2,000	NM	
7:26A-4.1(a)2	Failure of recycling center to ensure residue is not stored onsite in excess of six months.	\$2,000	NM	
7:26A-4.1(a)4	Failure of recycling center to store residue separately from recyclable material and in a manner which prevents run-off, leakage or seepage from the residue storage area into, on or around the soil of the residue storage area.	\$2,000	NM	
7:26A-4.1(a)5	Failure of recycling center to ensure hazardous wastes are not stored, processed or transferred at any recycling center.	\$5,000	<u>NM</u>	
7:26A-4.1(a)6	Failure of recycling center to ensure electronic components which contain polychlorinated biphenyls (PCBs) and which are attached to or detached from appliances or other scrap metal, are not shredded, sheared or baled.	\$5,000	<u>NM</u>	

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	<u>Days</u> Provided
7:26A-4.1(a)8	Failure to operate a recycling	\$1,000	<u>M</u>	30
	center in such a manner that the			
	recycling center property is			
	maintained free of litter and			
	debris and such that tracking of			
	mud into nearby streets is			
	prevented.			
7:26A-4.1(a)10	Failure of recycling center	\$2,000	NM	
	operator to ensure that traffic			
	associated with the operation of			
	the center does not result in a			
	degradation of a level of service			
	of any major intersection or			
	public roadway within a half-mile			
	radius.			
7:26A-4.1(a)11	Failure of recycling center	\$1,000	<u>M</u>	<u>30</u>
	operator to ensure recycling			
	center operations are separated			
	from sensitive land uses by an			
	effective visual screen buffer.			
7:26A-4.1(a)12	Failure of recycling center	<u>\$2,000</u>	<u>NM</u>	
	operator to ensure unauthorized			
	access to center is controlled.			
7:26A-4.1(a)13	Failure of recycling center	\$1,000	<u>M</u>	<u>30</u>
	operator to ensure areas of			
	<u>vehicular usage are suitably</u>			
	compacted and, where necessary,			
	paved.			
7:26A-4.1(a)14	Eailure of recycling center	<u>\$5,000</u>	<u>NM</u>	
	operator to have adequate water			
	supply, firefighting equipment,			
	and local fire department phone			
	numbers phone numbers posted.	44.000	1.5	
7:26A-4.4(a)	Failure by the owner or operator	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	of a recycling center to provide a			
	recycling tonnage report by			
	February 1 of each year.			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26A-4.4(b)	Failure by a transporter of recyclable materials to provide a recycling tonnage report by February 1 of each year.	<u>\$1,000</u>	M	30
7:26A-4.4(c)	Failure of exempt person to submit required tonnage reports by February 1 of each year.	\$500	M	<u>30</u>
7:26A-4.5(a)2	Failure of Class C yard trimming operator to ensure center has sufficient capacity to handle incoming volumes.	\$2,000	NM NM	
7:26A-4.5(a)3	Failure of Class C yard trimming operator to have properly trained individual supervising operation, access to facility prohibited when center is closed.	\$2,000	NM NM	
7:26A-4.5(a)4	Failure of Class C vard trimming operator to ensure vard trimmings are only received during times when operator is present.	\$2,000	NM NM	
7:26A-4.5(a)5	Failure of Class C yard trimming operator to ensure all trimmings received are removed from bags, boxes.	\$2,000	NM	
7:26A-4.5(a)6	Failure of Class C yard trimming operator to accept incoming materials containing grass, only in areas of the site that are at least 1,000 feet from any areas of human occupancy and to process such material within the working day.	<u>\$1,000</u>	<u>M</u>	30
7:26A-4.5(a)7i	Failure of Class C compost operators to attend, within one year of start up, approved composting courses.	\$1,000	<u>M</u>	90

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26A-4.5(a)7ii	Failure of Class C compost operator to maintain improved active composting surface to prevent ponding or runoff.	\$2,000	NM	
7:26A- 4.5(a)7iii	Failure of Class C yard trimming operator to moisten, without excess runoff, dry yard trimmings prior to windrow formation.	\$1,000	M	30
7:26A-4.5(a)7iv	Failure of Class C vard trimming operator to position windrows perpendicular to ground surface contours to prevent ponding.	\$2,000	NM	
7:26A-4.5(a)7v	Failure of Class C yard trimming operator to install windsock.	<u>\$1,000</u>	<u>M</u>	<u>30</u>
7:26A-4.5(a)7vi	Failure of Class C yard trimming operator to comply with windrow composting requirements.	\$2,000	<u>NM</u>	
7:26A- 4.5(a)7vii	Failure of Class C yard trimming operator to comply with material staging and processing buffer distance requirements.	\$1,000	M	30
7:26A- 4.5(a)7viii	Failure of Class C yard trimming operator to comply with finished compost testing requirements.	\$2,000	NM	
7:26A- 4.5(a)7xii	Failure of Class C yard trimming operator to comply with additional recordkeeping requirements.	\$3,000	<u>NM</u>	
7:26A-4.5(b)1	Failure of Class C material operator to ensure center has sufficient capacity to handle incoming volumes.	\$2,000	<u>NM</u>	
7:26A-4.5(b)2	Failure of Class C material operator to comply with composting structure requirements, no ponding, leachate control.	\$2,000	<u>NM</u>	

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days
				Provided
7:26A-4.5(b)3	Failure of Class C material	\$2,000	NM	
	operator to main fully enclosed			
	operation.			
7:26A-4.5(b)5	Failure of Class C material	\$3,000	NM	
	operator to comply with O&M			
	manual requirements.			
7:26A-4.5(b)7	Failure of Class C material	\$1,000	M	<u>30</u>
	operator to comply with			
	employee training requirements.			
7:26A-4.5(b)8	Failure of Class C material	<u>\$500</u>	<u>M</u>	<u>30</u>
	operator to develop a recycling			
	center-specific training manual			
	and make available to each			
	employee.			
7:26A-4.5(b)9	Failure of Class C material	<u>\$2,000</u>	NM	
	operator to have properly trained			
	individual supervising operation.			
7:26A-4.5(b)11	Failure of Class C material	<u>\$2,000</u>	<u>NM</u>	
	operator to comply with			
	incoming organics processing			
	timeframes and requirements.			
7:26A-4.5(b)12	Failure of Class C material	<u>\$2,000</u>	NM	
	operator to ensure incoming,			
	unprocessed material is not			
	mixed with finished compost.			
7:26A-	Failure of Class C material	<u>\$2,000</u>	<u>NM</u>	
4.5(b)13,14	operator to meet Process to			
	Further Reduce Pathogens			
	criteria and requirements.			
7:26A-4.5(b)16	Failure of Class C material	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	operator to comply with 15			
	month finished compost storage			
	requirement.			
7:26A-4.5(b)20	Failure of Class C material	<u>\$2,000</u>	<u>NM</u>	
	operator to conduct required			
	QA/QC sampling and record			
	results of such sampling.			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
7:26A-4.5(b)21	Failure of Class C material operator to have analysis of finished compost product conducted by laboratory certified in accordance with N.J.A.C. 7:18.	\$2,000	<u>NM</u>	
7:26A-4.5(b)22	Failure of Class C material operator to maintain required records.	\$1,000	<u>M</u>	30
7:26A-4.5(b)23	Failure of Class C material operator to submit quarterly report to the Department within 30 days after the end of each quarter.	\$1,000	<u>M</u>	30
7:26A-4.5(c)1	Failure of Class C operator to comply with labeling requirements.	\$2,000	<u>NM</u>	
7:26A-4.5(c)2	Failure of Class C operator to comply with compost utilization requirements.	\$2,000	NM	

10. The violations of N.J.A.C. 7:26A-5, Requirements for Processing Discarded Appliances that Contain Refrigerant Fluid, and the civil administrative penalty amounts and grace period conditions for each violation are as set forth in the following table.

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	<u>Minor</u>	<u>Days</u>
				Provided
7:26A-5.1(a)	Failure to ensure no shearing,	\$5,000	<u>NM</u>	
	shredding, baling or other actions			
	which could cause release of			
	refrigerant fluid to take place			
	occurs prior to recovery of such			
	<u>fluid.</u>			

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	<u>Minor</u>	Days
				Provided
7:26A-5.1(b)	Failure to recover refrigerant	\$5,000	<u>NM</u>	
	fluid in a manner such that no			
	venting of refrigerant fluid			
	occurs.			
7:26A-5.1(c)	Failure to deliver recovered	<u>\$5,000</u>	<u>NM</u>	
	refrigerant fluid to a facility			
	which has agreed to reprocess the			
	fluid or, if such arrangements			
	cannot be made, failure to store			
	or dispose of the recovered fluid			
	in accordance with applicable			
	rules and regulations.			

11. The violations of N.J.A.C. 7:26A-6, Standards for the Management of Used

Oil, and the civil administrative penalty amounts and grace period conditions for each

violation are as set forth in the following table.

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
7:26A-	Failure to manage used oil mixed	\$5,000	NM	
6.1(a)2i(1)	with a listed hazardous waste as a			
	hazardous waste in accordance			
	with N.J.A.C. 7:26G.			
7:26A-	Failure to manage used oil mixed	\$5,000	NM	
6.1(a)2ii(1)	with a characteristic hazardous			
	waste or a listed hazardous waste			
	that is listed solely because it			
	exhibits one or more hazardous			
	waste characteristics as a			
	hazardous waste in accordance			
	with N.J.A.C. 7:26G.			
7:26A-6.1(a)4ii	Failure by used oil generator to	\$1,000	<u>M</u>	<u>30</u>
	comply with management			
	requirements for diesel fuel mixed			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	with used diesel crankcase oil.			
7:26A-6.1(a)9	Failure by a marketer or burner to comply with requirements of 40 C.F.R. 761.20(e) for used oil containing quantifiable levels of PCBs	\$5,000	<u>NM</u>	
7:26A-6.2(a)	Failure to meet one or more of the specifications for a used oil fuel identified in Table 1 of N.J.A.C. 7:26A-6.2(a) prior to burning for energy recovery.	\$5,000	NM	
7:26A-6.3(a)	Failure to comply with requirements for managing used oil in a surface impoundment or waste pile.	\$5,000	<u>NM</u>	
7:26A-6.3(b)	Failure to comply with prohibition against using used oil as a dust suppressant.	\$5,000	<u>NM</u>	
7:26A-6.3(c)	Person burned off-specification used oil in a device other than an industrial furnace, industrial or utility boiler or hazardous waste incinerator, or failed to obtain a "Permit to Construct, Install or Alter Control Apparatus or Equipment and Certificate to Operate Control Apparatus" prior to burning off-specification used oil in one of these devices.	\$5,000	<u>NM</u>	
7:26A-6.3(d)	Failure to comply with the prohibition against burning onspecification used oil fuel in either a residential or Category I institutional device, furnace or boiler.	<u>\$1,000</u>	<u>M</u>	<u>30</u>
7:26A-6.3(e)	Failure to comply with the prohibition against burning onspecification used oil in an oil-fired space heater that fails to meet the requirements of N.J.A.C. 7:26A-	\$3,000	<u>NM</u>	

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
	<u>6.4(e).</u>			
7:26A-6.3(f)	Failure to comply with the	<u>\$3,000</u>	NM	
	prohibition against burning off-			
	specification used oil in a space			
	heater.			
7:26A-6.4(d)1	Failure of used oil generator	\$3,000	<u>NM</u>	
	storing used oil to comply with			
	applicable Spill Prevention,			
	Control and Countermeasures			
	regulations, Clean Air Act			
	regulations or Underground			
	Storage Tank regulations.		1	
7:26A-6.4(d)3	Failure of used oil generator to	\$3,000	NM	
	ensure containers or aboveground			
	tanks used to store used oil storage			
	units are in good condition or not			
	leaking.			
7:26A-6.4(d)4	Failure of used oil generator to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	comply with used oil			
	labeling/marking requirements.			
7:26A-6.4(d)5	Failure of used oil generator to	\$3,000	NM	
	comply with or initiate response to			
	releases.			
7:26A-6.4(e)1	Failure of used oil generator to	\$3,000	<u>NM</u>	
	burn only self-generated or			
	household do-it-yourselfer used oil			
	in a space heater.			
7:26A-6.4(e)2		\$1,000	<u>M</u>	<u>30</u>
	in an oil space heater that exceeded			
	the maximum capacity of 0.5			
	million BTU per hour.			
7:26A-6.4(e)3	Failure of used oil generator to	<u>\$3,000</u>	<u>NM</u>	
	vent combustion gases from a			
	space heater to ambient air.			
7:26A-6.4(f)	Failure of used oil generator to	<u>\$3,000</u>	<u>NM</u>	
	comply with used oil off-site			
	shipment requirements.			
7:26A-6.4(g)	Failure to comply with do-it-	<u>\$500</u>	<u>M</u>	<u>30</u>
	yourselfer and motor oils retailer			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
<u>Itaic</u>	Transfer Summary	Penalty	Minor	Provided
	requirements.	renarry	IVIIIOI	TTOVICE
7:26A-6.5(a)	Failure of an owner or operator of	\$500	M	30
7.2011 0.5(u)	a State of New Jersey permitted	ΨΣ00	111	<u>50</u>
	reinspection center, or a retail			
	service station that has used oil			
	collection tanks on the premises, to			
	accept do-it-yourselfer used oil in			
	accordance with N.J.A.C. 7;26A-			
	6.5(a).			
7:26A-6.5(b)2	Failure of do-it-yourselfer used oil	\$1,000	M	30
7.2011-0.5(b)2	collection center to comply with	Ψ1,000		<u>50</u>
	the generator standards at			
	N.J.A.C. 7:26A-6.4.			
7:26A-6.5(c)2i	Failure of used oil collection center	\$1,000	M	30
7.20A-0.3(C)21	to comply with the generator	\$1,000		<u>30</u>
	standards at N.J.A.C. 7:26A-6.4.			
7:26A-6.5(c)2ii	Failure of used oil collection center	\$1,000	M	30
7.20A-0.3(C)2H	to register or be recognized by	\$1,000		<u>30</u>
	county or municipality as a used			
	oil collection center.			
7:26A-6.5(c)2iii	Failure of used oil collection center	\$1,000	M	30
7:20A-0.5(C)2III	to comply with sign posting	\$1,000		<u>30</u>
	requirements.			
7:26A-6.6(a)4	Failure of used oil transporter to	\$3,000	NM	
7:20A-0.0(a)4	comply with the Federal Motor	\$3,000	INIVI	
	Carrier Safety and Federal			
	Hazardous Materials			
	Transportation regulations, or to			
	comply with the provisions of this			
	subchapter as indicated in (a)4i through v when performing the			
	listed activities.			
7.26A 6 6(b)	Used oil transporter conducted	\$5,000	NIM	
7:26A-6.6(b)		<u>\$5,000</u>	<u>NM</u>	
	non-incidental processing of used			
7.264 66(2)	oil.	¢5 000	NIM	
7:26A-6.6(c)	Failure of used oil transporter	<u>\$5,000</u>	<u>NM</u>	
	and/or transfer facility to comply			
	with the notification and/or EPA			
	identification requirements.	\$2.000	NIN /	
7:26A-6.6(d)1	Failure of used oil transporter to	<u>\$3,000</u>	<u>NM</u>	<u> </u>

			Grace Days
	Penalty	Minor	Provided
<u>y</u>			
_			
ransporter to	\$3,000	NM	
ransporter to	\$3,000	NM	
<u> </u>			
arge			
ransporter to	\$3,000	NM	
logen content			
ansporter to	\$3,000	NM	
ensure used			
s waste, for 3			
ransporter	\$3,000	NM	
egulations,			
ations or			
ge Tank			
ansfer facility	\$3,000	NM	
are in good			
ransfer facility	\$3,000	NM	
•			
ements for			
ransfer facility	\$3,000	NM	
	ransporter to R 171 through ransporter to Il harge ransporter to alogen content a or greater r used oil being ed. ransporter to alyses or other bensure used is waste, for 3 ransporter lity, storing with applicable ontrol and egulations, ations or ge Tank ransfer facility sor are in good king. ransfer facility ndary ements for ransfer facility ndary ements for d tanks.	ransporter to R 171 through ransporter to R 171 through ransporter to alogen content a or greater r used oil being ed. ransporter to alsyes or other bensure used is waste, for 3 ransporter lity, storing with applicable ontrol and egulations, ations or ge Tank ransfer facility sor are in good king. ransfer facility ndary ements for ransfer facility ndary ements for \$3,000	ransporter to \$3,000 NM ransporter to ill narge ransporter to alogen content a or greater rused oil being ed. ransporter to alvese or other bensure used is waste, for 3 ransporter lity, storing with applicable ontrol and egulations, ations or ge Tank ransfer facility so or are in good king. ransfer facility sa,000 NM ransfer facility so or are in good king. ransfer facility sa,000 NM ransfer facility sa,000 NM ransfer facility sa,000 NM ransfer facility sa,000 NM

<u>Rule</u>	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	Minor	Provided
7:26A-6.6(f)7	Failure of used oil transfer facility	\$3,000	NM	
	to comply with secondary			
	containment requirements for new			
	aboveground tanks.			
7:26A-6.6(f)8	Failure of used oil transfer facility	\$1,000	M	30
	to comply with used oil labeling			
	requirements.			
7:26A-6.6(f)9	Failure by used oil transfer facility	\$3,000	NM	
	to comply with used oil facility			
	discharge requirements.			
7:26A-6.6(g)	Failure of used oil transporter to	\$3,000	NM	
	comply with tracking	1 1 1 1		
	requirements,			
7:26A-6.7(b)	Failure of used oil processor or re-	\$5,000	NM	
7.2011 0.7(0)	refining facility to comply with	44,000		
	notification and/or EPA			
	identification requirements.			
7:26A-6.7(c)1i	Failure of used oil processor or re-	\$5,000	NM	
7.2011-0.7(C)11	refining facility to maintain or	ψφ,000	14141	
	operate facility to minimize			
	possibilities of fire, explosion or			
	any unplanned sudden or non-			
	sudden releases of used oil.			
7:26A-6.7(c)1ii	Failure of used oil processor or re-	\$3,000	NM	
7:20A-0.7(C)1II	refining facility to equip facility	33,000	<u>NM</u>	
7.26A 67()1***	with emergency equipment.	φ1 000	3.4	20
7:26A-6.7(c)1iii	Failure of used oil processor or re-	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	refining facility to test and			
	maintain emergency equipment.	φ1 000	3.4	20
7:26A-6.7(c)1iv		<u>\$1,000</u>	<u>M</u>	<u>30</u>
	refining facility to maintain access			
	to communications or alarm			
	system.	44.000	3.5	•
7:26A-6.7(c)1v	Failure of used oil processor or re-	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	refining facility to maintain			
	sufficient aisle space for the			
	unobstructed movement of			
	personnel or equipment in an			
	emergency.			

Failure of used oil processor or re- refining facility to make required arrangements with police or fire departments, emergency response contractors, equipment suppliers, or local hospitals, or to document any such authority's refusal of such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or re- refining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or re- refining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. Failure of used oil processor or re- refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to	Rule	Rule Summary	Base	Minor/Non-	Grace Days
refining facility to make required arrangements with police or fire departments, emergency response contractors, equipment suppliers, or local hospitals, or to document any such authority's refusal of such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or regioning facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or regioning facility to carry out provisions of the contingency plan immediately if there is a fire explosion or release of used oil. Failure of used oil processor or regioning facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- Failure of used oil processor or regioning facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or regioning facility contingency plan to describe arrangements agreed to			Penalty	Minor	Provided
arrangements with police or fire departments, emergency response contractors, equipment suppliers, or local hospitals, or to document any such authority's refusal of such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or rerefining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or rerefining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A-6.7(c)2ii(1) Failure of used oil processor or rerefining facility to contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- Failure of used oil processor or rerefining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or rerefining facility contingency plan to describe arrangements agreed to	7:26A-6.7(c)1vi	Failure of used oil processor or re-	\$1,000	M	30
arrangements with police or fire departments, emergency response contractors, equipment suppliers, or local hospitals, or to document any such authority's refusal of such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or rerefining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or rerefining facility to carry out provisions of the contingency plan immediately if there is a fire explosion or release of used oil. 7:26A-6.7(c)2ii(1) Failure of used oil processor or rerefining facility to contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A-6.7(c)2ii(2) Failure of used oil processor or rerefining facility to amend its SPCC (40 CFR. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A-Failure of used oil processor or rerefining facility contingency plan to describe arrangements agreed to		refining facility to make required			
contractors, equipment suppliers, or local hospitals, or to document any such authority's refusal of such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or reresining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or reresining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or reresining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or reresining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or referining facility to outlingency plan to describe arrangements agreed to					
contractors, equipment suppliers, or local hospitals, or to document any such authority's refusal of such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or reresining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or reresining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or reresining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or reresining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or referining facility to outlingency plan to describe arrangements agreed to		departments, emergency response			
any such authority's refusal of such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or rerefining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or rerefining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil, 7:26A-6.7(c)2ii(1) Failure of used oil processor or rerefining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A-6.7(c)2ii(2) Failure of used oil processor or rerefining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or rerefining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or rerefining facility contingency plan to describe arrangements agreed to					
such arrangements. 7:26A-6.7(c)2i(1) Failure of used oil processor or re- refining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or re- refining facility to carry out provisions of the contingency plan immediately if there is a fire explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re- refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- fefining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to					
7:26A-6.7(c)2i(1) Failure of used oil processor or re- refining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or re- refining facility to carry out provisions of the contingency plan immediately if there is a fire- explosion or release of used oil. Failure of used oil processor or re- ferining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 or chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to		any such authority's refusal of			
refining facility to have a contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or rerefining facility to carry out provisions of the contingency plan immediately if there is a fire explosion or release of used oil. Failure of used oil processor or rerefining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or rerefining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or rerefining facility to only on the processor or rerefining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or rerefining facility contingency plan to describe arrangements agreed to		such arrangements.			
contingency plan designed to minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or re- refining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil, 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re- refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to	7:26A-6.7(c)2i(1)	Failure of used oil processor or re-	\$3,000	NM	
minimize hazards to human health and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or re-refining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re-refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re-refining facility to amend its SPCC (40 C F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or re-refining facility contingency plan to describe arrangements agreed to		refining facility to have a			
and the environment. 7:26A-6.7(c)2i(2) Failure of used oil processor or re- refining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re- refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to		contingency plan designed to			
7:26A-6.7(c)2i(2) Failure of used oil processor or re- refining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re- refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to		minimize hazards to human health			
refining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re-refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. Failure of used oil processor or re-fining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re-fining facility contingency plan to describe arrangements agreed to		and the environment.		1	
refining facility to carry out provisions of the contingency plan immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re-refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. Failure of used oil processor or re-fining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re-fining facility contingency plan to describe arrangements agreed to	7:26A-6.7(c)2i(2)	Failure of used oil processor or re-	\$5,000	NM	
immediately if there is a fire, explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or refining facility contingency plan to describe arrangements agreed to					
explosion or release of used oil. 7:26A- 6.7(c)2ii(1) Failure of used oil processor or re- refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- fining facility contingency plan to describe arrangements agreed to		provisions of the contingency plan			
7:26A- 6.7(c)2ii(1) Failure of used oil processor or re- refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- fining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- fining facility contingency plan to describe arrangements agreed to		immediately if there is a fire.			
6.7(c)2ii(1) refining facility contingency plan to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- fening facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- 6.7(c)2ii(3) Failure of used oil processor or re- fening facility contingency plan to describe arrangements agreed to		explosion or release of used oil.			
to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or regening facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or regening facility contingency plan to describe arrangements agreed to	7:26A-	Failure of used oil processor or re-	\$1,000	M	30
to describe actions to be taken in response to fires, explosions, or any unplanned sudden or non-sudden release. 7:26A- 6.7(c)2ii(2) Failure of used oil processor or regening facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or regening facility contingency plan to describe arrangements agreed to	6.7(c)2ii(1)	refining facility contingency plan			
7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- fo.7(c)2ii(3) Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to					
7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- fo.7(c)2ii(3) Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to		response to fires, explosions, or any			
7:26A- 6.7(c)2ii(2) Failure of used oil processor or re- refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. Failure of used oil processor or re- fining facility contingency plan to describe arrangements agreed to					
6.7(c)2ii(2) refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or re-fining facility contingency plan to describe arrangements agreed to		release.			
6.7(c)2ii(2) refining facility to amend its SPCC (40 C.F.R. 112 or Part 1510 of chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or re-fining facility contingency plan to describe arrangements agreed to	7:26A-	Failure of used oil processor or re-	\$1,000	M	30
chapter V) or DPCC (N.J.A.C. 7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or re- 6.7(c)2ii(3) Fefining facility contingency plan to describe arrangements agreed to	6.7(c)2ii(2)				
7.1E) plan, to incorporate used oil management provisions. 7:26A- Failure of used oil processor or re- 6.7(c)2ii(3) Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to		(40 C.F.R. 112 or Part 1510 of			
7:26A- 6.7(c)2ii(3) management provisions. Failure of used oil processor or re- refining facility contingency plan to describe arrangements agreed to		chapter V) or DPCC (N.J.A.C.			
7:26A- Failure of used oil processor or re- 6.7(c)2ii(3) refining facility contingency plan to describe arrangements agreed to		7.1E) plan, to incorporate used oil			
6.7(c)2ii(3) refining facility contingency plan to describe arrangements agreed to		management provisions.			
to describe arrangements agreed to	7:26A-	Failure of used oil processor or re-	\$1,000	M	<u>30</u>
	6.7(c)2ii(3)	refining facility contingency plan			
		to describe arrangements agreed to			
by local police or fire departments,		by local police or fire departments,			
hospitals, contractors, or State or					
local emergency response teams.		local emergency response teams.			
7:26A- Failure of used oil processor or re- \$1,000 M 30	7:26A-	Failure of used oil processor or re-	\$1,000	M	30
6.7(c)2ii(4) refining facility contingency plan	6.7(c)2ii(4)	refining facility contingency plan			
to list names, addresses or phone		to list names, addresses or phone			
numbers of persons qualified to act		numbers of persons qualified to act			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	Minor	Provided
	as emergency coordinator.			
7:26A-	Failure of used oil processor or re-	<u>\$1,000</u>	<u>M</u>	<u>30</u>
6.7(c)2ii(5)	refining facility contingency plan			
	to list emergency equipment,			
	updated as required, with its			
	location, description, or			
	capabilities specified.			
7:26A-	Failure of used oil processor or re-	<u>\$1,000</u>	M	<u>30</u>
6.7(c)2ii(6)	refining facility contingency plan			
	to include evacuation procedure			
	for personnel including signals,			
	evacuation routes or alternate			
	evacuation routes			
7:26A-6.7(c)2iii	Failure of used oil processor or re-	\$1,000	<u>M</u>	<u>30</u>
	refining facility contingency plan			
	to be maintained at facility with a			
	copy sent to local police or fire			
	departments, hospitals or State or			
	local emergency response teams.			
7:26A-6.7(c)2iv	Failure of used oil processor or re-	\$1,000	<u>M</u>	<u>30</u>
	refining facility to review or amend			
	contingency plan as necessary.			
7:26A-6.7(c)2v	Failure of used oil processor or re-	\$3,000	NM	
	refining facility to make			
	emergency coordinator thoroughly			
	familiar with plan or available at			
	all times.			
7:26A-	Failure of used oil processor or re-	\$3,000	NM	
6.7(c)2vi(1)	refining facility emergency			
	coordinator to activate alarms or			
	communications systems, or to			
	notify appropriate State or local			
	agencies.			
7:26A-	Failure of used oil processor or re-	Matrix	NM	
6.7(c)2vi(2)	refining facility emergency			
	coordinator to immediately			
	identify the character, exact			
	source, amount, and any real			
	extent of any released materials.			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
<u>7:26A-</u>	Failure of used oil processor or re-	<u>Matrix</u>	<u>NM</u>	
6.7(c)2vi(3)	refining facility emergency			
	coordinator to assess possible			
	hazards to human health and			
	environment.			
7:26A-	Failure of used oil processor or re-	<u>Matrix</u>	<u>NM</u>	
6.7(c)2vi(4)	refining facility emergency			
	coordinator to notify appropriate			
	emergency response agencies in			
	situations threatening human			
	health and environment.			
7:26A-	Failure of used oil processor or re-	<u>Matrix</u>	NM	
6.7(c)2vi(5)	refining facility emergency			
	coordinator to take reasonable			
	measures to ensure hazards are			
	minimized.			
7:26A-	Failure of the used oil processor or	<u>Matrix</u>	NM	
6.7(c)2vi(6)	re-refining facility emergency			
	coordinator to monitor leaks,			
	pressure buildup, gas generation,			
	or ruptures, if the facility stopped			
	operating due to fire, explosion or			
	discharge.			
7:26A-	Failure of used oil processor or re-	<u>Matrix</u>	NM	
6.7(c)2vi(7)	refining facility emergency			
	coordinator to provide for treating,			
	storing, or disposing of recovered			
	waste, contaminated soil or surface			
	water, or other material.			
7:26A-	Failure of used oil processor or re-	Matrix	<u>NM</u>	
6.7(c)2vi(8)A-B	refining facility emergency			
	coordinator to insure that in			
	affected area of facility no			
	incompatible waste is treated,			
	stored or disposed of until cleanup			
	procedures are complete, or to			
	insure that emergency equipment			
	is cleaned and fit for intended use			
	before operations are resumed.			
7:26A-	Failure of used oil processor or re-	<u>Matrix</u>	<u>NM</u>	
		<u> </u>	<u> </u>	

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
6.7(c)2vi(8)(C)	refining facility to notify			
	Department and local authorities			
	that facility is in compliance before			
	operations are resumed.			
7:26A-	Failure of used oil processor or re-	<u>\$500</u>	<u>M</u>	<u>30</u>
6.7(c)2vi(9)	refining facility to submit incident			
	report to Department within 15			
	days after an incident.			
7:26A-6.7(d)1	Failure of used oil processor or re-	\$3,000	NM	
	refining facility to determine if			
	total halogen content is equal to,			
	less than or greater than 1000			
	p.p.m. for used oil being		1	
	transported or stored.			
7:26A-6.7(d)4	Failure of used oil processor or re-	\$3,000	NM	
	refining facility to ship used oil			
	that fails the rebuttable			
	presumption, for mixing as a			
	hazardous waste, using a New			
	Jersey licensed hazardous waste			
	transporter.			
7:26A-6.7(e)1	Failure of used oil processor or re-	\$3,000	NM	
	refining facility, storing used oil, to			
	comply with applicable Spill			
	Prevention, Control and			
	Countermeasures regulations,			
	Clean Air Act regulations or			
	Underground Storage Tank			
	regulations.			
7:26A-6.7(e)3	Failure of used oil processor or re-	<u>\$3,000</u>	<u>NM</u>	
	refining facility to ensure			
	containers or aboveground tanks,			
	used to store or process used oil,			
	are in good condition or not			
	<u>leaking.</u>			
7:26A-6.7(e)4	Failure of used oil processor or re-	<u>\$3,000</u>	<u>NM</u>	
	refining facility to comply with			
	secondary the containment			
	requirements for containers used			
	to store or process used oil.			
	to store or process used oil.			

Penalty Provided	Rule	Rule Summary	Base	Minor/Non-	Grace Days
refining facility to comply with the secondary containment requirements for existing aboveground tanks used to store or process used oil. 7:26A-6.7(e)6 Failure of used oil processor or rerefining facility to comply with the secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.			Penalty	Minor	
refining facility to comply with the secondary containment requirements for existing aboveground tanks used to store or process used oil. 7:26A-6.7(e)6 Failure of used oil processor or rerefining facility to comply with the secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.	7:26A-6.7(e)5	Failure of used oil processor or re-	\$3,000	NM	
secondary containment requirements for existing aboveground tanks used to store or process used oil. 7:26A-6.7(e)6 Failure of used oil processor or re- refining facility to comply with the secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or re- refining facility to comply with used oil labeling requirements. Failure of used oil processor or re- refining facility to comply with used oil labeling requirements. Failure of used oil processor or re- refining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or re- refining facility at closure, who stored or processed used oil tanks, to remove or decontainment system components, contaminated all used oil residues in tanks, contaminated containment system contaminated containment system contaminated with used oil, and manage them appropriately, 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		refining facility to comply with the			
aboveground tanks used to store or process used oil. 7:26A-6.7(e)6 Failure of used oil processor or rerefining facility to comply with the secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontainment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.					
aboveground tanks used to store or process used oil. 7:26A-6.7(e)6 Failure of used oil processor or rerefining facility to comply with the secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontainment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		requirements for existing			
process used oil. 7:26A-6.7(e)6 Failure of used oil processor or rerefining facility to comply with the secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.					
refining facility to comply with the secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or re-refining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or re-refining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or re-refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re-refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		process used oil.			
secondary containment requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or re- refining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or re- refining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or re- refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.	7:26A-6.7(e)6	Failure of used oil processor or re-	\$3,000	NM	
requirements for new aboveground tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		refining facility to comply with the			
tanks used to store or process used oil. 7:26A-6.7(e)7 Failure of used oil processor or re-refining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or re-refining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or re-refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re-refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		secondary containment			
7:26A-6.7(e)7 Failure of used oil processor or re- refining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or re- refining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or re- refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		requirements for new aboveground			
7:26A-6.7(e)7 Failure of used oil processor or rerefining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		tanks used to store or process used			
refining facility to comply with used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		<u>oil.</u>			
used oil labeling requirements. 7:26A-6.7(e)8 Failure of used oil processor or rerefining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or rerefining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.	7:26A-6.7(e)7	Failure of used oil processor or re-	\$1,000	M	30
7:26A-6.7(e)8 Failure of used oil processor or re- refining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or re- refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		refining facility to comply with			
refining facility to comply with or initiate response to releases. 7:26A-6.7(e)9i(1) Failure of used oil processor or re-refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re-refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		used oil labeling requirements.			
7:26A-6.7(e)9i(1) Failure of used oil processor or re- refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.	7:26A-6.7(e)8	Failure of used oil processor or re-	\$3,000	NM	
7:26A-6.7(e)9i(1) Failure of used oil processor or re- refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		refining facility to comply with or			
refining facility at closure, who stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		initiate response to releases.			
stored or processed used oil tanks, to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.	7:26A-6.7(e)9i(1)	Failure of used oil processor or re-	\$10,000	NM	
to remove or decontaminate all used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		refining facility at closure, who			
used oil residues in tanks, contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		stored or processed used oil tanks,			
contaminated containment system components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		to remove or decontaminate all			
components, contaminated soils, and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or reprining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		used oil residues in tanks,			
and structures and equipment contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or representation from tank systems at closure to follow closure requirements for landfills.		contaminated containment system			
contaminated with used oil, and manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or rerefining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		components, contaminated soils,			
manage them appropriately. 7:26A-6.7(e)9i(2) Failure of used oil processor or representation from tank systems at closure to follow closure requirements for landfills.		and structures and equipment			
7:26A-6.7(e)9i(2) Failure of used oil processor or re- refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.		contaminated with used oil, and			
refining facility that cannot remove all contamination from tank systems at closure to follow closure requirements for landfills.					
remove all contamination from tank systems at closure to follow closure requirements for landfills.	7:26A-6.7(e)9i(2)	Failure of used oil processor or re-	\$10,000	<u>NM</u>	
tank systems at closure to follow closure requirements for landfills.		refining facility that cannot			
closure requirements for landfills.		remove all contamination from			
		tank systems at closure to follow			
7.26A Failure of used oil processor or re \$2,000 NM		closure requirements for landfills.			
ranute of used on processor of re-	7:26A-	Failure of used oil processor or re-	\$3,000	<u>NM</u>	
6.7(e)9ii(1) refining facility at closure, who	6.7(e)9ii(1)	refining facility at closure, who			
stored used oil in containers, to					
remove from the site all containers		remove from the site all containers			
holding used oil or residues of used		holding used oil or residues of used			
oil.		oil.			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
<u> </u>	Tear Summer,	Penalty	Minor	Provided
7:26A-	Failure of used oil processor or re-	\$10,000	NM	
6.7(e)9ii(2)	refining facility at closure, who	φ20,000	11112	
<u> </u>	stored used oil in containers, to			
	remove or decontaminate all used			
	oil residues, contaminated			
	containment system components,			
	contaminated soils, and structures			
	and equipment contaminated with			
	used oil, and manage them			
	appropriately.			
7:26A-6.7(f)	Failure of used oil processor or re-	\$5,000	NM	
	refining facility to develop or			
	follow a written waste analysis			
	plan in accordance with			
	requirements at N.J.A.C. 7:26A-			
	6.7(f).			
7:26A-6.7(g)	Failure of used oil processor or re-	\$3,000	NM	
	refining facility to comply with			
	used oil tracking standards and			
	records.			
7:26A-6.7(h)	Failure of used oil processor or re-	\$3,000	NM	
	refining facility to comply with			
	operating record and reporting			
	standards.			
7:26A-6.7(i)	Failure by used oil processor or re-	\$1,000	<u>M</u>	<u>30</u>
	refining facility to ensure used oil			
	transporter has an EPA			
	identification number.			
7:26A-6.7(j)	Failure by used oil processor or re-	<u>\$3,000</u>	<u>NM</u>	
	refining facility to manage process			
	residues in accordance with			
	N.J.A.C. 7:26A-6.1(a)5.	☆ ■ 000	3 73 <i>6</i>	
7:26A-6.8(b)1	Used oil burner burned off-	<u>\$5,000</u>	<u>NM</u>	
	specification used oil in a device			
	other than an industrial furnace,			
	industrial or utility boiler or			
	hazardous waste incinerator or			
	burned off-specification used oil in			
	these devices without a "Permit to			
	Construct, Install or Alter Control	<u>I</u>		L

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
	Apparatus or Equipment and			
	Certificate to Operate Control			
	Apparatus".			
7:26A-6.8(b)2i	Failure by used oil burner to	\$5,000	NM	
	comply with prohibition against			
	aggregating off specification used			
	oil with other fuels to produce an			
	on-specification used oil fuel.			
7:26A-6.8(c)	Failure of used oil burner to	\$3,000	NM	
	comply with notification and/or			
	EPA identification requirements.			
7:26A-6.8(d)1	Failure of used oil burner to	\$5,000	NM	
	determine if total halogen content			
	is equal to, less than or greater			
	than 1000 p.p.m. for used oil being			
	transported or stored.			
7:26A-6.8(d)4	Failure by used oil burner to retain	\$3,000	NM	
	records of analyses, or other			
	information used to ensure used oil			
	is not a hazardous waste, for 3			
	years.			
7:26A-6.8(e)3	Failure of used oil burner to ensure	\$3,000	NM	
	containers or aboveground tanks			
	are in good condition or not			
	leaking.			
7:26A-6.8(e)4	Failure of used oil burner, storing	\$3,000	<u>NM</u>	
	used oil in containers, to comply			
	with the secondary containment			
	requirements.			
7:26A-6.8(e)5	Failure of used oil burner, storing	\$3,000	<u>NM</u>	
	used oil in existing aboveground			
	tank(s), to comply with the			
	secondary containment			
	requirements.			
7:26A-6.8(e)6	Failure of used oil burner, storing	<u>\$3,000</u>	<u>NM</u>	
	used oil in new aboveground			
	tank(s), to comply with secondary			
	containment requirements.			
7:26A-6.8(e)7	Failure of used oil burner to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	comply with used oil-labeling			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	Minor	Provided
	requirements.			
7:26A-6.8(e)8	Failure of used oil burner to	\$3,000	NM	
	comply with or initiate response to	7 - 7		
	releases.			
7:26A-6.8(f)	Failure of used oil burner to	\$3,000	NM	
712011 010(1)	comply with operating record and	\$2,000		
	recordkeeping standards.			
7:26A-6.8(g)	Failure of a used oil burner facility	\$3,000	NM	
712011 010(g)	to comply with first-time notice	44,000		
	and recordkeeping standards.			
7:26A-6.8(h)	Failure of used oil burner to	\$3,000	NM	
7.2011 010(II)	manage residues from storage or	44,000	- 1212	
	burning in accordance with			
	N.J.A.C. 7:26A-6.1(a)5.			
7:26A-6.9(a)3	Failure of used oil fuel marketer to	\$3,000	NM	
7.2011 0.7(4)5	comply with the standards for used	φφ,σσσ		
	oil generators.			
	transporters/transfer facilities,			
	processors/re-refiners or burners.			
7:26A-6.9(b)	Failure of a used oil fuel marketer	\$5,000	NM	
7.2011-0.2(b)	to ship off-specification used oil	ψφ,000		
	only to an authorized burner			
	facility.			
7:26A-6.9(c)1	Failure of a used oil generator,	\$5,000	NM	
712011 015 (0)1	transporter, processor/re-refiner	44,000	11112	
	or burner to determine if used oil			
	meets the fuel specification at			
	N.J.A.C. 7:26A 6.2 or failure to			
	provide a copy of analyses or other			
	information to facility receiving			
	shipment of used oil.			
7:26A-6.9(c)2	Failure of first person claiming	\$3,000	NM	
742012 042 (472	used oil fuel meets fuel	40,000	1212	
	specification at N.J.A.C. 7:26A-6.2			
	to retain copies of analyses or			
	other information used to make			
	determination for 3 years.			
7:26A-6.9(d)1	Failure of used oil fuel marketer to	\$3,000	NM	
7.2011-0.7(U)1	comply with notification and/or	Ψυουυ	1 1111	
	EPA identification requirements.			
	ET A JUCHUNGAUON TEQUITEMENTS.			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	Minor	Provided
7:26A-6.9(e)1	Failure of used oil fuel marketer to	\$3,000	NM	
	comply with invoicing			
	requirements for off-specification			
	used oil fuel.			
7:26A-6.9(e)2	Failure of used oil fuel marketer to	\$3,000	NM	
	comply with tracking requirements			
	for shipments of off-specification			
	used oil fuel.			
7:26A-6.9(e)3	Failure of first person claiming	\$3,000	NM	
	used oil fuel meets fuel			
	specification at N.J.A.C. 7:26A-6.2			
	to comply with tracking			
	requirements for shipments of on-			
	specification used oil fuel.			
7:26A-6.9(f)	Failure by a used oil marketers to	\$3,000	NM	
	comply with notice standards.			
7:26A-6.10(b)1	Failure to manage used oil that has	\$5,000	<u>NM</u>	
	been identified as a hazardous			
	waste and cannot be recycled, as a			
	hazardous waste.			
7:26A-6.10(b)2	Failure to manage used oil that is	\$3,000	NM	
	not hazardous waste and cannot be			
	recycled, as a solid waste			
7:26A-6.10(c)	Failure to comply with prohibition	\$5,000	NM	
	against using used oil as a dust			
	suppressant.			

12. The violations of 40 CFR 273 and N.J.A.C. 7:26A-7, Standards for the management of Universal Waste, and the civil administrative penalty amounts for each violation, are as set forth in the following table.

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days	
	Standards for the Managemer	nt of Class D U	niversal Waste	Provided	
	Management standards for Small Quantity Handlers (40 CFR)				
§273.11	Failure of Small Quantity	\$3,000	NM		

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	Handler of Universal Waste to comply with universal waste prohibitions.			
<u>§273.13(a)1</u>	Failure of Small Quantity Handler of Universal Waste to place universal waste batteries which show evidence of leakage, spillage or damage in a container that is closed, structurally sound, compatible with the contents of the batteries, and non-leaking.	\$3,000	NM	
§273.13(a)2	Failure of Small Quantity Handler of Universal Waste conducting activities not to breach the casing of individual battery cells.	\$3,000	NM	
§273.13(a)3	Failure of Small Quantity Handler of Universal Waste to determine if removed electrolyte or other solid waste is hazardous and to manage it in compliance with all appropriate regulations.	\$5,000	NM	
<u>§273.13(b)1</u>	Failure of Small Quantity Handler of Universal Waste to place universal waste pesticides in a container that is closed, structurally sound, compatible with the pesticide, and non- leaking.	\$3,000	NM	
§273.13(b)2	Failure of Small Quantity Handler of Universal Waste to overpack containers of universal waste pesticides which did not meet 40 C.F.R. §273.13(b)1.	\$3,000	<u>NM</u>	
<u>§273.13(b)3</u>	Failure of Small Quantity Handler of Universal Waste to contain universal waste pesticides in a tank which meets the requirements of 40 C.F.R. §265	<u>\$1,000</u>	<u>M</u>	30

Rule	Rule Summary	Base	Minor/Non-	Grace
Kuic	Kuie Summar y	Penalty	Minor Minor	Days
		1 Charty	WIIIOI	Provided
	Subpart J.			TTOVICE
§273.13(b)4	Failure of Small Quantity	\$3,000	NM	
3270110(0)1	Handler of Universal Waste to	φυ,σσσ	11112	
	place universal waste pesticides			
	in a transport vehicle or vessel			
	that is closed, structurally sound,			
	compatible with the pesticide,			
	and non-leaking.			
§273.13(c)1	Failure of Small Quantity	\$3,000	NM	
<u>,,(-)-</u>	Handler of Universal Waste to	72720		
	place universal waste thermostats			
	which show evidence of leakage,			
	spillage or damage in a container			
	that is closed, structurally sound,			
	compatible with the contents of			
	the thermostat, and non-leaking.			
§273.13(c)2i	Failure of Small Quantity	\$1,000	<u>M</u>	<u>30</u>
	Handler of Universal Waste to			
	remove mercury-containing			
	ampules in a manner designed to			
	prevent breakage of the ampules.			
<u>§273.13(¢)2ii</u>	Failure of Small Quantity	<u>\$3,000</u>	NM	
	Handler of Universal Waste to			
	remove mercury-containing			
	ampules only over or in a			
	containment device.			
<u>§273.13(¢)2iii</u>	Failure of Small Quantity	<u>\$3,000</u>	NM NM	
	Handler of Universal Waste to			
	ensure that a mercury clean-up			
	system is readily available to			
	immediately transfer any			
	mercury, resulting from spills or			
	leaks from broken ampules, from			
	the containment device to a			
	container that meets the			
	requirements of 40 C.F.R.			
8272 12(2)2:	\$262.34.	¢1 000	M	1
<u>§273.13(c)2iv</u>	Failure of Small Quantity Handler of Universal Wests to	<u>\$1,000</u>	<u>M</u>	1
	Handler of Universal Waste to			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	immediately transfer any mercury resulting from spills or leaks from broken ampules from the containment device to a container that meets the requirements of 40 C.F.R. §262.34.			
\$273.13(c)2vi \$273.13(c)2vi	Failure of Small Quantity Handler of Universal Waste to ensure that the area in which mercury-containing ampules are removed is well ventilated and monitored to ensure compliance with applicable OSHA permissible exposure levels for mercury. Failure of Small Quantity Handler of Universal Waste to ensure that employees removing mercury-containing ampules are thoroughly familiar with proper waste mercury handling and emergency procedures. Failure of Small Quantity	\$3,000 \$3,000	NM NM	
§273.13(c)2viii	Handler of Universal Waste to store mercury-containing ampules in closed, non-leaking containers that are in good condition. Failure of Small Quantity Handler of Universal Waste to pack mercury-containing ampules in containers with packing materials adequate to prevent breakage during storage,	<u>\$1,000</u>	<u>M</u>	<u>30</u>
<u>§273.13(c)3</u>	handling, and transportation. Failure of Small Quantity Handler of Universal Waste, who removes mercury-containing	<u>\$5,000</u>	<u>NM</u>	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	ampules from thermostats, to determine if any waste generated exhibits a characteristic of hazardous waste, and to manage the waste in compliance with all appropriate regulations.			
<u>\$273.13(d)1</u>	Failure of Small Quantity Handler of Universal Waste to place universal waste lamps which show evidence of leakage, spillage or damage in a container that is closed, structurally sound, compatible with the contents of the lamp, and non-leaking. Failure of Small Quantity Handler of Universal Waste to clean up and place any lamp that is broken or that shows evidence of breakage, leakage, or damage that could cause the release of hazardous constituents, into a container that is closed, structurally sound, compatible with the consumer electronic, and	\$3,000	NM NM	
§273.14(a)	Failure of Small Quantity Handler of Universal Waste to properly label or mark universal waste batteries or containers of universal waste batteries.	<u>\$1,000</u>	<u>M</u>	30
§273.14(b)	Failure of Small Quantity Handler of Universal Waste to properly label or mark containers, tanks, transport vehicles or vessels of recalled universal waste pesticides.	\$1,000	<u>M</u>	30
<u>\$273.14(c)</u>	Failure of Small Quantity Handler of Universal Waste to properly label or mark	<u>\$1,000</u>	M	30

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	containers, tanks, transport vehicles or vessels of unused universal waste pesticides.			
<u>\$273.14(d)</u>	Failure of Small Quantity Handler of Universal Waste to properly label or mark universal waste thermostats or containers of universal waste thermostats.	\$1,000	M	30
<u>§273.14(e)</u>	Failure of Small Quantity Handler of Universal Waste to properly label or mark universal waste lamps or containers of universal waste lamps.	\$1,000	<u>M</u>	30
§273.15(a)-(b)	Small Quantity Handler of Universal Waste accumulated universal waste for greater than one year, without proving the accumulation was solely for the purpose of facilitating proper recovery, treatment or disposal.	\$5,000	<u>NM</u>	
<u>§273.15(c)</u>	Failure of Small Quantity Handler of Universal Waste to demonstrate the length of time that the universal waste was accumulated.	\$3,000	NM	
<u>\$273.16</u>	Failure of Small Quantity Handler of Universal Waste to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures.	\$3,000	<u>NM</u>	
<u>§273.17(a)</u>	Failure of Small Quantity Handler of Universal Waste to immediately contain any releases or residues of universal waste.	\$5,000	<u>NM</u>	
<u>§273.17(b)</u>	Failure of Small Quantity Handler of Universal Waste to determine if any material resulting from the release of	\$5,000	<u>NM</u>	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days
				Provided
	universal waste is hazardous, and			
	to properly manage the waste.			
§273.18(a)	Small Quantity Handler of	\$3,000	NM	
	Universal Waste sent or took			
	universal waste to a place other			
	than another universal waste			
	handler, a destination facility, or			
	a foreign destination			
<u>§273.18(b)</u>	Failure of Small Quantity	\$1,000	<u>M</u>	<u>30</u>
	Handler of Universal Waste who			
	self-transports to comply with the			
	requirements at 40 C.F.R. §273			
	Subpart D and N.J.A.C. 7:26A-			
	<u>7.4.</u>			
<u>§273.18(c)</u>	Failure of Small Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	<u>Handler of Universal Waste to</u>			
	properly package, label, mark,			
	placard or complete the proper			
	shipping papers for shipments of			
	universal waste which are			
0.000 10(7)	hazardous materials.	\$2.000	3 73 6	
§273.18(d)	Failure of the originating handler	<u>\$3,000</u>	NM	
	to ensure that the receiving			
	handler agrees to accept the			
8072 10()	universal waste.	Φ.Ε. 0.0.0	N/N #	
§273.18(e)	Failure of Small Quantity	<u>\$5,000</u>	<u>NM</u>	
	Handler of Universal Waste to			
	receive back or agree on an			
	alternate facility for rejected			
\$272 19(f)	shipments of universal waste.	\$5 AAA	NIM	
<u>§273.18(f)</u>	Failure of Small Quantity Handler of Universal Waste to	<u>\$5,000</u>	<u>NM</u>	
	properly reject shipments of			
	universal waste			
§273.18(g)	Failure of Small Quantity	\$5,000	NM	
<u>8213.10(g)</u>	Handler of Universal Waste to	<u>φυ,υυυ</u>	1414T	
	immediately notify the			
	Department if an illegal shipment			
	of hazardous waste, that was			
	or mazaruous waste, mat was			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days
		<u>r crare,</u>	1721101	Provided Provided
	shipped as universal waste, is			
	received.			
§273.20(a)	Failure of Small Quantity	\$1,000	M	<u>30</u>
<u> </u>	Handler of Universal Waste to		_	
	comply with the requirements of			
	a primary exporter when			
	shipping universal waste to a			
	foreign destination.			
<u>§273.20(b)</u>	Small Quantity Handler of	\$5,000	NM	
	<u>Universal Waste exported</u>			
	universal waste without consent			
	of the receiving country and/or			
	not in conformance with EPA			
	Acknowledgement of Consent.			
<u>§273.20(c)</u>	Failure of Small Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Handler of Universal Waste that			
	exported universal waste to			
	provide a copy of the EPA			
	Acknowledgement of Consent to			
	the transporter.			
	Management standards for Small (7:26A)
7:26A-7.4(b)1	Failure of Small Quantity	<u>\$3,000</u>	NM	
	Handler of Universal Waste to			
	place a consumer electronic that			
	shows evidence of leakage,			
	spillage, or damage that could			
	cause leakage, in a container that			
	is closed, structurally sound,			
	compatible with the consumer			
7.264 7.4(b)2	electronic, and non-leaking.	¢2 000	NIM	
7:26A-7.4(b)2	Small Quantity Handler of	<u>\$3,000</u>	<u>NM</u>	
	<u>Universal Waste disassembled a</u> consumer electronic in a manner			
	that constituted processing or			
	treatment.			
7:26A-7.4(b)3	Failure of Small Quantity	\$5,000	NM	
1.40m-1.4(U)3	Handler of Universal Waste who	<u>ψυ,υυυ</u>	14141	
	generates a solid waste, as the			
	result of performing activities, to			
	result of performing activities, to	l		

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	determine if the waste is hazardous.			
7:26A-7.4(c)1	Failure of Small Quantity Handler of Universal Waste to place any universal waste mercury-containing device that shows evidence of leakage, spillage, or damage that could cause leakage, in a container that is closed, structurally sound, compatible with the contents of the mercury-containing device,	\$3,000	NM	
7:26A-7.4(c)2i	and non-leaking. Failure of Small Quantity Handler of Universal Waste to remove mercury containing ampules in a manner designed to prevent breakage of the ampules.	\$1,000	<u>M</u>	30
7:26A-7.4(c)2ii	Failure of Small Quantity Handler of Universal Waste to remove mercury-containing ampules only over or in a containment device.	\$3,000	NM	
7:26A-7.4(c)2iii	Failure of Small Quantity Handler of Universal Waste to ensure that a mercury clean-up system is readily available to immediately transfer any mercury, resulting from spills or leaks from broken ampules, to a container that meets the requirements of 40 C.F.R. §262.34.	\$3,000	<u>NM</u>	
7:26A-7.4(c)2iv	Failure of Small Quantity Handler of Universal Waste to immediately transfer any mercury, resulting from spills or leaks from broken ampules, from the containment device to a	<u>\$1,000</u>	<u>M</u>	1

Rule	Rule Summary	Base	Minor/Non-	Grace
Kuic	Kule Summary	Penalty	Minor	Days
		<u>1 chaity</u>	WIIIOI	Provided
	container that meets the			riovided
	container that meets the			
	requirements of 40 C.F.R.			
7.2(1.7.4(.)2	\$262.34.	\$2,000	NIM	
7:26A-7.4(c)2v	Failure of Small Quantity	<u>\$3,000</u>	NM	
	Handler of Universal Waste to			
	ensure that any area where			
	mercury-containing ampules are			
	removed is well ventilated and			
	monitored to ensure compliance			
	with applicable OSHA			
	permissible exposure levels for			
	mercury.			
7:26A-7.4(c)2vi	Failure of Small Quantity	<u>\$3,000</u>	NM	
	Handler of Universal Waste to			
	ensure that employees removing			
	mercury-containing ampules are			
	thoroughly familiar with proper			
	waste mercury handling and			
	emergency procedures.			
7:26A-	Failure of Small Quantity	\$3,000	NM	
7.4(c)2vii	Handler of Universal Waste to			
	store mercury-containing			
	ampules in closed, non-leaking			
	containers that are in good			
	condition.			
7:26A-	Failure of Small Quantity	\$1,000	M	30
7.4(c)2viii	Handler of Universal Waste to	1 7	_	
	pack mercury-containing			
	ampules in a container with			
	packing materials adequate to			
	prevent breakage during storage,			
	handling, and transportation.			
7:26A-7.4(c)3	Failure of Small Quantity	\$5,000	NM	
	Handler of Universal Waste, who	454000	- 12.2	
	removes mercury-containing			
	ampules, to determine if any			
	waste generated exhibits a			
	characteristic of hazardous			
	waste, and to manage the waste in			
	waste, and to manage the waste in			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	compliance with all appropriate regulations			
7:26A-7.4(d)	Failure of Small Quantity Handler of Universal Waste to manage oil-based finishes, in its original or otherwise appropriate and labeled packaging.	\$1,000	M	30
7:26A-7.4(d)1	Failure of Small Quantity Handler of Universal Waste to place any universal waste oil- based finish that shows evidence of leakage, spillage, or damage that could cause leakage, into a container that is closed, structurally sound, compatible with the contents of the oil-based finish, and non-leaking.	\$3,000	NM	
7:26A-7.4(d)2	Small Quantity Handler of Universal Waste to handled universal waste oil-based finishes in a manner that constituted processing.	\$3,000	NM	
<u>§273.31</u>	Management standards for Large of Failure of Large Quantity Handler of Universal Waste to comply with universal waste prohibitions.	Quantity H \$3,000	andlers (40 CFR) NM	
§273.32(a)	Failure of Large Quantity Handler of Universal Waste to send a written notification to the Department and/or receive an EPA Identification Number prior to meeting or exceeding the 5,000 kg storage limit.	<u>\$5,000</u>	<u>NM</u>	
§273.32(b)	Failure of Large Quantity Handler of Universal Waste to include all information on the written notification to the Department.	<u>\$1,000</u>	<u>M</u>	30

Rule	Rule Summary	Base	Minor/Non-	Grace
Ruic	Train Summary	Penalty	Minor	Days
		renarcy	IVIIIOI	Provided
§273.33(a)1	Failure of Large Quantity	\$3,000	NM	11011404
3270100(u)1	Handler of Universal Waste to	φυίσσο	11112	
	place universal waste batteries			
	which show evidence of leakage,			
	spillage or damage in a container			
	that is closed, structurally sound,			
	compatible with the contents of			
	the batteries, and non-leaking.			
§273.33(a)2	Failure of Large Quantity	\$3,000	NM	
<u>,,===================================</u>	Handler of Universal Waste	70700		
	conducting activities not to			
	breach the casing of individual			
	battery cells.			
§273.33(a)3	Failure of Large Quantity	\$5,000	NM	
	Handler of Universal Waste to			
	determine if removed electrolyte			
	or other solid waste is hazardous			
	and to manage it in compliance			
	with all appropriate regulations.			
§273.33(b)1	Failure of Large Quantity	\$3,000	<u>NM</u>	
	Handler of Universal Waste to			
	place universal waste pesticides			
	in a container that is closed,			
	structurally sound, compatible			
	with the pesticide, and non-			
	leaking.			
§273.33(b)2	Failure of Large Quantity	<u>\$3,000</u>	<u>NM</u>	
	Handler of Universal Waste to			
	overpack containers of universal			
	waste pesticides which did not			
	meet requirements of 40 C.F.R.			
	§273.33(b)1.	***		
<u>§273.33(b)3</u>	Failure of Large Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Handler of Universal Waste to			
	contain universal waste pesticides			
	in a tank which meets the			
	requirements of 40 C.F.R. §265			
88=888	Subpart J.	42.0 00	N 77 6	
<u>§273.33(b)4</u>	Failure of Large Quantity	<u>\$3,000</u>	<u>NM</u>	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days
				Provided
	Handler of Universal Waste to			
	place universal waste pesticides			
	in a transport vehicle or vessel			
	that is closed, structurally sound,			
	compatible with the pesticide,			
	and non-leaking.			
§273.33(c)1	Failure of Large Quantity	\$3,000	NM	
_	Handler of Universal Waste to			
	place universal waste thermostats			
	which show evidence of leakage,			
	spillage or damage in a container			
	that is closed, structurally sound,		h.	
	compatible with the contents of			
	the thermostat, and non-leaking.			
<u>§273.33(c)2i</u>	Failure of Large Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Handler of Universal Waste to			
	remove mercury-containing			
	ampules in a manner designed to			
	prevent breakage of the ampules.			
<u>§273.33(c)2ii</u>	Failure of Large Quantity	<u>\$3,000</u>	NM	
	Handler of Universal Waste to			
	remove mercury-containing			
	ampules only over or in a			
	containment device.			
<u>§273.33(¢)2iii</u>	Failure of Large Quantity	\$3,000	<u>NM</u>	
	Handler of Universal Waste to			
	ensure that a mercury clean-up			
	system is readily available to			
	immediately transfer any			
	mercury, resulting from spills or			
	leaks from broken ampules, from			
	the containment device to a			
	container that meets the			
	requirements of 40 C.F.R.			
2000	<u>§262.34.</u>	44.000		
<u>§273.33(c)2iv</u>	Failure of Large Quantity	<u>\$1,000</u>	<u>M</u>	1
	Handler of Universal Waste to			
	immediately transfer any			
	mercury resulting from spills or			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	leaks from broken ampules from the containment device to a container that meets the requirements of 40 C.F.R. §262.34.			
§273.33(c)2v	Failure of Large Quantity Handler of Universal Waste to ensure that the area in which mercury-containing ampules are removed is well ventilated and monitored to ensure compliance with applicable OSHA permissible exposure levels for mercury.	\$3,000	NM NM	
<u>\$273.33(c)2vi</u>	Failure of Large Quantity Handler of Universal Waste to ensure that employees removing mercury-containing ampules are thoroughly familiar with proper waste mercury handling and emergency procedures.	\$3,000	<u>NM</u>	
§273.33(c)2vii	Failure of Large Quantity Handler of Universal Waste to store mercury-containing ampules in closed, non-leaking containers that are in good condition.	\$3,000	NM	
§273.33(c)2viii	Failure of Large Quantity Handler of Universal Waste to pack mercury-containing ampules in containers with packing materials adequate to prevent breakage during storage, handling, and transportation.	\$1,000	<u>M</u>	30
<u>\$273.33(c)3</u>	Failure of Large Quantity Handler of Universal Waste, who removes mercury-containing ampules from thermostats, to determine if any waste generated	\$5,000	<u>NM</u>	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	exhibits a characteristic of hazardous waste, and to manage the waste in compliance with all			Trovided
§273.33(d)1	Failure of Large Quantity Handler of Universal Waste to place universal waste lamps in a container that is closed,	\$3,000	NM	
§273.33(d)2	structurally sound, compatible with the contents of the lamp, and non-leaking. Failure of Large Quantity	\$3,000	NM	
<u>8273.33(U)2</u>	Handler of Universal Waste to clean up and place any lamp that is broken or that shows evidence of breakage, leakage, or damage	\$3,000	NVI	
	that could cause the release of hazardous constituents, in a container that is closed, structurally sound, compatible with the consumer electronic, and			
§273.34(a)	non-leaking. Failure of Large Quantity Handler of Universal Waste to properly label or mark universal waste batteries or containers of universal waste batteries.	\$1,000	<u>M</u>	30
§273.34(b)	Failure of Large Quantity Handler of Universal Waste to properly label or mark containers, tanks, transport vehicles or vessels of recalled universal waste pesticides.	\$1,000	<u>M</u>	<u>30</u>
<u>\$273.34(c)</u>	Failure of Large Quantity Handler of Universal Waste to properly label or mark containers, tanks, transport vehicles or vessels of unused universal waste pesticides.	\$1,000	<u>M</u>	<u>30</u>

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
<u>\$273.34(d)</u>	Failure of Large Quantity Handler of Universal Waste to properly label or mark universal waste thermostats or containers of universal waste thermostats.	\$1,000	<u>M</u>	30
<u>\$273.34(e)</u>	Failure of Large Quantity Handler of Universal Waste to properly label or mark universal waste lamps or containers of universal waste lamps.	\$1,000	M	30
<u>\$273.35(a)-(b)</u>	Large Quantity Handler of Universal Waste accumulated universal waste for greater than one year, without proving the accumulation was solely for the purpose of facilitating proper recovery, treatment or disposal.	\$5,000	NM 	
<u>\$273.35(c)</u>	Failure of Large Quantity Handler of Universal Waste to demonstrate the length of time that the universal waste was accumulated.	\$3,000	NM	
<u>§273.36</u>	Failure of Large Quantity Handler of Universal Waste to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures.	\$3,000	NM	
§273.37(a)	Failure of Large Quantity Handler of Universal Waste to immediately contain any releases or residues of universal waste.	<u>\$5,000</u>	<u>NM</u>	
§273.37(b)	Failure of Large Quantity Handler of Universal Waste to determine if any material resulting from the release of universal waste is hazardous, and to properly manage the waste. Large Quantity Handler of	\$5,000	NM NM	
<u>§273.38(a)</u>	Large Quantity Handler UI	<u>\$3,000</u>	TATAT	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	Universal Waste sent or took			
	universal waste to a place other			
	than another universal waste			
	handler, a destination facility, or			
8 282 20/1	a foreign destination	\$1.000		20
<u>§273.38(b)</u>	Failure of Large Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Handler of Universal Waste who			
	self-transports to comply with the			
	requirements at 40 C.F.R. §273			
	Subpart D and N.J.A.C. 7:26A-			
	7.4.			
§273.38(c)	Failure of Large Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Handler of Universal Waste to			
	properly package, label, mark,			
	placard or complete the proper			
	shipping papers for shipments of			
	universal waste which are			
	<u>hazardous materials.</u>			
§273.38(d)	Failure of the originating handler	<u>\$3,000</u>	NM	
	to ensure that the receiving			
	handler agrees to accept the			
	universal waste.			
§273.38(e)	Failure of Large Quantity	\$5,000	NM	
	Handler of Universal Waste to			
	receive back or agree on an			
	alternate facility for rejected			
	shipments of universal waste.			
§273.38(f)	Failure of Large Quantity	\$5,000	NM	
	Handler of Universal Waste to			
	properly reject shipments of			
	universal waste			
§273.38(g)	Failure of Large Quantity	\$5,000	<u>NM</u>	
,,(<u>B</u> /	Handler of Universal Waste to	1-1-0		
	immediately notify the			
	Department if an illegal shipment			
	of hazardous waste, that was			
	shipped as universal waste, is			
	received.			
§273.38(h)	Failure of Large Quantity	\$1,000	M	30

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	Handler of universal waste receiving non-hazardous, non-universal waste to manage such waste in accordance with N.J.A.C. 7:26.			
§273.39(a)1	Failure of Large Quantity Handler of Universal Waste to record the name and address of the originating universal waste handler or foreign shipper from whom the universal waste was sent.	\$1,000	M	30
§273.39(a)2	Failure of Large Quantity Handler of Universal Waste to record the quantity of each type of universal waste received.	\$1,000	M	30
§273.39(a)3	Failure of Large Quantity Handler of Universal Waste to record the date of receipt of the shipment of universal waste.	\$1,000	<u>M</u>	30
§273.39(b)1	Failure of Large Quantity Handler of Universal Waste to record the name and address of the universal waste handler, destination facility, or foreign destination to whom universal waste was sent.	\$1,000	<u>M</u>	30
§273.39(b)2	Failure of Large Quantity Handler of Universal Waste to record the quantity of each type of universal waste sent.	\$1,000	<u>M</u>	30
<u>\$273.39(b)3</u>	Failure of Large Quantity Handler of Universal Waste to record the date the shipment of universal waste left the facility.	<u>\$1,000</u>	<u>M</u>	30
<u>\$273.39(c)</u>	Failure of Large Quantity Handler of Universal waste to retain the records for at least three years.	\$1,000	<u>M</u>	30

Rule	Rule Summary	Base	Minor/Non-	Grace
		Penalty	Minor	Days
				Provided
§273.40(a)	Failure of Large Quantity	\$1,000	<u>M</u>	30
	Handler of Universal Waste to		_	
	comply with the requirements of			
	a primary exporter when			
	shipping universal waste to a			
	foreign destination.			
§273.40(b)	Large Quantity Handler of	\$5,000	NM	
	Universal Waste exported			
	universal waste without consent			
	of the receiving country and/or			
	not in conformance with EPA			
	Acknowledgement of Consent.		1	
<u>§273.40(c)</u>	Failure of Large Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Handler of Universal Waste that			
	exported universal waste to			
	provide a copy of the EPA			
	Acknowledgement of Consent to			
	the transporter.			
	Management standards for Large	Quantity H	andlers (N. <mark>J.A.C.</mark>	7:26A)
7:26A-7.5(b)1	Failure of Large Quantity	<u>\$3,000</u>	<u>NM</u>	
	Handler of Universal Waste to			
	place any consumer electronic			
	that shows evidence of leakage,			
	spillage, or damage that could			
	cause leakage, in a container that			
	is closed, structurally sound,			
	compatible with the contents of			
	the consumer electronics, and			
	non-leaking.	da 000	NTN #	
7:26A-7.5(b)2	Large Quantity Handler of	<u>\$3,000</u>	<u>NM</u>	
	<u>Universal Waste conducted</u>			
	disassembling or processing on			
	consumer electronics without			
7.264 7.5(a)1	applying for a Class D Approval. Failure of Large Quantity	\$2,000	NIM	
7:26A-7.5(c)1	Handler of Universal Waste to	<u>\$3,000</u>	<u>NM</u>	
	place a universal waste mercury- containing device that shows			
	evidence of leakage, spillage, or			
	evidence of leakage, spinage, of			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	damage that could cause leakage into a container that is closed, structurally sound, compatible with the contents of the mercury-containing devices, and non-leaking.			
7:26A-7.5(c)2i	Failure of Large Quantity Handler of Universal Waste to remove mercury-containing ampules in a manner designed to prevent breakage of the ampules.	\$1,000	M	30
7:26A-7.5(c)2ii	Failure of Large Quantity Handler of Universal Waste to remove mercury-containing ampules only over or in a containment device.	\$3,000	NM	
7:26A-7.5(c)2iii	Failure of Large Quantity Handler of Universal Waste to ensure that a mercury clean-up system is readily available to immediately transfer any mercury, resulting from spills or leaks from broken ampules, from the containment device to a container that meets the requirements of 40 C.F.R. §262.34.	\$3,000	NM	
7:26A-7.5(c)2iv	Failure of Large Quantity Handler of Universal Waste to immediately transfer any mercury resulting from spills or leaks from broken ampules from the containment device to a container that meets the requirements of 40 C.F.R. §262.34.	<u>\$1,000</u>	<u>M</u>	1
7:26A-7.5(c)2v	Failure of Large Quantity Handler of Universal Waste to ensure that the area in which	\$3,000	NM	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	mercury-containing ampules are removed is well ventilated and monitored to ensure compliance with applicable OSHA permissible exposure levels for mercury.			
7:26A-7.5(c)2vi	Failure of Large Quantity Handler of Universal Waste to ensure that employees removing mercury-containing ampules are thoroughly familiar with proper waste mercury handling and emergency procedures.	\$3,000	NM	
7:26A- 7.5(c)2vii	Failure of Large Quantity Handler of Universal Waste to store mercury-containing ampules in closed, non-leaking containers that are in good condition.	\$3,000	<u>NM</u>	
7:26A- 7.5(c)2viii	Failure of Large Quantity Handler of Universal Waste to pack mercury-containing ampules in containers with packing materials adequate to prevent breakage during storage, handling, and transportation.	\$1,000	<u>M</u>	30
7:26A-7.5(c)3	Failure of Large Quantity Handler of Universal Waste, who removes mercury-containing ampules, to determine if the waste generated exhibits a characteristic of hazardous waste, and to manage the waste in compliance with all appropriate regulations.	\$5,000	<u>NM</u>	
7:26A-7.5(d)	Failure of Large Quantity Handler of Universal Waste to manage universal waste finishes in its original packaging.	\$1,000	<u>M</u>	30

Rule	Rule Summary	Base	Minor/Non-	Grace
	<u></u>	Penalty	Minor	Days
				Provided
7:26A-7.5(d)1	Failure of Large Quantity	\$3,000	NM	
	Handler of Universal Waste to			
	place any universal waste finish			
	that shows evidence of leakage,			
	spillage, or damage that could			
	cause leakage in a container that			
	is closed, structurally sound,			
	compatible with the contents of			
	the universal waste finish, and			
	non-leaking.			
7:26A-7.5(d)2	Large Quantity Handler of	<u>\$3,000</u>	<u>NM</u>	
	<u>Universal Waste conducted</u>			
	disassembling or processing			
	activities on universal waste			
	finishes without applying for a			
	Class D Approval.			
7:26A-7.5(e)	Failure of Large Quantity	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Handler of Universal Waste to			
	submit a report to the			
	Department documenting the			
	types and amounts of universal			
	waste which were received, stored			
	and shipped in the preceding			
	calendar year.			
	Labeling of containers of additiona	1		
7:26A-7.7(a)	Failure to accumulate universal	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	waste consumer electronics			
	devices in a closed container that			
	is clearly marked with the words			
	<u>Universal Waste-Consumer</u>			
7.2(A 7.7(L)	Electronics.	¢1 000	N/I	20
7:26A-7.7(b)	Failure to accumulate universal	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	waste mercury-containing devices			
	in a closed container that is			
	clearly marked with the words			
	Universal Waste-Mercury-			
7.264 7.7(a)	Containing Devices.	¢1 000	M	20
7:26A-7.7(c)	Failure to mark a container,	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	tank, transport vehicle or other			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	vessel in which oil-based waste finishes are contained, with the words Universal Waste-Oil-Based Finish.			
	Universal Waste-Transporter Requ	irements (40 CFR)	
<u>§273.51</u>	Failure of Universal Waste Transporter to comply with universal waste prohibitions.	\$3,000	NM .	
§273.52(a)	Failure of Universal Waste Transporter to comply with USDOT requirements for universal waste which meets the definition of a hazardous material.	\$3,000	NM	
§273.52(b)	Universal Waste Transporter described a universal waste with the words hazardous waste or N.O.S. or included the word waste in the shipping description.	\$1,000	<u>M</u>	30
<u>§273.53</u>	Universal Waste Transporter stored universal waste at a transfer facility for greater than 10 days without being in compliance subpart B or C of 40 C.F.R. §273.	\$3,000	NM	
§273.54(a)	Failure of Universal Waste Transporter to immediately contain any releases or residues of universal waste.	\$5,000	NM	
§273.54(b)	Failure of Universal Waste Transporter to determine if any material resulting from the release of universal waste is hazardous, and to properly manage the waste.	\$5,000	NM	
<u>§273.55(a)</u>	Universal Waste Transporter sent or took universal waste to a place other than another universal waste handler, a	\$5,000	NM	

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	destination facility, or a foreign destination			
§273.55(b)	Failure of Universal Waste Transporter to properly describe, on the shipping paper, any universal waste that meets the definition of a hazardous	\$1,000	M	30
<u>§273.56</u>	material. Universal Waste Transporter accepted a shipment of universal waste, to be shipped to a foreign destination, knowing the shipment did not conform to the EPA Acknowledgement of Consent.	\$5,000	NM	
§273.56(a)	Failure of Universal Waste Transporter exporting universal waste to ensure that a copy of the EPA Acknowledgement of Consent accompanied the shipment.	\$1,000	<u>M</u>	30
§273.56(b)	Failure of Universal Waste Transporter exporting universal waste to ensure that the waste was delivered to the facility designated by the person initiating the shipment. Universal Waste-Destination Facili	\$5,000 ty Require	NM Ments (40 CFR)	
§273.60(a)	Failure of owner or operator of a	\$1,000	M	<u>30</u>
, == == = = = = = = = = = = = = = = = =	Universal Waste Destination Facility to comply with the requirements of 40 C.F.R. Parts §§124, 264 through 266 and 270, as incorporated by reference at N.J.A.C. 7:26G, and the notification requirement under Section 3010 of RCRA.	7-,- 00		
<u>§273.60(b)</u>	Failure of owner or operator of a Universal Waste Destination	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	Omversar waste Destination			

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	Facility, that recycles a particular universal waste without storing that universal waste before it is recycled, to comply with 40 C.F.R. §261.6(c)(2) as incorporated by reference at N.J.A.C. 7:26G-5.			
§273.61(a)	Owner or operator of a Universal Waste Destination Facility sent or took universal waste to a place other than a universal waste handler, another destination facility or foreign destination. Failure of owner or operator of a	\$5,000 \$5,000	NM NM	
§273.61(c)	Universal Waste Destination Facility to properly reject shipments of universal waste Failure of owner or operator of a	\$5,000	NM NM	
	Universal Waste Destination Facility to immediately notify the Department if an illegal shipment of hazardous waste, that was shipped as universal waste, is received.			
§273.62(a)1	Failure of owner of operator of a Universal Waste Destination Facility to record the name and address of the originating universal waste handler or foreign shipper from whom the universal waste was sent.	<u>\$1,000</u>	<u>M</u>	30
<u>§273.62(a)2</u>	Failure of owner of operator of a Universal Waste Destination Facility to record the quantity of each type of universal waste received.	\$1,000	<u>M</u>	30
<u>\$273.62(a)3</u>	Failure of owner or operator of a Universal Waste Destination Facility to record the date of	<u>\$1,000</u>	M	30

Rule	Rule Summary	Base Penalty	Minor/Non- Minor	Grace Days Provided
	receipt of the shipment of universal waste.			
§273.62(b)	Failure of owner or operator of a Universal Waste Destination Facility to keep records for three	\$1,000	<u>M</u>	<u>30</u>
	<u>years.</u>			
	Universal Waste - Import Require			T = 0
§273.70(b)	Failure of Universal Waste Transporter, managing universal waste that was imported from a foreign country, to comply with the requirements of 40 C.F.R. §273 Subpart D immediately after waste was received in the United States. Failure of Small or Large Quantity Handlers of Universal Waste, managing universal waste that was imported from a foreign country, to comply with the requirements of 40 C.F.R. §273 Subpart B or C after waste was received in the United States.	\$1,000 \$1,000	<u>M</u> <u>M</u>	<u>30</u>
\$273.70(c)	Failure of owner or operator of a Universal Waste Destination Facility, managing universal waste that was imported from a foreign country, to comply with the requirements of 40 C.F.R. §273 Subpart E after waste is received in the United States.	\$1,000	<u>M</u>	<u>30</u>

 $N.J.A.C.\ 7:26-5.5-5.9$ (no change)

N.J.A.C. 7:26-5.10 (Re-codify current title and text as **N.J.A.C. 7:26-5.11**)

- The Department or local government agency will provide a grace period for any violation identified as minor in accordance with the table at N.J.A.C. 7:26-5.4(g) and N.J.A.C. 7:26H-5.18(f), provided that:
- (1) The violation is not the result of the purposeful, knowing, reckless or criminally negligent conduct of the person responsible for the violation;
- The activity or condition constituting the violation has existed for less than 12 months prior to the date of discovery by the Department;
- The person responsible for the violation has not been identified in a previous enforcement action by the Department or local government agency as responsible for a violation of the same requirement of the same permit within the preceding 12 month period;
- In the case of a violation that does not involve a permit, the person responsible for the violation has not been identified in a previous enforcement action by the Department or local government agency as responsible for the same or a substantially similar violation within the preceding 12 month period.
- Where the Department or local government agency discovers a violation which is **(b)** designated as minor in accordance with the table at N.J.A.C. 7:26-5.4(g) or N.J.A.C. 7:26H-

5.18(f), and in accordance with (a), above, it will issue an order or notice of violation to the person responsible for the minor violation which:

- 1. Identifies the condition or activity that constitutes the violation and the specific statutory and regulatory provision or other requirement violated; and
- 2. Notifies the person responsible for the violation that a penalty may be imposed unless the activity is achieved within the time period provided for the violation as set forth in the table at N.J.A.C. 7:26-5.4(g) and N.J.A.C. 7:26H-5.18(f).
- (c) If a person responsible for a minor violation corrects that violation and achieves compliance within the period specified in the order or notice of violation issued pursuant to this section, the Department or local government agency will not impose a penalty for the violation.
- of time specified in the order or notice of violation, the Department or local government agency may, in accordance with the provisions of this chapter, impose a penalty which is retroactive to the date the enforcement document was first issued.
- 7:26H-5.18. Penalties for violation of rules adopted pursuant to the Act
 - (a) through (e) No changes.
 - [(f) The rule summary in this subsection, which summarizes certain provisions in this

chapter, is provided for informational purposes only. In the event that there is a conflict between the rule summary in this subsection and a provision in this chapter, then the provision in this chapter shall prevail.

1. The violations of N.J.A.C. 7:26H-1, General Requirements, and the penalty amounts for each violation are as set forth in the following table.

<u>Citation</u>	Summary	Base Penalty
7:26H-1.6(a)	Failure to obtain a Certificate of Public Convenience and Necessity prior to engaging in the business of solid waste collection or solid waste disposal.	\$5,000
7:26H-1.6(c)	Failure of solid waste utility to have a Certificate of Public Convenience and Necessity when bidding for a solid waste contract.	\$5,000
7:26H-1.12(c)	Failure of the disposal utility to file rate revisions, in accordance with N.J.A.C. 7:26H-3.10, for services which do not increase charges above the peak rate.	\$1,000
7:26H-1.12(d)	Failure of the disposal utility to file rate revisions, in accordance with N.J.A.C. 7:26H-3.11, for services which increase charges above the peak rate.	\$2,500
7:26H-1.14(a)	Failure of solid waste utility to furnish safe, adequate, and proper service.	\$2,000
7:26H-1.14(d)	Failure of collection utility to file a petition with the Department prior to discontinuing service to a customer, which petition shall give the reasons for such discontinuance.	\$1,000
7:26H-1.14(e)	Failure of solid waste utility to file a report with the Department when service to a customer is interrupted and it appears that the interruption will continue for more than one day or one pick up.	\$250
7:26H- 1.20(b)1	Failure of solid waste utility to ensure all records are maintained at an office in the State of New Jersey unless	\$1,000

otherwise approved by the Department.

7:26H- 1.20(b)3	Failure of solid waste utility to notify the Department of the location of the office or offices where records pertaining to the provision of solid waste services are maintained.	\$500
7:26H-1.20(c)	Failure of solid waste utility to retain all documents for at least five years from the date that the documents were due or created, and at the office of the solid waste utility.	\$1,000
7:26H-1.21	Failure of solid waste utility to file evidence of insurance.	\$5,000
7:26H-1.24(b)	Failure of solid waste utility to have a lease on file with the Department for the use of all property, equipment and	\$2,000
	facilities which are used to provide service and are not owned by the utility.	
	lations of N.J.A.C. 7:26H-3, Transactional Filings, and the penalt	y amounts for
each violation are	e as set forth in the following table.	
Citation		<u>Base</u> Penalty

<u>Citation</u>		<u>Base</u> Penalty
7:26H-3.2(a)	Failure of solid waste utility to receive authorization of the Department prior to consummating the sale, transfer, or encumbrance of the assets of the solid waste utility or any	\$3,000
7:26H-3.2(c)	change in majority control of such utility. Failure of the solid waste utility to ensure notice of sale appears in newspapers at least thirty (30) days before sale occurs.	\$1,000
7:26H-3.3(a)	Failure of solid waste utility to petition for authority to transfer capital stock; Transfer without authorization.	\$3,000
7:26H-3.4(a)	Failure of solid waste utility to obtain Department approval prior to consolidating or merging with another solid waste utility, merging or consolidating with any other person or business concern, or dissolution of the solid waste utility.	\$3,000
7:26H-3.5(a)	Failure of solid waste utility to petition the Department for	\$3,000

authority to issue stocks, bonds, notes, other evidence of indebtedness or to execute mortgages and comply with requirements thereof.

7:26H-3.6(a)	Failure of solid waste utility to file a Notice of Intent and obtain	\$3,000
	Department approval prior to entering into a management	
	agreement with any person.	
7:26H-3.6(c)	Failure of solid waste utility to ensure a Notice of Intent to enter	\$1,000
	into a management agreement appears in newspapers at least 30	
	days prior to the completion of the transaction.	
7:26H-3.7(a)	Failure of solid waste utility to receive approval of the Department	\$2,500
	prior to taking any action which would cause a change in the	
	utility's depreciation rates.	

3. The violations of N.J.A.C. 7:26H-4, Solid Waste Tariffs, and the penalty amounts for each violation are as set forth in the following table.

Citation	Summary	Base Penalty
7:26H-4.2(a)	Failure of solid waste utility to file a tariff and maintain a copy for public inspection.	\$3,000
7:26H-4.4(a)1	Failure of utility customer to allow unencumbered access to containers. All containers and areas from which solid waste is to be collected shall be kept free from all hazards and potential hazards.	\$250
7:26H-4.4(a)2	Failure of solid waste utility to comply with collection service provisions of the approved tariff.	\$2,000
7:26H-4.4(a)3	Failure of solid waste utility to assist customers in the selection of the rate schedule most favorable for their individual requirements.	\$1,000
7:26H-4.4(a)4	Failure of solid waste utility to identify in the tariff, miscellaneous collection services, prior to providing any of these same services.	\$750
7:26H-4.4(a)6	Failure of solid waste utility to ensure that loads of solid waste and designated source separated recyclable materials are not commingled; Disposing of leaves in any manner that differs from that outlined in N.J.S.A. 13:1E-99.21.	\$2,500
7:26H-4.4(a)7	Failure of solid waste utility to make a pick up, not later than the	\$1,000

	next regularly scheduled collection day should the collector fail to pick up solid waste on a regularly scheduled day.	
7:26H-4.4(a)9	Failure of the collector to provide the customer at least 10 days written notice of its intention to discontinue service.	\$1,000
7:26H-4.4(b)3	Failure of solid waste utility to include all required items, listed separately, on all bills for collection.	\$1,000
7:26H-4.7(a)1	Failure of the disposal utility to operate according to the schedule contained in its permits and approved tariff; Failure to ensure all hours and rates are publicly posted.	\$1,000
7:26H-4.7(b)2	Failure of the disposal utility to comply with billing and invoicing requirements.	\$1,000
7:26H-4.7(b)4	Failure to comply with the facility's applicable rate schedule by assessing a late payment charge on an unpaid bill when such a charge is not provided for in the disposal facility's applicable rate schedule approved by the Department.	\$1,000
7:26H-4.7(c)1	Failure of the solid waste utility to comply with advanced payment account requirements.	\$2,500
4. The viola	ations of N.J.A.C. 7:26H-5, Solid Waste Collection Regulatory Reform	n, and
	s are as set forth in the following table.	
Citation	Summary Base Pena	ilty
7:26H-5.4(a)	Failure of the solid waste collector to charge or receive only	\$2,500
	those rates or charges for solid waste collection service which would result from effective competition. No solid waste collector	
	would result from effective compension. Two some waste confector	

would result from effective competition.	
Failure of solid waste utility to pay annual utility fee.	\$1,000
Failure of solid waste utility to submit annual Customer List	\$1,000
Failure of solid waste utility to maintain customer lists in proper	\$2,500

shall charge or receive rates or charges for solid waste collection service which are greater than or less than rates or charges what

7:26H-5.6(a)

7:26H-5.9(c)1

7:26H-5.9(c)7

format and available for inspection.

7:26H-5.12(a)	Failure of the collector to notify customers at least once each year that solid waste collection services in this State are available on a competitive basis and include with that notice a complete copy of a customer bill of rights.	\$2,000
7:26H-5.12(b)5	Failure of the solid waste collector to handle customer complaints in a prompt, courteous, and efficient manner.	\$1,000
7:26H-5.12(b)6	Failure of the solid waste collector to remove and transport solid waste in an environmentally sound manner that safeguards the public health and preserves the quality of the environment.	\$1,000
7:26H-5.12(b)7	Failure of the solid waste collector to notify its customers in writing at least 10 days prior to any increase or decrease in rates.	\$1,500
7:26H-5.12(b)9	Failure of the solid waste collector to remove its container or other equipment from the customer's premises within three days of the effective date of discontinuance regardless of the status of the account.	\$1,000
7:26H-5.12(b)15	Failure of the solid waste collector to transmit copies of any notice of discontinuance of service to the Department at the same time it is transmitted to the customer.	\$500
7:26H-5.12(b)16	Failure of solid waste utility to ensure solid waste services contracts or agreements do not include any clause which calls for automatic renewal of the contract or agreement.	\$1,000
7:26H-5.12(b)17	Failure of collection utility to display their name, as it appears on their Certificate of Public Convenience and Necessity, and any "trading as" name on all vehicles and containers.	\$1,000
7:26H-5.12(c)	Failure of collector to include in the customer bill of rights all the information set forth at N.J.A.C. 7:26H-5.12(c)1-17.	\$1,000
7:26H-5.12(d)	Failure of the collector to submit a certification to the Department certifying that each customer was provided with a customer bill of rights.	\$500

5. The violations of N.J.A.C. 7:26H-6, Uniform Bid Specifications for Municipal Solid

Waste Collection Contracts and the penalty amounts are as set forth in the following table.

<u>Citation</u> <u>Summary</u>

Base Penalty

\$1000

7:26H-6.15(b)

Failure of the contractor to promptly and properly attend to all complaints of residents and all notices, directives and orders of the contract administrator within 24 hours of the receipt of same; to keep a record of complaints and the date and time of the responses to such complaints, as well any action taken; to provide a written summary of all complaints and responses to the contract administrator each month.]

(f) The rule summary in this subsection, which summarizes certain provisions in this chapter, is provided for informational purposes only. In the event that there is a conflict between the rule summary in this subsection and a provision in this chapter, then the provision in this chapter shall prevail.

1. The violations of N.J.A.C. 7:26H-1, General Requirements, and the penalty amounts for each violation are as set forth in the following table.

Rule		Rule Summary	Base	Minor/Non-	Grace Days
			Penalty	Minor	Provided
7:26H-1.	6(a)	Failure to obtain a Certificate of	\$5,000	<u>NM</u>	
		Public Convenience and			
		Necessity prior to engaging in the			
		business of solid waste collection			
		or solid waste disposal.			
7:26H-1.	6(c)	Failure of solid waste utility to	\$5,000	<u>NM</u>	
		have a Certificate of Public			
		Convenience and Necessity when			
		bidding for a solid waste			
		contract.			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
	The summer,	Penalty	Minor	Provided
7:26H-1.12(c)	Failure of the disposal utility to	\$1,000	M	30
	file rate revisions, in accordance		_	
	with N.J.A.C. 7:26H-3.10, for			
	services which do not increase			
	charges above the peak rate.			
7:26H-1.12(d)	Failure of the disposal utility to	\$1,000	M	30
	file rate revisions, in accordance			
	with N.J.A.C. 7:26H-3.11, for			
	services which increase charges			
	above the peak rate.			
7:26H-1.14(a)	Failure of solid waste utility to	<u>\$2,000</u>	<u>NM</u>	
	furnish safe, adequate, and			
	proper service.		1	
7:26H-1.14(d)	Failure of collection utility to file	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	a petition with the Department			
	prior to discontinuing service to a			
	customer, which petition shall			
	give the reasons for such			
	discontinuance.			
7:26H- 1.14(e)	Failure of solid waste utility to	<u>\$250</u>	<u>M</u>	<u>30</u>
	file a report with the Department			
	when service to a customer is			
	interrupted and it appears that			
	the interruption will continue for			
	more than one day or one pick			
	up.	44.000	7.5	20
7:26H-1.20(b)1	Failure of solid waste utility to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	ensure all records are maintained			
	at an office in the State of New			
	Jersey unless otherwise approved			
7 O(H 1 00 (L) 2	by the Department.	Φ500	D.C.	20
7:26H-1.20(b)3	Failure of solid waste utility to	<u>\$500</u>	<u>M</u>	<u>30</u>
	notify the Department of the			
	location of the office or offices			
	where records pertaining to the			
	provision of solid waste services			
	are maintained.			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
7:26H-1.20(c)	Failure of solid waste utility to	<u>\$2,000</u>	<u>NM</u>	
	retain all documents for at least			
	five years from the date that the			
	documents were due or created,			
	and at the office of the solid waste			
	utility.			
7:26H-1.21	Failure of solid waste utility to	\$1,000	<u>M</u>	<u>30</u>
	file evidence of insurance.			
7:26H-1.24(b)	Failure of solid waste utility to	<u>\$2000</u>	NM	
	have a lease for the use of all			
	property, equipment and			
	facilities which are used to			
	provide service and are not			
	owned by the utility.			
7:26H-1.24(b)	Failure of solid waste utility to	\$1,000	<u>M</u>	<u>30</u>
	have file lease with the			
	Department for the use of all			
	property, equipment and			
	facilities which are used to			
	provide service and are not			
	owned by the utility.			

2. The violations of N.J.A.C. 7:26H-3, Transactional Filings, and the penalty

amounts for each violation are as set forth in the following table.

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	Minor	Provided
7:26H-3.2(a)	Failure of solid waste utility to	\$3,000	<u>NM</u>	
	receive authorization of the			
	Department prior to			
	consummating the sale, transfer,			
	or encumbrance of the assets of			
	the solid waste utility or any			
	change in majority control of			
	such utility.			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
7:26H-3.2(c)	Failure of the solid waste utility	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	to ensure notice of sale appears in			
	newspapers at least 30 days			
	before sale occurs.			
7:26H-3.3(a)	Failure of solid waste utility to	\$3,000	<u>NM</u>	
	petition for authority to transfer			
	capital stock; Transfer without			
	authorization.			
7:26H-3.4(a)	Failure of solid waste utility to	\$3,000	NM	
	obtain Department approval			
	prior to consolidating or merging			
	with another solid waste utility,			
	merging or consolidating with		1	
	any other person or business			
	concern, or dissolution of the			
	solid waste utility.			
7:26H-3.5(a)	Failure of solid waste utility to	\$3,000	NM	
	petition the Department for			
	authority to issue stocks, bonds,			
	notes, other evidence of			
	indebtedness or to execute			
	mortgages and comply with			
	requirements thereof.			
7:26H-3.6(a)	Failure of solid waste utility to	\$3,000	NM	
	file a Notice of Intent and obtain			
	Department approval prior to			
	entering into a management			
	agreement with any person.			
7:26H-3.6(c)	Failure of solid waste utility to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	ensure a Notice of Intent to enter			
	into a management agreement			
	appears in newspapers at least 30			
	days prior to the completion of			
	the transaction.			
7:26H-3.7(a)	Failure of solid waste utility to	<u>\$2,500</u>	<u>NM</u>	
	receive approval of the			
	Department prior to taking any			
	action which would cause a			
	change in the utility's			
	depreciation rates.			

$\underline{\textbf{3. The violations of N.J.A.C. 7:26H-4, Solid Waste Tariffs, and the penalty amounts}\\$

for each violation are as set forth in the following table.

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	<u>Minor</u>	Provided
7:26H-4.2(a)	Failure of solid waste utility to	\$3,000	NM	
	file a tariff and maintain a copy			
	for public inspection.			
7:26H-4.4(a)1	Failure of utility customer to	<u>\$250</u>	<u>M</u>	<u>30</u>
	allow unencumbered access to			
	containers. All containers and			
	areas from which solid waste is to			
	be collected shall be kept free			
	from all hazards and potential			
	hazards.	4.000		
7:26H-4.4(a)2	Failure of solid waste utility to	<u>\$2,000</u>	NM	
	comply with collection service			
7 2677 4 46 \2	provisions of the approved tariff.	41.000	24	20
7:26H-4.4(a)3	Failure of solid waste utility to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	assist customers in the selection			
	of the rate schedule most favorable for their individual			
	requirements.			
7:26H-4.4(a)4	Failure of solid waste utility to	\$750	M	30
7.2011-4.4(a)4	identify in the tariff,	<u>\$750</u>	<u>IVI</u>	30
	miscellaneous collection services,			
	prior to providing any of these			
	same services.			
7:26H-4.4(a)6	Failure of solid waste utility to	\$2,500	NM	
7.72012 W (W) 0	ensure that loads of solid waste	\$2,000	2,272	
	and designated source separated			
	recyclable materials are not			
	commingled; Disposing of leaves			
	in any manner that differs from			
	that outlined in N.J.S.A. 13:1E-			
	<u>99.21.</u>			

	Rule Summary			Grace Days
		Base Penalty	<u>Minor/Non-</u> Minor	Provided Provided
7:26H-4.4(a)7	Failure of solid waste utility to	\$1,000	M	7
	nake a pick up, not later than the		_	_
<u>n</u>	next regularly scheduled			
<u>c</u>	collection day should the collector			
<u>f</u>	ail to pick up solid waste on a			
<u>r</u>	regularly scheduled day.			
7:26H-4.4(a)9	Failure of the collector to provide	<u>\$1,000</u>	<u>M</u>	<u>30</u>
<u>t</u>	he customer at least 10 days			
<u>v</u>	vritten notice of its intention to			
	liscontinue service.			
	Failure of solid waste utility to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	nclude all required items, listed			
I - I -	eparately, on all bills for		1	
	collection.	41000		
	Failure of the disposal utility to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	operate according to the schedule			
	contained in its permits and			
	upproved tariff; Failure to ensure			
	all hours and rates are publicly			
	oosted. Failure of the disposal utility to	\$1,000	M	20
	comply with billing and invoicing	\$1,000	$ \underline{\mathbf{M}} $	<u>30</u>
	requirements.			
	Failure to comply with the	\$1,000	M	30
	acility's applicable rate schedule	φ1,000	<u>M</u>	<u>50</u>
_	by assessing a late payment			
	charge on an unpaid bill when			
	such a charge is not provided for			
	n the disposal facility's			
	applicable rate schedule			
	approved by the Department.			
	Failure of the solid waste utility	\$1,000	<u>M</u>	30
	o comply with advanced			
	payment account requirements.			

4. The violations of N.J.A.C. 7:26H-5, Solid Waste Collection Regulatory Reform,

and the penalty amounts are as set forth in the following table.

Rule	Rule Summary	Base	Minor/Non-	Grace Days
		Penalty	Minor	Provided
7:26H-5.4(a)	Failure of the solid waste	\$2,500	<u>NM</u>	
	collector to charge or receive only			
	those rates or charges for solid			
	waste collection service which			
	would result from effective			
	competition. No solid waste			
	collector shall charge or receive			
	rates or charges for solid waste			
	collection service which are			
	greater than or less than rates or			
	charges what would result from		1	
	effective competition.			
7:26H-5.6(a)	Failure of solid waste utility to	\$1,000	<u>M</u>	<u>30</u>
	pay annual utility fee.			
7:26H-5.9(c)1	Failure of solid waste utility to	\$1,000	<u>M</u>	<u>30</u>
	submit annual Customer List.			
7:26H-5.9(c)7	Failure of solid waste utility to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	maintain customer lists in proper			
	format and available for			
	inspection.			
7:26H-5.12(b)	Failure of the collector to notify	\$1,000	<u>M</u>	<u>30</u>
	customers at least once each year			
	that solid waste collection			
	services in this State are available			
	on a competitive basis and			
	include with that notice a			
	complete copy of a customer bill			
	of rights.			
7:26H-5.12(e)5	Failure of the solid waste	<u>\$1,000</u>	<u>M</u>	<u>30</u>
	collector to handle customer			
	complaints in a prompt,			
	courteous, and efficient manner.			
7:26H-5.12(c)6	Failure of the solid waste	\$1,000	<u>M</u>	<u>30</u>
	collector to remove and transport			
	solid waste in an environmentally			
	sound manner that safeguards			
	the public health and preserves			
	the quality of the environment.			

Rule	Rule Summary	Base	Minor/Non-	Grace Days
	<u> </u>	Penalty	Minor	Provided
7:26H-5.12(c)7	Failure of the solid waste	\$1,000	M	30
	collector to notify its customers in		_	
	writing at least 10 days prior to			
	any increase or decrease in rates.			
7:26H-5.12(c)9	Failure of the solid waste	\$1,000	<u>M</u>	1
	collector to remove its container			
	or other equipment from the			
	customers premises within three			
	days of the effective date of			
	discontinuance regardless of the			
	status of the account.			
<u>7:26H-</u>	Failure of the solid waste	<u>\$500</u>	<u>M</u>	<u>30</u>
5.12(c)15	collector to transmit copies of any			
	notice of discontinuance of			
	service to the Department at the			
	same time it is transmitted to the			
	customer.			
<u>7:26H-</u>	Failure of solid waste utility to	<u>\$1,000</u>	<u>M</u>	<u>30</u>
5.12(c)16	ensure solid waste services			
	contracts or agreements do not			
	include any clause which calls for			
	automatic renewal of the contract			
	or agreement.			
<u>7:26H-</u>	Failure of collection utility to	\$1,000	<u>M</u>	<u>30</u>
5.12(c)17	display their name, as it appears			
	on their Certificate of Public			
	Convenience and Necessity, and			
	any trading as name on all			
	vehicles and containers.			
7:26H-5.12(d)	Eailure of the collector to submit	<u>\$500</u>	<u>M</u>	<u>30</u>
	a certification to the Department			
	certifying that each customer was			
	provided with a customer bill of			
	<u>rights.</u>			

5. The violations of N.J.A.C. 7:26H-6, Uniform Bid Specifications for Municipal Solid Waste Collection Contracts and the penalty amounts are as set forth in the following

table.

Rule Summary	<u>Base</u>	Minor/Non-	Grace Days
	Penalty	<u>Minor</u>	Provided
Failure of the contractor to	<u>\$1,000</u>	<u>M</u>	1
promptly and properly attend to			
all complaints of residents and all			
notices, directives and orders of			
the contract administrator within			
24 hours of the receipt of same;			
to keep a record of complaints			
and the date and time of the			
responses to such complaints, as			
well any action taken; to provide			
a written summary of all		1	
complaints and responses to the			
contract administrator each			
month.			
	Failure of the contractor to promptly and properly attend to all complaints of residents and all notices, directives and orders of the contract administrator within 24 hours of the receipt of same; to keep a record of complaints and the date and time of the responses to such complaints, as well any action taken; to provide a written summary of all complaints and responses to the contract administrator each	Failure of the contractor to promptly and properly attend to all complaints of residents and all notices, directives and orders of the contract administrator within 24 hours of the receipt of same; to keep a record of complaints and the date and time of the responses to such complaints, as well any action taken; to provide a written summary of all complaints and responses to the contract administrator each month.	Failure of the contractor to promptly and properly attend to all complaints of residents and all notices, directives and orders of the contract administrator within 24 hours of the receipt of same; to keep a record of complaints and the date and time of the responses to such complaints, as well any action taken; to provide a written summary of all complaints and responses to the contract administrator each month.

Based on consultation with staff, I hereby certify that the above statements, including the Federal Standards Analysis (p. _____) addressing the requirements of Executive Order No. 27 (1994) and the Administrative Procedure Act, N.J.S.A. 52:14B-1 et seq., permit the public to understand accurately and plainly the purposes and expected consequences of this proposal.

Bradley M. Campbell, Commissioner

Date

Bradley M. Campbell, Commissioner
Department of Environmental Protection